

**TUSSIN DM DAYTIME NIGHTTIME- dextromethorphan hbr, doxylamine succinate, guaifenesin**  
**CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED**

-----  
**CVS 44-030043**

**Day**

***Active ingredients (in each 20 mL)***

Dextromethorphan HBr 20 mg  
Guaifenesin 400 mg

***Purpose***

Cough suppressant  
Expectorant

***Uses***

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if**

cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed**
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years: do not use

**Other information**

- **each 20 mL contains:** sodium 16 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, high fructose corn syrup, microcrystalline cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

**Questions or comments?**

**1-800-426-9391**

**Night****Active ingredients (in each 20 mL)**

Dextromethorphan HBr 30 mg  
Doxylamine Succinate 12.5 mg

**Purpose**

Cough suppressant  
Antihistamine

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - itching of the nose or throat
  - itchy, watery eyes
  - runny nose
  - sneezing
- controls the impulse to cough to help you sleep

**Warnings****Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- a cough that occurs with too much phlegm (mucus)
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem or persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- **do not exceed recommended dosage**
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed**
- do not take more than 4 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL in dosing cup provided every 6 hours
- children under 12 years: do not use

**Other information**

- **each 20 mL contains:** sodium 14 mg
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sugar, xanthan gum

**Principal Display Panel**

**DAY & NIGHT COMBO PACK**

<p>♥CVS Health® Compare to the active ingredients in Robitussin® Maximum Strength Cough + Chest Congestion DM* MAXIMUM STRENGTH MAXIMUM STRENGTH FOR MUCUS RELIEF Daytime Non-Drowsy Tussin DM DEXTROMETHORPHAN HBr Cough suppressant GUAIFENESIN Expectorant Cough &amp; Chest Congestion Relieves: • Cough • Chest congestion • Mucus Menthol-Berry Flavor Dosage cup provided For Ages 12 &amp; Over Actual Bottle Size on Side Panel 4 FL OZ (118 mL) + 4 FL OZ (118 mL) TOTAL 8 FL OZ (236 mL)</p>	<p>♥CVS Health® Compare to the active ingredients in Robitussin® Maximum Strength Nighttime Cough DM* MAXIMUM STRENGTH MAXIMUM STRENGTH Nighttime Tussin DM DEXTROMETHORPHAN HBr Cough suppressant DOXYLAMINE SUCCINATE Antihistamine Cough &amp; Antihistamine Relieves: • Cough • Runny nose • Sneezing Menthol-Berry Flavor Dosage cup provided For Ages 12 &amp; Over Actual Bottle Size on Side Panel</p>
---	--

50844 ORG012303004336

**DO NOT TAKE DAYTIME AND NIGHTTIME PRODUCTS AT THE SAME TIME**  
**TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING**  
**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
V-19849  
CVS.com/returnpolicy  
100% money back  
guaranteed.

\*This product is not manufactured or distributed  
by GlaxoSmithKline Consumer Healthcare  
Holdings (US) LLC, owner of the registered  
trademarks Robitussin® Maximum Strength  
Cough + Chest Congestion DM and Robitussin®  
Maximum Strength Nighttime Cough DM.

**PARENTS:**

Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

Package Contains Two Bottles  
Actual Size

**Tussin DM**  
Daytime Non-Drowsy  
FOR MUCUS RELIEF  
MAXIMUM STRENGTH

**Tussin DM**  
Nighttime  
MAXIMUM STRENGTH

**Cough & Chest Congestion**  
Antihistamine

**CVS Health**

**DAY & NIGHT COMBO PACK**

**CVS Health** **CVS Health**

**MAXIMUM STRENGTH** **MAXIMUM STRENGTH**

**Daytime Non-Drowsy Tussin DM**

**Nighttime Tussin DM**

**DEXTROMETHORPHAN HBR Cough suppressant**

**QUAIFENESIN Expectorant**

**Cough & Chest Congestion**

**Relieves:**

- Cough
- Chest congestion
- Mucus

**Menthol-Berry Flavor**

Dosage cup provided

**4 FL OZ (118 mL) + 4 FL OZ (118 mL)**

**TOTAL 8 FL OZ (236 mL)**

Daytime, Tussin DM (continued)

**Drug Facts (continued)**

**Other information**

**50844**      **ORG012303004336**

**DO NOT TAKE DAYTIME AND NIGHTTIME PRODUCTS AT THE SAME TIME**

**TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com 1-800-SHOP CVS  
V-19849  
100% money back guaranteed.  
CVS.com/returnpolicy

#181525

**FPO 100%**  
**UPC# 050428393444**

X XXXXXX XXXXXX X

No Print / No Varnish  
Lot no. & Exp. date

B-0231-030/043-36H  
ORG012303004336

Daytime, Tussin DM (continued)

**Drug Facts (continued)**

**Questions or comments? 1-800-426-6991**

**PARENTS:**  
Learn about new medicines about  
[www.SuppMed.com/Asse.org](http://www.SuppMed.com/Asse.org)

Package Contains Two Bottles  
Actual Size

**CVS 44-030043**

## TUSSIN DM DAYTIME NIGHTTIME

dextromethorphan hbr, doxylamine succinate, guaifenesin kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-434
---------------------	----------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-434-19	1 in 1 PACKAGE, COMBINATION; Type 0: Not a Combination Product	04/18/2023	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
<b>Part 1</b>	1 BOTTLE, PLASTIC	118 mL
<b>Part 2</b>	1 BOTTLE, PLASTIC	118 mL

## Part 1 of 2

### TUSSIN DM DAYTIME

dextromethorphan hbr, guaifenesin solution

#### Product Information

**Item Code (Source)** NDC:51316-304

**Route of Administration** ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

#### Product Characteristics

<b>Color</b>	red (MAROON)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MENTHOL, BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/18/2023	

## Part 2 of 2

### TUSSIN DM NIGHTTIME

dextromethorphan hbr, doxylamine succinate solution

## Product Information

Item Code (Source)	NDC:51316-430
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 20 mL
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 20 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	red (MAROON)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MENTHOL, BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/18/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/18/2023	

**Labeler** - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(51316-434) , pack(51316-434)

Revised: 8/2023

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED