ALLERGY RELIEF- diphenhydramine hydrochloride tablet Rite Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid 44-329

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- ith any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years of age and over 1 to 2 tablets			
children 6 to under 12 years of age	1 tablet		
children under 6 years of age	do not use this product in children under 6 years of age		

Other information

- store at controlled room temperature 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Principal Display Panel

RITE AID® PHARMACY

*Compare to the active ingredient in Benadryl® Allergy Ultratab®

allergy relief

diphenhydramine HCl 25 mg antihistamine

48 MINITABS

25 mg EACH

SMALL TABLET SIZE

relief of:

sneezing

itchy, watery eyes

runny nose

itchy throat

easy to swallow

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Benadryl® Allergy Ultratab®.

50844 REV0512B32912

DISTRIBUTED BY: RITE AID

30 HUNTER LANE, CAMP HILL, PA 17011

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

allergy relief

diphenhydramine HCI 25 mg

antihistamine

in Benadryl® Allergy Ultratab®

*Compare to the active ingredient



PHARMACY



allergy relief

diphenhydramine HCI 25 mg

48 MINITABS 25 mg EACH

ITEM 0345435 M 0

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

relief of: sneezing itchy, watery eyes runny nose itchy throat

easy to swallow



CAMP HILL, PA 17011 30 HUNTER LANE **BITE AID** DISTRIBUTED BY:

REV0512832922

Healthcare, owner of the registered trademark Benadryl® Allergy Ultratab®. . This product is not manufactured or distributed by McNeil Consumer

B-1702-329-22-R REV0512B32922

Questions or comments? 1-800-426-9391

gioxide, stearic acid, talc, tranium dioxide boyvethylene glycol, polyvinyl alcohol, silicon magnesium stearate, microcrystalline cellulose, #27 aluminum lake, dicalcium phosphate, Inactive ingredients com starch, D&C red

- see end flap for expiration date and lot number protect from moisture
 - petween 15°-30°C (59°-86°F) ■ store at 25°C (7°F); excursions permitted

Other information

asu fon ob children under 6 years children 6 to under 12 fablet f years and over 1 to 2 tablets adults and children 12

- do not take more than 6 times in 24 hours doctor
- take every 4 to 6 hours, or as directed by a

Directions

right away. get medical help or contact a Poison Control Center excuspility may occur, especially in children oberating machinery

 pe careful when driving a motor vehicle or juctease drowsiness

- sicohol, sedatives, and tranquilizers may
- avoid alcoholic drinks
 - marked drowsiness may occur
 - When using this product

taking sedatives or tranquilizers. Ask a doctor or pharmacist before use if you are

- trouble urinating due to an enlarged prostate chronic bronchitis
- s preathing problem such as emphysema or Ask a doctor before use if you have

 glaucoma

diphenhydramine, even one used on skin with any other product containing ■ to unske a child sleepy Do not use Warnings

- common cold:

 unnin nose
 uneszing temporarily relieves these symptoms due to the
- itching of the nose or throat Bujzaaus ■ ■ гиппу поѕе
 ■ itchy, watery eyes
- tever or other upper respiratory allergies: temporarily relieves these symptoms due to hay

Diphenhydramine HCI 25 mg. Antihistamine

diphenhydramine HCl 25 mg

Rite Aid 44-329

ALLERGY RELIEF

diphenhydramine hcl tablet

Product Information

 Product Type
 HUMAN OTC DRUG LABEL
 Item Code (Source)
 NDC:11822-0329

 Route of Administration
 ORAL
 DEA Schedule

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
DIPHENHYDRAMINE HYDRO CHLO RIDE (DIPHENHYDRAMINE)
DIPHENHYDRAMINE HYDRO CHLO RIDE
25 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULO SE, MICRO CRYSTALLINE	
D&C RED NO. 27	
CALCIUM PHO SPHATE, DIBASIC, ANHYDRO US	
MAGNESIUM STEARATE	
POLYETHYLENE GLYCOLS	
POLYVINYL ALCOHOL	
SILICON DIO XIDE	
STEARIC ACID	
TITANIUM DIO XIDE	

Product Characteristics

Color	ORANGE	Score	no score
Shape	ROUND	Size	10 mm
Flavor		Imprint Code	44;329
Contains			

Packaging

1	1 ackaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:11822-0329-7	1 in 1 CARTON					
1		36 in 1 BLISTER PACK					
2	NDC:11822-0329-8	1 in 1 CARTON					

2		24 in 1 BLISTER PACK	
3	NDC:11822-0329-4	1 in 1 CARTON	
3		48 in 1 BLISTER PACK	
4	NDC:11822-0329-6	1 in 1 CARTON	
4		200 in 1 BOTTLE, PLASTIC	
5	NDC:11822-0329-2	1 in 1 CARTON	
5		100 in 1 BOTTLE, PLASTIC	
6	NDC:11822-0329-3	10 in 1 VIAL, PLASTIC	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	03/02/1990	

Labeler - Rite Aid (014578892)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(11822-0329)

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		038154464	PACK(11822-0329)	

Revised: 8/2013 Rite Aid