

**CVS NIGHTTIME CHILDRENS COLD AND COUGH MULTI-SYMPTOM RELIEF-  
chlorpheniramine maleate and dextromethorphan hydrobromide solution  
CVS PHARMACY**

-----  
**CVS Nighttime Children's Cold & Cough Relief**

***Drug Facts***

<b><i>Active ingredients (in each 15 mL)</i></b>	<b><i>Purpose</i></b>
Chlorpheniramine maleate 2 mg	Antihistamine
Dextromethorphan HBr 15 mg	Cough suppressant

**Uses**

temporarily relieves cold symptoms:

- cough due to minor throat & bronchial irritation
- sneezing
- runny nose

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

**Ask a doctor before use if you have**

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product**

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks

- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, & tranquilizers may increase drowsiness

### **Stop use and ask a doctor if**

- cough persists more than 1 week, tends to recur or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

### **Directions**

- take only as directed
- do not exceed 4 doses per 24 hrs.
- only use the dose cup provided

adults & children 12 yrs & over	30 mL every 6 hrs.
children 6 to under 12 yrs	15 mL every 6 hrs.
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

### **Other information**

- **each 15 mL contains:** potassium 5 mg, sodium 5 mg
- sugar free
- aspirin free
- store at room temperature

### **Inactive ingredients**

anhydrous citric acid, FD&C Red No. 40, flavor, potassium citrate, potassium sorbate, propylene glycol, purified water, sodium benzoate, sorbitol, sucrose

### **Questions or comments?**

**1-866-467-2748**

### **PRINCIPAL DISPLAY PANEL - 236 ml Bottle Label**

Compare to the active ingredients in Children's Vicks Nyquil™ Cold & Cough\*

**NDC 51316-752-08**

**Nighttime**

**Childrens**

**Cold & Cough**

**Chlorpheniramine maleate 2 mg,**

**Dextromethorphan HBr 15 mg**

- **Sneezing**
- **Runny Nose**
- **Cough**

No Added Alcohol, Acetaminophen Free

**Berry Flavor**

Naturally and Artificially Flavored

**8 FL OZ (236 ml)**

**DISTRIBUTED BY:**

**TAMPER EVIDENT:** Do not use if printed shrink band is missing or broken.

\*This product is not manufactured or distributed by Procter & Gamble, the distributor of Children's Vicks® Nyquil™ Cold & Cough.

6.75 in

3.25 in

**TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINK BAND IS MISSING OR BROKEN.**

**Drug Facts**

**Active ingredients (in each 15 mL)**

Chlorpheniramine maleate 2 mg.....Antihistamine  
Dextromethorphan HBr 15 mg.....Cough suppressant

**Uses** temporarily relieves cold symptoms:  
■ cough due to minor throat & bronchial irritation  
■ sneezing ■ runny nose

**Warnings**  
**Do not use**  
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product  
■ to make a child sleepy

**Ask a doctor before use if you have**  
■ glaucoma ■ cough that occurs with too much phlegm (mucus)  
■ a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema  
■ trouble urinating due to enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking** sedatives or tranquilizers

\*This product is not manufactured or distributed by Procter & Gamble, the distributor of Children's Vicks® NyQuil™ Cold & Cough.

**CVS Health.**

Compare to the active ingredients in Children's Vicks® NyQuil™ Cold & Cough\*  
NDC 51316-752-08

**Children's Nighttime**

**CHLORPHENIRAMINE MALEATE**  
Antihistamine  
**DEXTROMETHORPHAN HBr**  
Cough suppressant

**Relieves:**  
Sneezing, Runny nose & Cough

**Berry Flavor**  
Naturally & Artificially Flavored

**No added alcohol**  
Acetaminophen free

**8 FL OZ (236 mL)**

**Drug Facts (continued)**

**When using this product**  
■ excitability may occur, especially in children  
■ marked drowsiness may occur  
■ avoid alcoholic drinks  
■ be careful when driving a motor vehicle or operating machinery  
■ alcohol, sedatives, and tranquilizers may increase drowsiness

**Stop use and ask a doctor if**  
■ cough persists more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Disposal: Recycle Empty and Reusable Containers

**PLASTIC BOTTLE** **PLASTIC CUP**

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com™ 1-800-SHOP CVS  
V-12431

**100% money back guarantee.**  
CVS.com/returnpolicy

752BE08CVSLR

#545761

LOT: UNWARNISHED AREA

EXP:

0 50428 54100 5

**PEEL BACK HERE**

**Drug Facts (continued)**

**Directions**  
■ take only as directed ■ only use the dose cup provided  
■ do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 6 hrs
children 6 to under 12 yrs	15 mL every 6 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

**Other information**  
■ each 15 mL contains: potassium 5 mg, sodium 5 mg ■ sugar free  
■ aspirin free ■ store at room temperature

**Inactive ingredients** anhydrous citric acid, FD&C Red No. 40, flavor, potassium citrate, potassium sorbate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

**Questions or comments? 1-866-467-2748**

## CVS NIGHTTIME CHILDRENS COLD AND COUGH MULTI-SYMPTOM RELIEF

chlorpheniramine maleate and dextromethorphan hydrobromide solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-752
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 15 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 15 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	RED	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-752-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/20/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	02/20/2023	

**Labeler** - CVS PHARMACY (062312574)