ASPEN SUPERIOR - iodine liquid EXL Laboratories, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Usage Directions Active Ingredients

USAGE DIRECTIONS

PRE-DIPPING/SPRAYING: Teats should be clean and dry before dipping. Dip/spray with undiluted product and allow to dry 30-60 seconds contact time. Wipe the teats dry.

POST -DIPPING/SPRAYING: Dip/spray teats with undiluted product after milking. Allow to air dry. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip/spray teats once a day for 3-4 days following the last milking.

DURING COLD WEATHER do not turn cows out until teats are dry.

UDDER WASH: To avoid contamination of milk, wash teats with this product diluted at 1oz. (30mL) per 1-2 gallon (4-8L) of lukewarm water. Then dry each cow's udder and teats with clean towels before milking.

DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT

IMPORTANT: TEAT IRRITATION OR CHAPPING: Teat dips have the potential to cause irritation or chapping. If you observe abnormal irritation or chapping, call 1-800-225-3832 or contact your dealer.

ACTIVE INGREDIENTS: Nonylphenolyethoxy (12 moles EO) ethanol-iodine complex providing 0.5% titratable iodine (5,000 mg/L)

Contains 6% skin conditioners

Caution Storage and Disposal

CAUTION

KEEP OUT OF REACH OF CHILDREN HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION

SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONTACT MSDS SHEET

TOLL FREE EMERGENCY NUMBER: 1-800-424-9300

PRECAUTIONS: Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

FIRST AID:

EXTERNAL: in case of contact, immediately flush contaminated skin with plenty of water. If irritation

occurs and persists, call a physician.

INTERNALLY: If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving glasses of water or milk. Give prompt medical attention. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

EYES: Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

STORAGE AND DISPOSAL: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.

SPILLAGE: In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.

KEEP FROM FREEZING

Product Label

Aspen Dairy Solutions

QUALITY MILK CONTROL

0.5% Superior

0.5% IODINE PRE AND POST-MILKING TEAT DIP OR SPRAY

Part#

33171


Net Contents: 15 GALLONS (56.8 L)

Lot # 00010252A Expires: 10/2014

EXL Laboratories, LLC

1001 Glenwood Ave.

Minneapolis, MN 55405



0.5% Superior

0.5% IODINE PRE & POST-MILKING TEAT DIP OR SPRAY

USAGE DIRECTIONS

PRE-DIPPING/SPRAYING: Tests should be clean and dry before dipping. Diphoraly with

proc.-DPPPMCCSPRATINGU: Teats should be creat and only series or apring. Departy with undistated product and allow 30-60 seconds contact time. Where the feets day. POST -OPPPMCCSPRATING: Dipospery teats with undistated product after milking. Allow to air dry. With freshering coses, begin diposing teats twice deally for about 10 days before culturing. For dry cover, dip spray teats once a day for 30-4 days following the last milking. DURING COLD WEATHER do not turn out cover until teats are sky. UDDER WASH: To avoid confirmation on milk, wash teats with this product diluted at 1cs (30mL) per 1-2gal (4-8L) of lutewarm water. Then dry each cow's adder and feats with clean towerls before milking.

with clean towers before milking.

DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT

IMPORTANT: TEAT IRRITATION OR CHAPPING: Test digs have the potential to ourse

initiation or chapping. If you observe abnormal initiation or chapping, call 1-800-225-3832

or contact your dealer.

ACTIVE NICREDIENTS: Nonytphenolyethory (12 moles EO) ethanol-odine complex providing 0.5% Bitratable lodine (5,000 mg/L).

Contains 6% skin conditioners.

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONSULT MSDS SHEET TOLL FREE EMERGENCY NUMBER 1-800-424-9300 PRECAUTIONS: Protect eyes from contact with this product. Keep container light

ed when not in use. Use with adequate ventilation. Wash thoroughly after handling

EXTERNAL: In case of contact, immediately flush contaminated skin with plenty of water

EXTERNAL: In case of contact, immediately flush contaminated sich with plenty of water. If initiation occurs and persists call a physician. INTERNAL: Foroncious, dilute by giving several glassies of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glassies of water or milk. Give prompt medical attention. NEVER GIVE ANYTHING BY MOUTH TO AN UNICONSCIOUS PERSON.

UNICONSCIOUS PERSON
EYES: Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If imitation persists, call

STORAGE AND DISPOSAL: Store this product in a cool, dry area away from direct

STORAGE AND DISPOSAL: Store this product in a cool, dry area away from direct surriging and heal to avoid defentioration. Store in a locked calente or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws: SPALLAGE: In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with ment absorbent and dispose of according to Federal State, and local laws.



EXL Laboratories, LLC 1001 Glenwood Ave. Minneapolis, MN 55405

BAÑO/AEROSOL DE PEZON PREVIO Y POSTERIOR AL ORDEÑO 0.5% YODO

BAÑOIAEROSOL DE PEZON PREVIO Y POSTERIOR AL ORDEÑO 0.5% YODO INSTRUCCIONES DE USO BAROJARROSOL PREVIO: Los perones se deben limpiar y secar antes de aplicar el baño. Si as necesario, lavar los pezones y secarlos con una teala de uso singular. Bañarinociar con aerosol los pezones con este producto ne diultad y dejar 30-60 segundos de contacto. Secar los pezones previsamente a la colocación de la unidad de ordeño. Bañoi ABROJARROSOL POSTERIOR: Bañarivociar con aerosol los pezones con sele producto sin dilur immediatamente luego del ordeño. Dejar secar al aire. Reemplazar la solución si se vuelve visibismente sucia. Con sacas que van a parir, comenzar a bañar los pezones dos seuses al día por apromendamente 10 días antes del parto. Para las vacas que no benen lache, bañarivociar con aerosol los pezones con este producto sin dilur una vez al día durante varios dias a continuación del último ordeño. DURANTE TEMPO FIRIO no secar las vacas afuera hantar que los pezones sabin secos para prevenir el custrios y el congetamiento. Si es recenario, secar com una totalé de los singular de parto.

introdecant E - intro la CIDM Y/O CUMPLED DE LOS PEZUMEZE. Les balloss de los pezones pueden caisar irritación a los pezones de la vaca o a las manos del orderidador. En caso de observar una irritación anormal o cuarteo, dejar de suario y láminar al departamento de servicio técnico al 1-800-225-3332, o consultar a su representante. INGREDIENTES ACTIVOS. Norrightenescy polyethosy (12 moles EO) etanol-yodo complejo proveyendo 0.5% de yodo titratable (5000 ppm). Contiene 6% de acondicionadores de la piel.

ADVERTENCIA

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

CAUSA DAÑO SI ES INGERIDO - CAUSA DAÑO SI ES INHALADO - CAUSA IRRITACION DE LOS QUOS. LEA A CONTINUACION POR PRECAUCION Y/O CONSULTE EL MATERIAL DE INFORMACION SOBRE SEGURIDAD NUMERO DE EMERGENCIA SIN COSTO: 1-800-424-9300

EROS AUXILIOS

PRIMETROS AUDILIOS:

EXTERNO: En caso de contacto, lavar a chomo inmédiatamente la pel consuminada con mucha agua el menos por 15 minutos. Sacar la roga y los capatino contaminados limentos achorno con agua. En caso de mancio no generaleras, Ramar a en médicio.

INTERNO: Si esta consociente, ellar clandos varos vasos de agua o leche. No instrucir el viórnio. En caso de viornio, de inveramente varios issos de agua o leche. Obtene atérnición medicia lapidamente. NO CIAR.

NUNCA NADA POR LA DICA A LIVIA PERSONA RICONSCIENTE.

OLOS: Lavar e chomo inspecialmente com nuclea, agua coniente y largua al mesos por 15 minutos soutenendo los paripados para avegarar el faviado a chomo de la superios del que enformente. Lierna: a con médico.

on médico ALMACCHAMIENTO Y ELIMINACION: Almaconar el producto en un lugar frío y seco. Suesa del alcance de la lus solar en forma directa y del calico para evidar su detenciro. Almacenar en un galarinete o habitación con comitadas para el cantenereto beara del relacino de los siños. Eliminar solo de acuerdo a lais legres feleráles substitución de la calica del cal

Net Contents: 15 GALLONS (56.8 L) Lot #: 00010252A Expires: 10/2014

ASPEN SUPERIOR

iodine liquid

Product Information Product Type OTC ANIMAL DRUG LABEL Item Code (Source) NDC:50138-171 Route of Administration TOPICAL **DEA Schedule**

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength IODINE (IODINE) **IODINE** 5000 mg in 1 L

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 N	NDC:50138-171-01	9.5 L in 1 JUG				
2 N	NDC:50138-171-02	19 L in 1 JUG				
3 N	NDC:50138-171-03	56.8 L in 1 DRUM				
4 N	NDC:50138-171-04	114 L in 1 DRUM				
5 N	NDC:50138-171-05	208 L in 1 DRUM				

6	NDC:50138-171-06	946 L in 1 DRUM	
7	NDC:50138-171-07	1003 L in 1 DRUM	
8	NDC:50138-171-08	1041 L in 1 DRUM	

Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
unapproved drug other		09/01/2008						

Labeler - EXL Laboratories, LLC (927483458)

Registrant - EXL Laboratories, LLC (927483458)

Establishment							
Name	Address	ID/FEI	Business Operations				
EXL Laboratories, LLC		927483458	api manufacture, manufacture				

Revised: 7/2013 EXL Laboratories, LLC