

PAIN RELIEF EXTRA STRENGTH- acetaminophen tablet, film coated
Rite Aid Corporation

Pain Reliever

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - backache
 - the common cold
 - toothache
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- with other drugs containing acetaminophen
- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 caplets every 6 hours while symptoms last
 - do not take more than 6 caplets in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

castor oil, hypromellose, povidone, sodium starch glycolate, starch, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 11822-0812-2

Compare to the active ingredient in
Extra Strength Tylenol® Caplets*

**EXTRA STRENGTH PAIN RELIEF
ACETAMINOPHEN**

ACETAMINOPHEN 500 mg
PAIN RELIEVER/FEVER REDUCER

contains no aspirin

ACTUAL SIZE

12
CAPLETS

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by
Johnson & Johnson Corporation, owner of the
registered trademark Extra Strength Tylenol® Caplets.
50844 REV0621G17502

DISTRIBUTED BY:
RITE AID, 200 NEWBERRY COMMONS
ETTERS, PA 17319 **www.riteaid.com**

**SATISFACTION
GUARANTEE**

If you're not satisfied, we'll
happily refund your money

NDC 11822-0812-2

Compare to the active ingredient in
Extra Strength Tylenol® Caplets

EXTRA STRENGTH PAIN RELIEF ACETAMINOPHEN

ACETAMINOPHEN 500 mg

PAIN RELIEVER/FEVER REDUCER



contains
no aspirin

ACTUAL SIZE

12
CAPLETS

NDC 11822-0812-2

Compare to the active ingredient in
Extra Strength Tylenol® Caplets

EXTRA STRENGTH PAIN RELIEF ACETAMINOPHEN

ACETAMINOPHEN 500 mg

PAIN RELIEVER/FEVER REDUCER



contains
no aspirin

ACTUAL SIZE

12
CAPLETS

B-1702-175-02-R3
REV0621G17502

Drug Facts (continued)

Directions

- do not take more than directed
- adults and children 12 years and over
- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted

Drug Facts (continued)

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- These could be signs of a serious condition.
- If pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

While using this product

- severe skin reactions. Symptoms may include: skin redness, hives, blisters, rash
- If a skin reaction occurs, stop use and seek medical help right away.
- Do not use
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- If you are allergic to acetaminophen or any of the inactive ingredients in this product
- Ask a doctor before use if you have liver disease.
- Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.
- Stop use and ask a doctor if
- redness or swelling is present

Drug Facts

Active ingredient
(in each caplet)
Acetaminophen 500 mg. Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- the common cold
- toothache
- minor pain of arthritis
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

- Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
- with other drugs containing acetaminophen in more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day

TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



no print / no varnish area
lot no. & exp. date

PAIN RELIEF EXTRA STRENGTH

acetaminophen tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0812
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name		Basis of Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		500 mg

Inactive Ingredients	
Ingredient Name	Strength
CASTOR OIL (UNII: D5340Y2I9G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics			
Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;175
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0812-2	1 in 1 CARTON	04/02/1993	
1		12 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:11822-0812-3	1 in 1 CARTON	04/02/1993	07/11/2021
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11822-0812-6	1 in 1 CARTON	04/02/1993	10/08/2021
3		16 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:11822-0812-8	1 in 1 CARTON	04/02/1993	09/23/2024
4		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
5	NDC:11822-	500 in 1 BOTTLE, PLASTIC; Type 0: Not a	04/02/1993	10/21/2024

5	0812-4	Combination Product	04/02/1993	10/21/2024
6	NDC:11822-0812-5	1 in 1 CARTON	04/02/1993	11/17/2024
6		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
7	NDC:11822-0812-1	1 in 1 CARTON	04/02/1993	01/26/2025
7		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/02/1993	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(11822-0812)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0812)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11822-0812)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(11822-0812)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11822-0812)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117597853	pack(11822-0812)