

BAYER GENUINE ASPIRIN- aspirin tablet

Your Safety Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bayer Genuine Aspirin®

Drug Facts

Active ingredient (in each tablet)

Aspirin 325 mg (NSAID)¹

¹ nonsteroidal anti-inflammatory drug

Purposes

Pain reliever/fever reducer

Uses

temporarily relieves

- headache
- muscle pain
- toothache
- menstrual pain
- pain and fever of colds
- minor pain of arthritis

Warnings

Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems

- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- fever lasts more than 3 days
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours
- children under 12 years: consult a doctor

Other information

- save carton for full directions and warnings
- store at room temperature

Inactive ingredients

carnauba wax², corn starch, hypromellose, powdered cellulose, triacetin

² may contain this ingredient

Questions or comments?

1-800-331-4536

(Mon – Fri 9AM – 5PM EST) or www.bayeraspirin.com

PRINCIPAL DISPLAY PANEL - 50 Pouch Box

GENUINE ASPIRIN

BAYER®

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

THE WONDER DRUG®

325mg

Safe Pain Relief Plus

Lifesaving Benefits

COATED TABLETS

Aspirin is not appropriate for everyone, so be sure to talk to your doctor before you begin an aspirin regimen.

COATED TABLETS

Safe Pain Relief Plus
Lifesaving Benefits



THE WONDER DRUG®



BAYER
GENUINE ASPIRIN

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

GENUINE ASPIRIN

BAYER



ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

THE WONDER DRUG®



Safe Pain Relief Plus
Lifesaving Benefits

COATED TABLETS

GENUINE ASPIRIN

BAYER



ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

THE WONDER DRUG®



Safe Pain Relief Plus
Lifesaving Benefits

COATED TABLETS

Use Only If Pouch Is Sealed
To Open,

PUSH IN TAB and PULL OUT

50 Pouches of 2 Tablets Each

Aspirin is not appropriate for everyone, so be sure to talk to your doctor before you begin an aspirin regimen.

Drug Facts

Active ingredients (in each tablet)..... **Purpose**
 Aspirin 325 mg (NSAID)*..... Pain reliever / fever reducer
 *nonsteroidal anti-inflammatory drug

Uses: temporarily relieves:
 • headache • muscle pain • toothache • menstrual pain • pain and fever of colds • minor pain of arthritis

Warnings:
 • **Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
 • **Allergy alert:** Aspirin may cause a severe allergic reaction which may include:
 • liver • facial swelling • asthma (wheezing) • shock.
 • **Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed
Do not use if you are allergic to aspirin or any other pain reliever/fever reducer
Ask doctor before using if • stomach bleeding warning applies to you
 • you have a history of stomach problems, such as heartburn • you have high blood pressure, heart disease, liver cirrhosis, or kidney disease • you are taking a diuretic • you have asthma
Ask a doctor or pharmacist before use if you are taking a prescription drug for
 • diabetes • gout • arthritis
Stop use and ask a doctor if
 • an allergic reaction occurs. Seek medical help right away. • you experience any of the following signs of stomach bleeding: • feel faint • vomit blood • have bloody or black stools • have stomach pain that does not get better • pain gets worse or lasts more than 10 days • redness or swelling is present • fever lasts more than 3 days • new symptoms occur • ringing in the ears or a loss of hearing occurs
If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.
KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions: Drink a full glass of water with each dose • Adults and children 12 years of age and older. • Children under 12 years	take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours or as directed by a doctor consult a doctor
--	---

Other information:
 • save carton for full directions and warnings
 • store at room temperature

inactive ingredients: carnauba wax*, corn starch, hypromellose, powdered cellulose, triacetin
 *may contain this ingredient

Questions? 1-800-331-4536 (Mon-Fri 9AM- 5PM) or www.bayeraspirin.com

GENUINE ASPIRIN

BAYER 

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

THE WONDER DRUG. 

Safe Pain Relief Plus Lifesaving Benefits

COATED TABLETS

Lot
Exp

This Product is repackaged by Your Safety Company, Inc.
 111 Quarry Road Chambersburg PA 17202, 1-800-548-3920
 (Mon-Fri 8:00am-5:00pm EST) from a product manufactured
 by Bayer. Bayer, the Bayer Cross and The Wonder Drug
 are registered trademarks of Bayer, used with permission.
 Bayer HealthCare LLC, Whippany, NJ 07981

BAYER GENUINE ASPIRIN
 aspirin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70262-302(NDC:0280-2000)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Aspirin (UNII: R16CO5Y76E) (Aspirin - UNII:R16CO5Y76E)	Aspirin	325 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	BAYER
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70262-302-50	50 in 1 BOX		
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	03/15/2016	

Labeler - Your Safety Company (050622331)**Establishment**

Name	Address	ID/FEI	Business Operations
Your Safety Company		050622331	RELABEL(70262-302)