-----

#### Rite Aid 44-112

# Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

#### Purpose

Nasal decongestant

#### Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

# Warnings

#### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland

# When using this product

# do not exceed recommended dosage.

# Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

# Directions

children 12	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
to II years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

#### Other information

- each tablet contains: calcium 15 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

# Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

# **Questions or comments?**

1-800-426-9391

# **Principal Display Panel**

Compare to the active ingredient in Sudafed® Sinus Congestion\*

NDC 11822-0112-8

MAXIMUM STRENGTH SINUS PRESSURE & CONGESTION RELIEF

# **PSEUDOEHEDRINE HCI 30 mg**

NASAL DECONGESTANT

# **NON-DROWSY**

Relieves sinus pressure, nasal and sinus congestion

ACTUAL SIZE

24 TABLETS


#### TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Sudafed® Sinus Congestion. 50844 REV0619D11208

DISTRIBUTED BY: RITE AID, 200 NEWBERRY COMMONS ETTERS, PA 17319 www.riteaid.com

#### SATISFACTION GUARANTEE

If you're not satisfied, we'll happily refund your money



Rite Aid 44-112

SINUS PRESSURE AND CONGESTION RELIEF MAXIMUM STRENGTH

pseudoephedrine hcl tablet, film coated

Ρ	roduct Infor	mation									
P	roduct Type		HUMAN OTC DF	RUG	ltem Co	Code (Source)		NDC:1	NDC:11822-0112		
R	oute of Admin	istration	ORAL								
A	Active Ingredient/Active Moiety										
		Ing	gredient Name				Basis of Strength St			Strength	
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9 (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)				9V2RYJ8N)			PSEUDOEPHEDRINE HYDROCHLORIDE			30 mg	
In	Inactive Ingredients										
			Ingredier						St	rength	
	CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)										
			TE DIHYDRATE (UN	III: 07TSZ9	7GEP)						
	0&C RED NO. 40										
	FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z 2JR6Q)										
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)											
MAGNESIUM STEARATE (UNII: 70097M6I30)											
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)											
POLYDEXTROSE (UNII: VH2XOU12IE) POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)											
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)											
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)											
TRIACETIN (UNII: XHX3C3X673)											
	,										
Product Characteristics											
Color		red	Score			no score					
Shape		ROUND	Size			7mm					
Flavor			Imprint Code				44;112				
Contains											
Packaging											
#	ltem Code		Package Descr	ription		Mar	keting Start Date	Ма		ing End ate	
1	NDC:11822- 0112-8	1 in 1 CARTON				08/25/2	1981				
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product			bination						
2	NDC:11822- 0112-2	2 in 1 CARTON				08/25/2	1981				
2		24 in 1 BLISTER PACK; Type 0: Not a Combination Product			bination						
M	Marketing Information										
	Marketing	Арр	lication Number	or Monog	raph	Mai	rketing Start	Ma	rke	ting End	

Category	Citation	Date	Date
OTC Monograph Drug	M012	08/25/1981	

#### Labeler - Rite Aid Corporation (014578892) Establishment Address **Business Operations** Name ID/FEI LNK International, Inc. 038154464 pack(11822-0112) Establishment Name Address **ID/FEI Business Operations** manufacture(11822-0112) , pack(11822-0112) LNK International, Inc. 832867837 Establishment Address ID/FEI **Business Operations** Name 832867894 manufacture(11822-0112) LNK International, Inc. Establishment Address ID/FEI **Business Operations** Name LNK International, Inc. 868734088 manufacture(11822-0112) **Establishment** Address Name ID/FEI **Business Operations** LNK International, Inc. 967626305 pack(11822-0112) **Establishment** Address ID/FEI **Business Operations** Name LNK International, Inc. 117025878 manufacture(11822-0112)

Revised: 3/2024

**Rite Aid Corporation**