

**OXYGEN- oxygen gas**  
**Logan Health**

-----

**OXYGEN COMPRESSED LABEL**

**OXYGEN, COMPRESSED USP UN1072 OXYGEN 2**

**DANGER;** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER, CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible material. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52° C (125° F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. © Applied Home Healthcare Equipment 2014

CAS 7782-44-7

Contents	Size
113 Liters	__M4
165 Liters	__M6
255 Liters	__ C
425 Liters	__ D
680 Liters	__ E
7080 Liters	__ H
__ Liters	__ Other

**LOGAN**

**HEALTH**

**MEDICAL EQUIPMENT**

55 3<sup>rd</sup> Avenue E.N. Kalispell, MT 59901

**406-752-6111 800-525-5982**

# OXYGEN, COMPRESSED USP

## UN 1072

### DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.  
CONTAINS GAS UNDER PRESSURE;  
MAY EXPLODE IF HEATED.



Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. ©Applied Home Healthcare Equipment 2014

Contents	Size
113 Liters	<input type="checkbox"/> M4
165 Liters	<input type="checkbox"/> M6
255 Liters	<input type="checkbox"/> C
425 Liters	<input type="checkbox"/> D
680 Liters	<input type="checkbox"/> E
7080 Liters	<input type="checkbox"/> H
____ Liters	<input type="checkbox"/> Other

# LOGAN

## HEALTH

MEDICAL EQUIPMENT

55 3rd. Ave. E.N. Kalispell, MT 59901  
406-752-6111 800-525-5982

# OXYGEN

oxygen gas

## Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:60696-1234
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:60696-1234-1	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1982	
2	NDC:60696-1234-2	415 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1982	
3	NDC:60696-1234-3	682 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1982	
4	NDC:60696-1234-4	3462 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1982	
5	NDC:60696-1234-5	6910 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1982	
6	NDC:60696-1234-6	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1982	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA205820	01/01/1982	

**Labeler** - Logan Health (615044419)

**Registrant** - Logan Health (615044419)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Logan Health		615044419	manufacture(60696-1234)