

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 10 BEIGE- ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 20 BEIGE- ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 30 BEIGE- ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 40 BEIGE- ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 50 BEIGE- ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 60 BEIGE- ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 70 BEIGE- ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

CHANEL PARFUMS BEAUTE

CC CREAM

SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50

Drug Facts

Active ingredients	Purpose
Ensulizole 2.7%	Sunscreen
Homosalate 9%	Sunscreen
Octisalate 4.5%	Sunscreen
Titanium Dioxide 9.7%	Sunscreen
Zinc Oxide 15.2%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if skin rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

water • caprylyl methicone • glycerin • dimethicone • PEG-9 polydimethylsiloxylethyl dimethicone • alcohol • butylene glycol • arginine • stearic acid • alumina • methylpropanediol • terminalia ferdinandiana fruit extract • triethoxycaprylylsilane • sodium chloride • potassium sorbate • fragrance • dimethicone/PEG-10/15 crosspolymer • dimethicone crosspolymer • aluminum hydroxide • sodium lauroyl glutamate • sodium hyaluronate • lysine • hyaluronic acid • silanetriol • magnesium chloride • citric acid • dipropylene glycol • tocopherol • (may contain) • ultramarines • iron oxides • titanium dioxide • mica

il61a-i

Questions or comments?

Call **1-800-550-0005**

PRINCIPAL DISPLAY PANEL - 30 ml Tube Carton - 10 Beige

CC
CREAM
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

10 BEIGE

CHANEL

30 ml

1 FL.OZ.



Super active complete correction
face care.
APPLY TO CLEANSED AND MOISTURIZED
SKIN AFTER YOUR SKINCARE ROUTINE.
SMOOTH OUTWARDS OVER THE ENTIRE FACE.

Drug Facts (continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

water • caprylic/methicone • glycerin •
dimethicone • PEG-8 polydimethylsiloxylethyl
dimethicone • alcohol • butylene glycol • arginine •
stearic acid • alumina • methylpropanediol •
terminalia ferdinandiana fruit extract •
triethoxycaprylsilane • sodium chloride •
potassium sorbate • fragrance • dimethicone/
PEG-10/15 crosspolymer • dimethicone
crosspolymer • aluminum hydroxide •
sodium lauryl glutamate • sodium hyaluronate •
lysine • hyaluronic acid • silanetriol • magnesium
chloride • citric acid • dipropylene glycol •
tocopherol • (may contain) ultramarines •
iron oxides • titanium dioxide • mica

Questions or comments?

Call 1-800-550-0005

CC CREAM

CORRECTION COMPLÈTE
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

10 BEIGE

CHANEL

Drug Facts

Active ingredients	Purpose
Ensilazole 2.7%	Sunscreen
Homosalate 8%	Sunscreen
Octisalate 4.5%	Sunscreen
Titanium dioxide 9.7%	Sunscreen
Zinc oxide 15.2%	Sunscreen

Uses • helps prevent sunburn
• if used as directed with other sun protection
measures (see **Directions**), decreases the risk
of skin cancer and early skin aging caused by
the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed,
get medical help or contact a Poison Control
Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

MADE IN FRANCE
CHANEL **CHANEL®**
PARIS NEW YORK, NYC 10018



30 ml

1 FL.OZ.



EST ABTILLE DE PEUT
ÊTRE VENDU QUE
PAR LES DÉPÔTÉS
AUTORISÉS CHANEL

THIS PRODUCT CAN
BE SOLD ONLY BY
AUTHORIZED CHANEL
RETAILERS

140.556

1

PRINCIPAL DISPLAY PANEL - 30 ml Tube Carton - 20 Beige

CC
CREAM
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50
20 BEIGE
CHANEL
30 ml
1 FL.OZ.



Super active complete correction
face care.
APPLY TO CLEANSED AND MOISTURIZED
SKIN AFTER YOUR SKINCARE ROUTINE.
SMOOTH OUTWARDS OVER THE ENTIRE FACE.

Drug Facts (continued)

Other information

- Protect the product in this container from
excessive heat and direct sun.

Inactive ingredients

water • caprylic/methicone • glycerin •
dimethicone • PEG-9 polydimethylsiloxylethyl
dimethicone • alcohol • butylene glycol • arginine •
stearic acid • alumina • methylpropanediol •
terminalia ferdinandiana fruit extract •
triethoxycaprylylsilane • sodium chloride •
potassium sorbate • fragrance • dimethicone/
PEG-10/15 crosspolymer • dimethicone
crosspolymer • aluminum hydroxide •
sodium lauroyl glutamate • sodium hyaluronate •
lysine • hyaluronic acid • silanetriol • magnesium
chloride • citric acid • dipropylene glycol •
tocopherol • (may contain) ultramarines •
iron oxides • titanium dioxide • mica [81a-d]

Questions or comments?

Call 1-800-550-0005

CC CREAM

CORRECTION COMPLÈTE
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

20 BEIGE

CHANEL

Drug Facts

Active ingredients	Purpose
Ensilazole 2.7%	Sunscreen
Homosalate 9%	Sunscreen
Octisalate 4.5%	Sunscreen
Titanium dioxide 9.7%	Sunscreen
Zinc oxide 15.2%	Sunscreen

Uses • helps prevent sunburn
• if used as directed with other sun protection
measures (see **Directions**), decreases the risk
of skin cancer and early skin aging caused by
the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed,
get medical help or contact a Poison Control
Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun
exposure
 - use a water resistant sunscreen if swimming
or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in
the sun increases your risk of skin cancer and
early skin aging. To decrease this risk, regularly
use a sunscreen with a Broad Spectrum SPF
value of 15 or higher and other sun protection
measures including:
 - limit time in the sun, especially from
10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and
sunglasses
 - children under 6 months of age: Ask a doctor

MADE IN FRANCE
CHANEL CHANEL®
PARIS NEW YORK, N.Y. 10018



30 ml

1 FL.OZ.



CEST ARTICLES NE PEUT
ÊTRE VENDU QUE
PAR LES DÉPÔSITAIRES
AUTHORISÉS CHANEL

THIS PRODUCT CAN
BE SOLD ONLY BY
AUTHORIZED CHANEL
RETAILERS

140.566

PRINCIPAL DISPLAY PANEL - 30 ml Tube Carton - 30 Beige

CC
CREAM
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

30 BEIGE

CHANEL

30 ml
1 FL.OZ.



Super active complete correction
face care.
APPLY TO CLEANSED AND MOISTURIZED
SKIN AFTER YOUR SKINCARE ROUTINE.
SMOOTH OUTWARDS OVER THE ENTIRE FACE.

Drug Facts (continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

water • caprylic methicone • glycerin •
dimethicone • PEG-9 polydimethylsiloxylethyl
dimethicone • alcohol • butylene glycol • arginine •
stearic acid • alumina • methylpropanediol •
terminalia ferdinandiana fruit extract •
triethoxycaprylylsilane • sodium chloride •
potassium sorbate • fragrance • dimethicone/
PEG-10/15 crosspolymer • dimethicone
crosspolymer • aluminum hydroxide •
sodium lauroyl glutamate • sodium hyaluronate •
lysine • hyaluronic acid • silanetriol • magnesium
chloride • citric acid • dipropylene glycol •
tocopherol • (may contain) ultramarines •
iron oxides • titanium dioxide • mica

Questions or comments?

Call 1-800-550-0005

CC CREAM

CORRECTION COMPLÈTE
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50
30 BEIGE

CHANEL

Drug Facts

Active ingredients	Purpose
Ensilazole 2.7%	Sunscreen
Homosalate 8%	Sunscreen
Octisalate 4.5%	Sunscreen
Titanium dioxide 9.7%	Sunscreen
Zinc oxide 15.2%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed,
get medical help or contact a Poison Control
Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

MADE IN FRANCE
CHANEL
PARIS



30 ml

1 FL.OZ.



CET ARTICLE NE POUT
ÊTRE VENDU QUE
PAR LES DÉPÔTAIRES
AUTORISÉS CHANEL

THIS PRODUCT CAN
BE SOLD ONLY BY
AUTHORIZED CHANEL
RETAILERS

140.576

PRINCIPAL DISPLAY PANEL - 30 ml Tube Carton - 40 Beige

CC
CREAM
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

40 BEIGE

CHANEL

30 ml
1 FL.OZ.



Super active complete correction
face care.

APPLY TO CLEANSED AND MOISTURIZED
SKIN AFTER YOUR SKINCARE ROUTINE.
SMOOTH OUTWARDS OVER THE ENTIRE FACE.

Drug Facts (continued)

Other information

- Protect the product in this container from
excessive heat and direct sun.

Inactive ingredients

water • caprylyl methicone • glycerin •
dimethicone • PEG-8 polydimethylsiloxylethyl
dimethicone • alcohol • butylene glycol • arginine •
stearic acid • alumina • methylpropanediol •
terminalia ferdinandiana fruit extract •
triethoxycaprylylsilane • sodium chloride •
potassium sorbate • fragrance • dimethicone/
PEG-10/15 crosspolymer • dimethicone
crosspolymer • aluminum hydroxide •
sodium lauryl glutamate • sodium hyaluronate •
lysine • hyaluronic acid • silanetriol • magnesium
chloride • citric acid • dipropylene glycol •
tocopherol • (may contain) ultramarines •
iron oxides • titanium dioxide • mica

Questions or comments?

Call 1-800-550-0005

CC CREAM

CORRECTION COMPLÈTE
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

40 BEIGE

CHANEL

Drug Facts

Active ingredients	Purpose
Ensulizole 2.7%	Sunscreen
Homosalate 8%	Sunscreen
Octisalate 4.5%	Sunscreen
Titanium dioxide 9.7%	Sunscreen
Zinc oxide 15.2%	Sunscreen

Uses • helps prevent sunburn
• if used as directed with other sun protection
measures (see **Directions**), decreases the risk
of skin cancer and early skin aging caused by
the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed,
get medical help or contact a Poison Control
Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun
exposure
 - use a water resistant sunscreen if swimming
or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in
the sun increases your risk of skin cancer and
early skin aging. To decrease this risk, regularly
use a sunscreen with a Broad Spectrum SPF
value of 15 or higher and other sun protection
measures including:
 - limit time in the sun, especially from
10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and
sunglasses
 - children under 6 months of age: Ask a doctor

MADE IN FRANCE
CHANEL **CHANEL®**
PARIS NEW YORK, NY 10019



30 ml

1 FL.OZ.



3 145891 405866

CET ARTICLE NE PEUT
ÊTRE VENDU QUE
PAR LES DROGISTES
AUTRÉS CHANEL

THIS PRODUCT CAN
BE SOLD ONLY BY
AUTHORIZED CHANEL
RETAILERS

140.586

1


PRINCIPAL DISPLAY PANEL - 30 ml Tube Carton - 50 Beige

CC
CREAM
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

50 BEIGE

CHANEL

30 ml
1 FL.OZ.




PRINCIPAL DISPLAY PANEL - 30 ml Tube Carton - 60 Beige

CC
CREAM
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

60 BEIGE

CHANEL

30 ml
1 FL.OZ.



PRINCIPAL DISPLAY PANEL - 30 ml Tube Carton - 70 Beige

CC
CREAM
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

70 BEIGE

CHANEL

30 ml
1 FL.OZ.



Super active complete correction face care.
APPLY TO CLEANSED AND MOISTURIZED SKIN AFTER YOUR SKINCARE ROUTINE, SMOOTH OUTWARDS OVER THE ENTIRE FACE.

Drug Facts (continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

water • caprylic methicone • glycerin • dimethicone • PEG-8 polydimethylsiloxylethyl dimethicone • alcohol • butylene glycol • arginine • stearic acid • alumina • methylpropanediol • terminalia ferdinandiana fruit extract • triethoxycaprylylsilane • sodium chloride • potassium sorbate • fragrance • dimethicone/PEG-10/15 crosspolymer • dimethicone crosspolymer • aluminum hydroxide • sodium lauroyl glutamate • sodium hyaluronate • lysine • hyaluronic acid • silanetriol • magnesium chloride • citric acid • dipropylene glycol • tocopherol • (may contain) ultramarines • iron oxides • titanium dioxide • mica [B1a-d]

Questions or comments?

Call 1-800-550-0005

CC CREAM

CORRECTION COMPLÈTE
SUPER ACTIVE
COMPLETE CORRECTION
SUNSCREEN
BROAD SPECTRUM SPF 50

70 BEIGE

CHANEL

Drug Facts

Active ingredients	Purpose
Ensulizole 2.7%	Sunscreen
Homosalate 8%	Sunscreen
Octisalate 4.5%	Sunscreen
Titanium dioxide 9.7%	Sunscreen
Zinc oxide 15.2%	Sunscreen

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

MADE IN FRANCE
CHANEL CHANEL®
PARIS NEW YORK, NY • 10018



30 ml

1 FL.OZ.



CEST ARTICLES NE PEUT
ÊTRE VENDU QUE
PAR LES DÉPÔSITAIRES
AUTORISÉS CHANEL

THIS PRODUCT CAN
BE SOLD ONLY BY
AUTHORIZED CHANEL
RETAILERS

140.526

1

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 10 BEIGE

ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2150
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Ensulizole (UNII: 9YQ9DI1W42) (Ensulizole - UNII:9YQ9DI1W42)	Ensulizole	27 mg in 1 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	90 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	45 mg in 1 mL
Titanium dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	97 mg in 1 mL
Zinc oxide (UNII: SOI2LOH54Z) (Zinc oxide - UNII:SOI2LOH54Z)	Zinc oxide	152 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
glycerin (UNII: PDC6A3C0OX)	
dimethicone (UNII: 92RU3N3Y1O)	
PEG-9 polydimethylsiloxylethyl dimethicone (UNII: TYP81E471F)	
alcohol (UNII: 3K9958V90M)	
butylene glycol (UNII: 3XUS85K0RA)	
arginine (UNII: 94ZLA3W45F)	
stearic acid (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
methylpropanediol (UNII: N8F53B3R4R)	
KAKADU PLUM (UNII: 0ZQ1D2FDLI)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
sodium chloride (UNII: 451W47IQ8X)	
potassium sorbate (UNII: 1VPU26JZZ4)	
dimethicone/PEG-10/15 crosspolymer (UNII: 21AS8B1BSS)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
aluminum hydroxide (UNII: 5QB0T2IUN0)	
sodium lauroyl glutamate (UNII: NCX1UU2D33)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
lysine (UNII: K3Z4F929H6)	
hyaluronic acid (UNII: S270N0TRQY)	
silanetriol (UNII: E52D0J3TS5)	
magnesium chloride (UNII: 02F3473H9O)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
dipropylene glycol (UNII: E107L85C40)	
tocopherol (UNII: R0ZB2556P8)	

ULTRAMARINE BLUE (UNII: I39WR998BI)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
mica (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2150-1	1 in 1 CARTON	03/10/2023	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	03/10/2023	

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 20 BEIGE

ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2151
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Ensulizole (UNII: 9YQ9DI1W42) (Ensulizole - UNII:9YQ9DI1W42)	Ensulizole	27 mg in 1 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	90 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	45 mg in 1 mL
Titanium dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	97 mg in 1 mL
Zinc oxide (UNII: SOI2LOH54Z) (Zinc oxide - UNII:SOI2LOH54Z)	Zinc oxide	152 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
glycerin (UNII: PDC6A3C0OX)	
dimethicone (UNII: 92RU3N3Y1O)	
PEG-9 polydimethylsiloxylethyl dimethicone (UNII: TYP81E471F)	
alcohol (UNII: 3K9958V90M)	

butylene glycol (UNII: 3XUS85K0RA)	
arginine (UNII: 94ZLA3W45F)	
stearic acid (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
methylpropanediol (UNII: N8F53B3R4R)	
KAKADU PLUM (UNII: 0ZQ1D2FDLI)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
sodium chloride (UNII: 451W47IQ8X)	
potassium sorbate (UNII: 1VPU26JZZ4)	
dimethicone/PEG-10/15 crosspolymer (UNII: 21AS8B1BSS)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
aluminum hydroxide (UNII: 5QB0T2IUN0)	
sodium lauroyl glutamate (UNII: NCX1UU2D33)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
lysine (UNII: K3Z4F929H6)	
hyaluronic acid (UNII: S270N0TRQY)	
silanetriol (UNII: E52D0J3TS5)	
magnesium chloride (UNII: 02F3473H9O)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
dipropylene glycol (UNII: E107L85C40)	
tocopherol (UNII: R0ZB2556P8)	
ULTRAMARINE BLUE (UNII: I39WR998BI)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
mica (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2151-1	1 in 1 CARTON	11/14/2022	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	11/14/2022	

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 30 BEIGE

ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2152
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
Ensulizole (UNII: 9YQ9DI1W42) (Ensulizole - UNII:9YQ9DI1W42)		Ensulizole	27 mg in 1 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)		Homosalate	90 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)		Octisalate	45 mg in 1 mL
Titanium dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		Titanium dioxide	97 mg in 1 mL
Zinc oxide (UNII: SOI2LOH54Z) (Zinc oxide - UNII:SOI2LOH54Z)		Zinc oxide	152 mg in 1 mL
Inactive Ingredients			
Ingredient Name			Strength
water (UNII: 059QF0KO0R)			
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)			
glycerin (UNII: PDC6A3C0OX)			
dimethicone (UNII: 92RU3N3Y1O)			
PEG-9 polydimethylsiloxylethyl dimethicone (UNII: TYP81E471F)			
alcohol (UNII: 3K9958V90M)			
butylene glycol (UNII: 3XUS85K0RA)			
arginine (UNII: 94ZLA3W45F)			
stearic acid (UNII: 4ELV7Z65AP)			
ALUMINUM OXIDE (UNII: LMI26O6933)			
methylpropanediol (UNII: N8F53B3R4R)			
KAKADU PLUM (UNII: 0ZQ1D2FDLI)			
triethoxycaprylylsilane (UNII: LDC331P08E)			
sodium chloride (UNII: 451W47IQ8X)			
potassium sorbate (UNII: 1VPU26JZZ4)			
dimethicone/PEG-10/15 crosspolymer (UNII: 21AS8B1BSS)			
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)			
aluminum hydroxide (UNII: 5QB0T2IUN0)			
sodium lauroyl glutamate (UNII: NCX1UU2D33)			
HYALURONATE SODIUM (UNII: YSE9PPT4TH)			
lysine (UNII: K3Z4F929H6)			
hyaluronic acid (UNII: S270N0TRQY)			
silanetriol (UNII: E52D0J3TS5)			
magnesium chloride (UNII: 02F3473H9O)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
dipropylene glycol (UNII: E107L85C40)			
tocopherol (UNII: R0ZB2556P8)			
ULTRAMARINE BLUE (UNII: I39WR998BI)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERROSOFERRIC OXIDE (UNII: XM0M87F357)			
mica (UNII: V8A1AW0880)			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2152-1	1 in 1 CARTON	11/04/2022	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	11/04/2022	

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 40 BEIGE			
ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream			

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2153
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Ensulizole (UNII: 9YQ9DI1W42) (Ensulizole - UNII:9YQ9DI1W42)	Ensulizole	27 mg in 1 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	90 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	45 mg in 1 mL
Titanium dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	97 mg in 1 mL
Zinc oxide (UNII: SOI2LOH54Z) (Zinc oxide - UNII:SOI2LOH54Z)	Zinc oxide	152 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
glycerin (UNII: PDC6A3C0OX)	
dimethicone (UNII: 92RU3N3Y1O)	
PEG-9 polydimethylsiloxylethyl dimethicone (UNII: TYP81E471F)	
alcohol (UNII: 3K9958V90M)	
butylene glycol (UNII: 3XUS85K0RA)	
arginine (UNII: 94ZLA3W45F)	
stearic acid (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
methylpropanediol (UNII: N8F53B3R4R)	
KAKADU PLUM (UNII: 0ZQ1D2FDLI)	

triethoxycaprylylsilane (UNII: LDC331P08E)	
sodium chloride (UNII: 451W47IQ8X)	
potassium sorbate (UNII: 1VPU26JZZ4)	
dimethicone/PEG-10/15 crosspolymer (UNII: 21AS8B1BSS)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
aluminum hydroxide (UNII: 5QB0T2IUN0)	
sodium lauroyl glutamate (UNII: NCX1UU2D33)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
lysine (UNII: K3Z4F929H6)	
hyaluronic acid (UNII: S270N0TRQY)	
silanetriol (UNII: E52D0J3TS5)	
magnesium chloride (UNII: 02F3473H9O)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
dipropylene glycol (UNII: E107L85C40)	
tocopherol (UNII: R0ZB2556P8)	
ULTRAMARINE BLUE (UNII: I39WR998BI)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
mica (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2153-1	1 in 1 CARTON	11/18/2022	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	11/18/2022	

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 50 BEIGE

ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2154
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Ensulizole (UNII: 9YQ9DI1W42) (Ensulizole - UNII:9YQ9DI1W42)	Ensulizole	27 mg in 1 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	90 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	45 mg in 1 mL
Titanium dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	97 mg in 1 mL
Zinc oxide (UNII: SOI2LOH54Z) (Zinc oxide - UNII:SOI2LOH54Z)	Zinc oxide	152 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0K00R)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
glycerin (UNII: PDC6A3C0OX)	
dimethicone (UNII: 92RU3N3Y1O)	
PEG-9 polydimethylsiloxylethyl dimethicone (UNII: TYP81E471F)	
alcohol (UNII: 3K9958V90M)	
butylene glycol (UNII: 3XUS85K0RA)	
arginine (UNII: 94ZLA3W45F)	
stearic acid (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
methylpropanediol (UNII: N8F53B3R4R)	
KAKADU PLUM (UNII: 0ZQ1D2FDLI)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
sodium chloride (UNII: 451W47IQ8X)	
potassium sorbate (UNII: 1VPU26JZZ4)	
dimethicone/PEG-10/15 crosspolymer (UNII: 21AS8B1BSS)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
aluminum hydroxide (UNII: 5QB0T2IUN0)	
sodium lauroyl glutamate (UNII: NCX1UU2D33)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
lysine (UNII: K3Z4F929H6)	
hyaluronic acid (UNII: S270N0TRQY)	
silanetriol (UNII: E52D0J3TS5)	
magnesium chloride (UNII: 02F3473H9O)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
dipropylene glycol (UNII: E107L85C40)	
tocopherol (UNII: R0ZB2556P8)	
ULTRAMARINE BLUE (UNII: I39WR998BI)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
mica (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2154-1	1 in 1 CARTON	02/13/2023	

1	30 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	02/13/2023	

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 60 BEIGE			
ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2155
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
Ensulizole (UNII: 9YQ9DI1W42) (Ensulizole - UNII:9YQ9DI1W42)		Ensulizole	27 mg in 1 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)		Homosalate	90 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)		Octisalate	45 mg in 1 mL
Titanium dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		Titanium dioxide	97 mg in 1 mL
Zinc oxide (UNII: SOI2LOH54Z) (Zinc oxide - UNII:SOI2LOH54Z)		Zinc oxide	152 mg in 1 mL
Inactive Ingredients			
Ingredient Name			Strength
water (UNII: 059QF0KO0R)			
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)			
glycerin (UNII: PDC6A3C0OX)			
dimethicone (UNII: 92RU3N3Y1O)			
PEG-9 polydimethylsiloxylethyl dimethicone (UNII: TYP81E471F)			
alcohol (UNII: 3K9958V90M)			
butylene glycol (UNII: 3XUS85K0RA)			
arginine (UNII: 94ZLA3W45F)			
stearic acid (UNII: 4ELV7Z65AP)			
ALUMINUM OXIDE (UNII: LMI26O6933)			
methylpropanediol (UNII: N8F53B3R4R)			
KAKADU PLUM (UNII: 0ZQ1D2FDLI)			
triethoxycaprylylsilane (UNII: LDC331P08E)			
sodium chloride (UNII: 451W47IQ8X)			
potassium sorbate (UNII: 1VPU26JZZ4)			
dimethicone/PEG-10/15 crosspolymer (UNII: 21AS8B1BSS)			
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)			

aluminum hydroxide (UNII: 5QB0T2IUN0)	
sodium lauroyl glutamate (UNII: NCX1UU2D33)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
lysine (UNII: K3Z4F929H6)	
hyaluronic acid (UNII: S270N0TRQY)	
silanetriol (UNII: E52D0J3TS5)	
magnesium chloride (UNII: 02F3473H9O)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
dipropylene glycol (UNII: E107L85C40)	
tocopherol (UNII: R0ZB2556P8)	
ULTRAMARINE BLUE (UNII: I39WR998BI)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
mica (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2155-1	1 in 1 CARTON	12/02/2022	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	12/02/2022	

CC SUPER ACTIVE COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM SPF 50 70 BEIGE

ensulizole, homosalate, octisalate, titanium dioxide, and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2156
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Ensulizole (UNII: 9YQ9DI1W42) (Ensulizole - UNII:9YQ9DI1W42)	Ensulizole	27 mg in 1 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	90 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	45 mg in 1 mL
Titanium dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	97 mg in 1 mL
Zinc oxide (UNII: SOI2LOH54Z) (Zinc oxide - UNII:SOI2LOH54Z)	Zinc oxide	152 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
water (UNII: 059QF0K00R)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
glycerin (UNII: PDC6A3C00X)	
dimethicone (UNII: 92RU3N3Y1O)	
PEG-9 polydimethylsiloxylethyl dimethicone (UNII: TYP81E471F)	
alcohol (UNII: 3K9958V90M)	
butylene glycol (UNII: 3XUS85K0RA)	
arginine (UNII: 94ZLA3W45F)	
stearic acid (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
methylpropanediol (UNII: N8F53B3R4R)	
KAKADU PLUM (UNII: 0ZQ1D2FDLI)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
sodium chloride (UNII: 451W47IQ8X)	
potassium sorbate (UNII: 1VPU26JZZ4)	
dimethicone/PEG-10/15 crosspolymer (UNII: 21AS8B1BSS)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
aluminum hydroxide (UNII: 5QB0T2IUN0)	
sodium lauroyl glutamate (UNII: NCX1UU2D33)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
lysine (UNII: K3Z4F929H6)	
hyaluronic acid (UNII: S270N0TRQY)	
silanetriol (UNII: E52D0J3TS5)	
magnesium chloride (UNII: 02F3473H9O)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
dipropylene glycol (UNII: E107L85C40)	
tocopherol (UNII: R0ZB2556P8)	
ULTRAMARINE BLUE (UNII: I39WR998BI)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
mica (UNII: V8A1AW0880)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2156-1	1 in 1 CARTON	12/02/2022	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC monograph drug	M020	12/02/2022	

Labeler - CHANEL PARFUMS BEAUTE (275137669)

Establishment

Name	Address	ID/FEI	Business Operations
CHANEL PARFUMS BEAUTE		277032509	MANUFACTURE(68745-2150, 68745-2151, 68745-2152, 68745-2153, 68745-2154, 68745-2155, 68745-2156)

Establishment

Name	Address	ID/FEI	Business Operations
CHANEL PARFUMS BEAUTE		277032517	LABEL(68745-2150, 68745-2151, 68745-2152, 68745-2153, 68745-2154, 68745-2155, 68745-2156)

Revised: 12/2023

CHANEL PARFUMS BEAUTE