

**ANTACID- aluminum hydroxide, magnesium hydroxide and simethicone suspension**  
**CVS**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CVS Maximum Strength Antacid Liquid**

**Active ingredient (in each 5mL tsp.)**

Aluminum hydroxide (equi. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

**Purpose**

Antacid

Antacid

Antigas

**Uses**

- relieves:
- acid indigestion
- heartburn
- sour stomach
- upset stomach and gas associated with these symptoms

**Warnings**

Do not take more than 8 teaspoonfuls in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

*Stop use and ask a doctor*

if symptoms last more than two weeks

**Keep out of reach of children.**

**Directions**

- **shake well before use.**
- adults and children 12 years and older: take 2 to 4 teaspoonfuls two times a day, or as directed by a doctor

- children under 12 years: consult a doctor

**Other information**

- **each teaspoon contains:** magnesium 170 mg, sodium 5 mg
- store at controlled room temperature 20°C-25°C (68°F-77°F)
- do not freeze

**Inactive ingredients**

flavor, glycerin, hydroxyethylcellulose, methylparaben, propylene glycol, purified water, saccharin sodium, simethicone emulsion, sorbitol

**PDP**

Compare to the active ingredients in Maalox max

Maximum strength Antacid Liquid

Antacid / Anti-gas

Fast relief of:

Heartburn

Acid indigestion

Pressure & Bloating

Cherry Flavor

12 FL OZ (355 mL)



Compare to the active ingredients in Maalox® Max\*

**MAXIMUM STRENGTH**

# Antacid Liquid

**ANTACID/ANTI-GAS**

**Fast relief of:**

- Heartburn
- Acid indigestion
- Pressure & bloating



**Cherry Flavor**

**12 FL OZ (355 mL)**

## Drug Facts

**DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING**

### Active ingredients (in each 5 mL tsp.) Purpose

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg...Antacid  
Magnesium hydroxide 400 mg...Antacid  
Simethicone 40 mg...Antigas

**Uses** relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach and gas associated with these symptoms

### Warnings

Do not take more than 8 teaspoonfuls in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

**Ask a doctor before use if you have** ■ kidney disease ■ a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** ■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if symptoms last more than two weeks**  
**Keep out of reach of children.**

**Directions** ■ shake well before use ■ adults and children 12 years and older: take 2 to 4 teaspoonfuls two times a day, or as directed by a doctor ■ children under 12 years: consult a doctor

### Other information

■ each teaspoon contains: magnesium 170 mg, sodium 5 mg ■ store at controlled room temperature 20°C-25°C (68°F-77°F) ■ do not freeze

**Inactive ingredients** flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol.

\*This product is not manufactured or distributed by Novartis Consumer Health Inc., the distributor of Maalox® Maximum Strength.

**Distributed by: CVS Pharmacy, Inc.**  
One CVS Drive, Woonsocket, RI 02895  
© 2015 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS V-11496



MFR# 53041 REV 0415

#317861



## ANTACID

aluminum hydroxide, magnesium hydroxide and simethicone suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-508
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDRO XIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 5 mL
<b>MAGNESIUM HYDRO XIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDRO XIDE	400 mg in 5 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYETHYL CELLULOSE (100 MPAS AT 2%) (UNII: R33S7TK2EP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

## Product Characteristics

Color	white	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-508-05	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/09/2011	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	03/09/2011	

**Labeler** - CVS (062312574)

## Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	manufacture(69842-508)

Revised: 8/2017

CVS