INDIGESTION WITH NAUSEA- strophanthus hispidus seed pellet Natural Health Supply

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Indications

Indications: To be used for acute self-limiting conditions according to standard homeopathic indications

Active Ingredient

STROPHANTHUS HISPIDUS

Directions

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

Keep Out of Reach of Children

Keep these and all medications out of the reach of children.

Warning

If pregnant or nursing, consult a practitioner before using.

Inactive Ingredients

Inactive Ingredients - Lactose, Sucrose

Purpose

Purpose: Indigestion With Nausea

Package Label

Est. No. 1724217

Natural Health Supply

505-474-9175

Homeopathic Medicated Pellets

Do not use if clear bottle seal is broken

STROPHANTHUS HISPIDUS 30C

Indigestion With Nausea

Lot#

Natural Health Supply 505-474-9175

- Homeopathic Medicated Pellets

Indications: to be used for acute,
 self-limiting conditions according to standard homeopathic indications.

- Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults:
- dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets.
- Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

7.5ML(1/40Z)LOT #

STROPHANTHUS HISPIDUS 30C ndigestion with Nause

Est. No. 1724217

Natural Health Supply 505-474-9175

Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications. Directions: Take at onset of

Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. It condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets. Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

1.875 ml (1/16 oz.)

LOT #

STROPHANTHUS HISPIDUS
30C
Indigestion with Nausea

HISPIDUS SEED

in 1 mL

res

INDIGESTION WITH NAUSEA

strophanthus hispidus seed pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:64117-187

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
STROPHANTHUS HISPIDUS SEED (UNII: MO892V177K) (STROPHANTHUS HISPIDUS
STROPHANTHUS
30 [hp_C]

STROPHANTHUS HISPIDUS SEED (UNII: MO892VI77K) (STROPHANTHUS HISPIDUS SEED - UNII:MO892VI77K)

Inactive Ingredients				
Ingredient Name	Strength			
LACTOSE (UNII: J2B2A4N98G)				
SUCRO SE (UNII: C151H8 M554)				

ı	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:64117-187- 01	1.875 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	

2 NDC:64117-187- 02	7.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Comb Product	nation 06/04/1998		
Marketing Information				
Marketing Categ	ory Application Number or Monograph C	itation Marketing Start Date	Marketing End Date	
unapproved homeopa	thic	06/04/1998		

Labeler - Natural Health Supply (018504618)

Registrant - Natural Health Supply (018504618)

Establishment				
Name	Address	ID/FEI	Business Operations	
Natural Health Supply		0 18 50 46 18	manufacture(64117-187)	

Revised: 3/2019 Natural Health Supply