ASPEN PREMIUM DIP - iodine liquid EXL Laboratories, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Directions First Aid

1% IODINE POST-MILKING TEAT DIP OR SPRAY

When used as directed, this product effectively aids in reducing the spread of mastitis.

DIRECTIONS FOR USE: POST DIPPING: As soon as possible after removal of milking unit, apply teat dip with either a dip cup or sprayer completely covering the entire teat with the teat dip solution.

CONTENTS:

Contains 10% emollients

DO NOT DILUTE TEAT DIP __ USE AT FULL STRENGTH. IF TEAT DIP BECOMES CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE WITH FRESH DIP. DO NOT RETURN CONTAMINATED DIP TO ITS ORIGINAL CONTAINER. If frozen, thaw completely and mix well before using.

Caution First Aid

CAUTION

KEEP OUT OF THE REACH OF CHILDREN.

Contains materials which may cause eye damage. May be harmful or fatal if swallowed. Individuals with sensitive skin may experience skin irritation. Protect eyes and skin when handling. Do not take internally. Avoid breathing vapors. Do not mix with any other chemical products. Refer to Material Safety Data Sheet (MSDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately. **If Swallowed:** DO NOT induce vomiting. Rinse mouth promptly then give small amount/glass of milk or water (4 - 6 oz. child/ 10 - 12 oz. adult) (120 - 180 ml child/ 300 - 360 ml adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person. **If on Skin:** While removing contaminated clothing and shoes, flush with large volumes of water for at least 15 minutes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing is difficult or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

TOLL FREE EMERGENCY NUMBER: 1-800-424-9300

Product Label


Aspen ® Dairy Solutions $^{\text{TM}}$ QUALITY MILK CONTROL $^{\text{TM}}$

1 – 10% Premium Dip

Part # 33026

EXL Laboratories, LLC. 1001 Glenwood Ave, Minneapolis, MN 55405

Net Contents: 15 GALLONS (56.8 L) Lot # 00010312A Expires: 10/2013



1-10% Premium Dip

1% IODINE POST-MILKING TEAT DIP OR SPRAY

When used as directed, this product effectively aids in reducing the spread of

DIRECTIONS FOR USE: POST DIPPING: As soon as possible after removal of milking unit, apply test dip with either a dip cup or sprayer completely covering the entire test with the test dip solution.

ITS ORIGINAL CONTAINER. If frozen, thaw completely and mix well before

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Contains materials which may cause eye damage. May be harmful or tatal if swallowed. Individuals with sensitive skin may experience skin initiation. Protect eyes and skin when handling. Do not take internally. Avoid breething vapors. Do not mix with any other chemical products. Refer to Material Safety Data Chard (MECS). Sheet (MSDS). FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a

M in Eyes: Flush with large volumes of water for at least 15 minutes. Can applysician immediately.
If Swallowed: DO NOT induce vomiting. Rinse mouth promptly then give small amount/glass of milk or water (4 - 6 az. child / 10 - 12 az. adult) (120 - 180 ml child / 300 - 360 ml adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.
M or Skin: While removing contaminated clothing and shoes, flush with large volumes of water for at least 15 minutes. If irritation develops and persists, get resided etherion.

Inhalation of Vapors: If breathing difficulty or imitation occurs, remove to fresh air. If symptoms persist, get medical attention

TOLL FREE EMERGENCY NUMBER: 1-800-424-9300

BAÑO/AEROSOL DE PEZON POSTERIOR AL ORDEÑO 1.0% YODO INSTRUCCIONES PARA EL USO: POST SELLADO: Aplique el sellador usando

o una copa de inmersión o un rociador de manera que cubra completamente el pazón con la solución selladora, inmediamente después de remover la unidad de

CONTENIDO:

.1% de yodo titulable Ingrediente activo

ADVERTENCIA MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

Contiene ingredientes que pueden causar daño en los ojos. Puede ser nocivo o fatal si se traga. Individuos con piel sensible pueden sufrir imfación. Protéjase los ojos y la piel durante la manipulación. No lo ingiera. Evite respirar los vapores. No lo mezcle con otros productos químicos. Consulte las hoja de información de seguridad del producto (MSDS).

PRIMEROS AUXILIOS:

Si en los gios: Enjuáguese con grandes volúmenes de agua durante por lo menos 15 minutos. Consulte a un médico inmediatamente.

15 minutos. Consulte a un médico inmediatamente.

Si se ha tragado: NO inducca el vómito. Enjuague la boca inmediatamente, luego
dé en pequeñas camidades / vaso de leche o agua (120 – 180 mi niños / 300 – 360
mi adultos) (4 - 6 oz. niños / 10 - 12 oz. adultos.) Evite el alcohol. Consulte a un
médico immediatamente. NO dé nada via oral a una persona inconsciente o con
consulsiones. Si en la peir. I Mientras se remueve la ropa y zapados confarminados,
enjuáguese con grandes volúmenes de agua durante por lo menos 15 minutos. Si
aparace y persiste irrifación, consiga atención médica.
Inhafacción de vapones: Se tiene dificultad para respirar or irrifación, saloa a un

Inhalación de vapores: Se tiene dificultad para respirar or irritación, salga a un lugar con aire fresco. Si los sintomas persisten, consiga atención médica

NUMERO DE EMERGENCIA SIN COSTO: 1-800-424-9300

Net Contents: 15 GALLONS (56.8 L) Lot #: 00010312A Expires: 10/2013



EXL Laboratories, LLC 1001 Glenwood Ave. Minneapolis, MN 55405

ASPEN PREMIUM DIP

iodine liquid

Product Information			
Product Type	OTC ANIMAL DRUG LABEL	Item Code (Source)	NDC:50138-026
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
IO DINE (IO DINE)	IODINE	10000 mg in 1 L		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50138-026-01	9.5 L in 1 JUG		
2	NDC:50138-026-02	19 L in 1 JUG		
3	NDC:50138-026-03	56.8 L in 1 DRUM		
4	NDC:50138-026-04	114 L in 1 DRUM		
5	NDC:50138-026-05	208.2 L in 1 DRUM		
6	NDC:50138-026-06	946 L in 1 DRUM		
7	NDC:50138-026-07	1003 L in 1 DRUM		

8 NDC:50138-026-08	1040 L in 1 DRUM			
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/01/2006		

Labeler - EXL Laboratories, LLC (927483458)

Registrant - EXL Laboratories, LLC (927483458)

Establishment				
Name	Address	ID/FEI	Business Operations	
EXL Laboratories, LLC		927483458	api manufacture, manufacture	

Revised: 1/2013 EXL Laboratories, LLC