

CALCIUM GLUCONATE - calcium gluconate injection
MWI/VetOne

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Calcium Gluconate 23%

Solution, USP

Sterile

Preservative Free

For animal use only.

Keep out of reach of children.

EACH 100 mL CONTAINS:

Calcium Gluconate

(provides 2.14 grams Calcium).....23 grams

Water for Injection.....q.s.

Contains boric acid as a solubilizing agent.

ELECTROLYTES PER 1000 mL:

Calcium 1069 mEq

Osmolality (calc.) 6,947 mOsmol/L

Hypertonic

INDICATIONS: To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

DOSAGE AND ADMINISTRATION: Cattle: 250 mL to 500 mL. Administer intravenously or intraperitoneally. Solution should be warmed to body temperature and administered slowly.

This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. Discard any unused portion. Handle under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

STORAGE: Store between 15° and 30°C (59° - 86°F).

NDC 13985-104-05

500 mL



Calcium Gluconate 23%

Solution, USP

EACH 100 mL CONTAINS:

Calcium Gluconate
(provides 2.14 grams Calcium)23 grams
Water for Injectionq.s.
Contains boric acid as a solubilizing agent.

ELECTROLYTES PER 1000 mL:

Calcium 1069 mEq
Osmolarity (calc.) 6,947 mOsmol/L
Hypertonic

INDICATIONS: To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

Sterile Preservative Free

For animal use only.
Keep out of reach of children.



DOSAGE AND ADMINISTRATION: Cattle: 250 mL to 500 mL. Administer intravenously or intraperitoneally. Solution should be warmed to body temperature and administered slowly.

This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. Discard any unused portion. Handle under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

STORAGE: Store between 15° and 30°C (59°–86°F).

TAKE TIME OBSERVE LABEL DIRECTIONS 0CAL025A Rev.07.11



Distributed by:
MWI
Boise, ID 83705
(888) 694-8381
www.vetone.net

V1 510104

Net Contents: 500 mL

CALCIUM GLUCONATE

calcium gluconate injection

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:13985-104
Route of Administration	INTRAPERITONEAL, INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Calcium Gluconate (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB)	Calcium Gluconate	23 g in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-104-05	500 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/07/2010	

Labeler - MWI/VetOne (019926120)

Registrant - Bimeda, Inc. (060492923)

Establishment

Name	Address	ID/FEI	Business Operations
Bimeda-MTC		256232216	manufacture

Revised: 12/2018

MWI/VetOne