ALLERGY RELIEF- diphenhydramine hcl tablet, film coated L.N.K. International. Inc.

Allergy Relief

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and	1 to 2
over	tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains: calcium 30 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 50844-329-07

QUALITY + PLUS

*Compare to active ingredient in Benadryl® Allergy ULTRATAB® Tablets

ALLERGY RELIEF

Diphenhydramine HCl 25 mg ANTIHISTAMINE

Allergy Relief for:

- Sneezing Itchy, Watery Eyes
- Runny Nose Itchy Throat

36 Minitabs

ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB® Tablets.

50844 REV0721G32907

Distributed by **LNK INTERNATIONAL, INC.** 60 Arkay Drive Hauppauge, NY 11788 USA

see end flap for expiration date and lot number ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ protect from moisture **BROKEN** PACKAGE IS OPENED OR BLISTER IS TORN OR ■ TAMPER EVIDENT: DO NOT USE IF ŎUTER

■ each tablet contains: calcium 30 mg

Other information

children under 6 years	asu fon ob
children 6 to under 12 years	fablet
sdults and children 12 years and over	steldst S of f

■ do not take more than 6 times in 24 hours doctor

■ take every 4 to 6 hours, or as directed by a Directions = do not take more than directed

Control Center right away. overdose, get medical help or contact a Poison keep out of reach of children. In case of professional before use.

If pregnant or breast-feeding, ask a health **Drug Facts** (continued)

 excitability may occur, especially in children oberating machinery

■ nee cantion when driving a motor vehicle or increase drowsiness

alcohol, sedatives, and tranquilizers may

 marked drowsiness may occur When using this product

taking sedatives or tranquilizers. Ask a doctor or pharmacist before use if you are

brostate grand

 qitticulty in urination due to enlargement of the djancoma chronic bronchitis ■ a breathing problem such as emphysema or

> diphenhydramine, even one used on skin ■ with any other product containing

Ask a doctor before use if you have

■ to make a child sleepy asu ton od

Warnings

Buizaans ■ common cold: In runny nose temporarily relieves these symptoms due to the

itching of the nose or throat buizaans ■ ■ ifchy, watery eyes ■ runny nose

tever or other upper respiratory allergies:

temporarily relieves these symptoms due to hay

Diphenhydramine HCI 25 mg. Antihistamine.

> (19ldet Abes ni) Active ingredient

> > Drug Facts

EEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

ALLERGY RELIEF

Purpose

Diphenhydramine HCl 25 mg

36 Minitabs

ANTIHISTAMINE

NDC 50844-329-07

*Compare to active ingredient in Benadryl® Allergy ULTRATAB® Tablets

Diphenhydramine HCI 25 mg

ANTIHISTAMINE

Allergy Relief for:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat



Distributed by LNK INTERNATIONAL, INC. 60 Arkay Drive Hauppauge, NY 11788 USA

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Exp. date

No Print Area Lot no. &

HCI 25 mg

36 Minitabs

B-1603-329-07-R REV0721G32907

36 Minitabs

Diphenhydramine ANTIHISTAMINE

Quality Plus 44-329

ALLERGY RELIEF

diphenhydramine hcl tablet, film coated

Product Information	
---------------------	--

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50844-329

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)

DIPHENHYDRAMINE

(DIPHENHYDRAMINE - UNII:8GTS82S83M)

HYDROCHLORIDE 25 mg

Inactive Ingredients

Ingredient Name	Strength

STARCH, CORN (UNII: O8232NY3SJ)

D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)

DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)

MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

STEARIC ACID (UNII: 4ELV7Z65AP)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;329
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844- 329-02	1 in 1 CARTON	03/02/1990	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50844- 329-08	2 in 1 CARTON	03/02/1990	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:50844- 329-07	3 in 1 CARTON	03/02/1990	
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:50844- 329-22	4 in 1 CARTON	03/02/1990	
4		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:50844- 329-12	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	
6	NDC:50844- 329-51	365 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	
7	NDC:50844- 329-82	1 in 1 CARTON	03/02/1990	
7		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	03/02/1990			

Labeler - L.N.K. International, Inc. (038154464)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(50844-329)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International. Inc.		832867837	manufacture(50844-329) , pack(50844-329)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(50844-329)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(50844-329)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(50844-329)

Revised: 10/2023 L.N.K. International, Inc.