THERAGESIC- methyl salicylate cream Mission Pharmacal Company

THERA-GESIC ®Creme

Drug Facts

Active Ingredients	Purpose
Menthol	
10/	
Analgesic	
Methyl Salicylate	
15%	
Counterirritant	

Use

temporary relief of minor aches and pains of muscles and joints associated with:

- arthritis
 simple backaches
 strains
 bruises
 sprains

Warnings

For external use only. Use only as directed. Avoid contact with eyes or mucous membranes.

Do not bandage, wrap, cover, use a heating pad after, or recline upon skin treated with THERA-GESIC $^{\textcircled{\$}}.$

Do not use

- immediately shower or bath
 if skin is sensitive to oil of wintergreen (methyl salicylate)
 on wounds or damaged skin

- Ask a doctor before use
 for children under 2 and to 12 years of age
 if prone or sensitive to allergic reaction from aspirin or salicylate

- When using this product
 discontinue use if skin irritation develops, or redness is present
 do not swallow
- do not use a heating pad after application of THERA-GESIC

Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 or more years of age. Apply thin layers of crème into and around the sore or painful area, not more than 3 to 4 times daily. The number of thin layers controls the intensity of the action of THERA-GESIC ®. One this layer provides a mild effect, two thin layers provide a strong effect and three thin layers provide a very strong effect. SEE WARNINGS. Wash hands thoroughly after application.

Other information

Showering or washing the area after application of THERA-GESIC $^{\circ}$ will leave the area fragrance-free without diminishing the therapeutic effect. Avoid contact with clothing or other surfaces. Store at 20-25°C (68-77°F).

Inactive ingredients

Questions(210) 696-8400 (M-Th 8:00-5:30 CST)

SHARE BEFORE USE: IT IS NORMAL FOR THIS PRODUCT TO GIVE THE IMPRESSION OF A LIQUID SOUND UON SHAKING. DO NOT ALLOW THERA-GESIC $^{\otimes}$ TO COMEIN CONTACT WITH ANY SURFACE, OTHER THAN SKIN.

Do not use this product if tube is punctured. Lot number and expiration date on end of carton.

MISSION PHARMACAL COMPANY, San Antonio, TX 78230 1355

50588 03 Rev 001090

THERA-GESIC 3-oz





n	ethyl salicylate	ream						
P	roduct Inform	nation						
P	roduct Type		HUMAN OTC DRUG	Item C	ode (So	urce)	NDC:0178-0320	
R	oute of Admini	stration	TOPICAL					
Α	ctive Ingredi	ent/Active	Moietv					
_	cente migreun		dient Name			Basis of Str	enath	Strength
	ETHYL SALICYLA	•	J5022Y) (SALICYLIC ACID -			METHYL SALIC		150 mg in 1 g
м	ENTHOL (UNII: L7	T10EIP3A) (MEN	ITHOL - UNII:L7T10EIP3A)			MENTHOL		10 mg in 1 g
Ir	nactive Ingre	dients						
			Ingredient Name				Strength	
	ATER (UNII: 059QI							
	IMETHICONE (UNI LYCERIN (UNII: PD))					
	ARBOMER 934 (U		00)					
	ROLAMINE (UNII: 9		00)					
	ETHYLPARABEN		9T)					
	DDIUM LAURYL S							
	ROPYLPARABEN (
P	ackaging							
#		Pac	kage Description		Marketing Start Date		Marketing End Date	
1	NDC:0178-0320- 03	1 in 1 CARTON			01/01/1981			
1		85 g in 1 TUBI Product	E; Type 0: Not a Combinati	on				
N	larketing I	nformat	ion					
N	larketing I Marketing Category		ion tion Number or Mono Citation	graph	Mark	eting Start Date	Mar	keting End Date

Labeler - Mission Pharmacal Company (008117095)

Registrant - Mission Pharmacal Company (927726893)

Establishment									
Name	Address	ID/FEI	Business Operations						
Mission Pharmacal Company		927726893	manufacture(0178-0320)						

Revised: 3/2024

Mission Pharmacal Company