BISMUTH SUBSALICYLATE- bismuth subsalicylate suspension Butler Animal health Supply, LLC dba Covetrus North America

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Bismuth subsalicylate

anti-diarrheal Oral suspension

For animal use only Keep out of reach of children

1 Gallon (3.785 L)

Indications:

A palatable oral suspension for use as an aid in controlling simple diarrhea in cattle, horses, dogs, and cats.

CAUTION:

This product contains salicylate; do not administer with other salicylate-containing products, such as aspirin. Do not administer to pregnant animals unless prescribed by a licensed veterinarian.

Dosage And Administration:

Administer orally. **Dogs and cats** - 1 to 3 tablespoonfuls every 1-3 hours. **Calves and foals** - 3 to 4 ounces every 2-3 hours. **Horses and cattle** - 6 to 10 ounces every 2-3 hours.

WARNING:

If diarrhea persists after using this product for 2 days, consult veterinarian.



Active Ingredient:

Bismuth Subsalicylate 1.75% w/w

In a palatable aqueous suspension. Flavoring and coloring added.

Inactive Ingredients:

Water, xanthan gum, magnesium salicylate, methyl salicylate, sodium saccharin, hydrochloric acid, methylparaben, propylparaben, and FD&C red #40.

Storage:

Store at controlled room temperature between 15^o to 30^oC (59^o-86^oF). Keep container tightly closed when not in use.

SHAKE WELL BEFORE USING FOR ORAL USE ONLY KEEP FROM FREEZING

Reorder #002518 Questions? (855) 724-3461

Distributed by: Covetrus North America 400 Metro Place North Dublin, OH 43017 **covetrus.com**

AH-002518-02 REV: 1019

	covetrus 📚				
Indications: A palatable oral suspension for use as an aid in controlling simple diarrhea in cattle, horses, dogs, and cats.	NDC: 11695-2210-1 Bismuth	Active ingredient: Bismuth subsalicylate			
CAUTION: This product contains salicylate; do not administer with other salicylate-containing products, such as aspirin. Do not administer to pregnant animals unless prescribed by a licensed veterinarian.	subsalicylate	Inactive ingredients: Water, xanthan gum, magnesium salicylate, methyl salicylate, sodium saccharin, hydrochloric acid, methylparaben, propylparaben, and FD&C red #40.			
and cats - 1 to 3 tablespoonfuls every and cats - 1 to 3 tablespoonfuls every hours. es and foals - 3 to 4 ounces every 2-3 hours. es and cattle - 6 to 10 ounces every 2-3 hours.		Storage: Store at controlled room temperature between 15° to 30°C (59°-86°F). Keep container tightly closed when not in use. SHAKE WELL BEFORE USING			
WARNING: If diarrhea persists after using this product for 2 days, consult veterinarian.		FOR ORAL USE ONLY KEEP FROM FREEZING Questions? (855) 724-346			
TAKE TIME OBSERVE LABEL DIRECTIONS	For animal use only Keep out of reach of children	Distributed by: Covetrus North America 400 Metro Piace North Dublin, OH 43317 covetrus.com			
No Varnish	1 Gallon (3.785 L)	8 40066 50088 1 BEV: 1019			

BISMUTH SUBSALICYLATE bismuth subsalicylate suspension Product Information Product Type OTC ANIMAL DRUG NDC:11695-2210 Route of Administration ORAL

	ve myreulen	t/Active Moiety					
Ingredient Name					Basis of Strength		Strengt
	UTH SUBSALICY 0414PZ4LPZ)	LATE (UNII: 62TEY51RR1) (SALICY	YLIC ACID - BISMUTH SUBSALICYL		• • • • •		17.4 g in 1 L
Pacl	kaging						
#	Item Code	Package Description	Marketing	J Start Date	Marke	eting B	End Date
L ND	C:11695-2210-1	4 in 1 CASE					
L		3.785 L in 1 JUG					
Ma	rketing Inf	ormation					
	Marketing Category	Application Number or Monograph Citation		Marketing Start Date		Marketing End Date	
	proved drug			04/13/2020			

Labeler - Butler Animal health Supply, LLC dba Covetrus North America (603750329)

Establishment								
Address	ID/FEI	Business Operations						
	179925722	manufacture, label, api manufacture						
	Address							

Revised: 11/2022

Butler Animal health Supply, LLC dba Covetrus North America