SEVERE COLD AND COUGH NIGHTTIME- acetaminophen, diphenhydramine, phenylephrine powder, for solution WinCo Foods, LLC

WinCo FOODS Severe Cold & Cough Nighttime Honey lemon Infused with Chamomile & White Tea Flavors 6 Packets

Active ingredients (in each packet)

Acetaminophen, 650 mg

Diphenhydramine hydrochloride 25 mg

Phenylephrine hydrochloride 10 mg

Purposes

Pain reliever / fever reducer

Antihistamine / Cough Suppressant

Nasal Decongestant

Uses

- temporarily relieves these symptoms due to a cold:
 - minor aches and pains
 - minor sore throat pain
 - headache
 - nasal and sinus congestion
 - runny nose
 - sneezing
 - itchy nose or throat
 - itchy, watery eyes due to hay fever
 - cough due to minor throat and bronchial irritation
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions, Symptoms may

include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor promptly.

Do not use

- in a child under 12 years of age
- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or a pharmacist.
- with any other product containing diphenhydramine, even one used on the skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema, asthma or chronic bronchitis
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- do not exceed recommended dosage
- avoid alcoholic drinks

- marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts. There could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
- take every 4 hours while symptoms persist, not to exceed 5 packets in 24 hours unless directed by a doctor

Age	Dose
adults and children 12 years of age and	one packet
over	
children under 12 years of age	do not use

- dissolve contents of one packet into 8 oz. hot water: sip while hot. Consume entire drink within 10 15 minutes.
- if using a microwave, add contents of one packet to 8 oz. of cool water: stir briskly before and after heating, Do not overheat.

Other information

- each packet contains: potassium 6 mg
- store at room temperature. Protect from excessive heat and moisture.

Inactive ingredients

citric acid, FD& C yellow#6, flavors, maltodextrin, potassium chloride, silica, sucralose, sucrose,

Questions or comments?

Call 800-824-1706

Monday-Friday 9am-4pm MST

Additional Information Listed On Other Panels

*Compare to the active ingredients in THERAFLU® Nighttime Severe Cold &Cold

WinCo FOODS

Severe Cold & Cough

Nighttime

ACETAMINOPHEN - PAIN RELIEVER/FEVER REDUER
DIPHENHYDRAMINE HCL - ANTIHISTAMINE/ COUGH SUPPRESSANT
PHENYLEPHRINE HCI - NASAL DECONGESTANT

 Relieves: Nasal Congestion, Sore Throat Pain, Cough, Headache, Body Ache & Fever, Runny Nose & Sneezing

6 PACKETS

Honey Lemon Infused with Chamomile and White Tea Flavors

READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE. KEEP CARTON FOR REFERENCE. DO NOT DISCARD.

TAMPER EVIDENT INNER UNIT DO NOT USE IF SEALED PACKET IS TORN OR BROKEN

The Supermarket Low price Leader [®] 100% SATISFACTION GUARANTEE Comments & Questions?

800-824-1706 www.wincofoods.com

DISTRIBUTED BY:

WINCO FOODS, LLC, BOISE. ID 83704

*This product is not manufactured or distributed by GSK consumer Healthcare, owner

of the registered trademark THERAFLU® Nighttime Severe Cold & Cough.

Principal Display



SEVERE COLD AND COUGH NIGHTTIME

acetaminophen, diphenhydramine, phenylephrine powder, for solution					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:67091-32		1-323	
Route of Administration	ORAL				
	NA . * . 1				
Active Ingredient/Active Moiety					
Ingredient Name			Basis of Str	ength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)		ACETAMINOPHEN		650 mg	

DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1W5297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
POTASSIUM CHLORIDE (UNII: 660YQ98I10)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	HONEY, LEMON	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:67091-323- 06	6 in 1 CARTON	08/01/2018		
1		1 in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/01/2018	

Labeler - WinCo Foods, LLC (056098817)

Revised: 12/2023 WinCo Foods, LLC