IO DIP 502- iodine solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Wash hands thoroughly after handling. Get medical advice/attention if you feel unwell.

DIRECTIONS:

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Directions for Teat Dipping

Pre-Milk Dipping: Before each cow is milked, and using fresh IO Dip 502, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh IO Dip 502, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh IO Dip 502, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh IO Dip 502, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: IO Dip 502 is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

FIRST AID

IN CASE OF EYE CONTACT: Rinse with plenty of water.

IN CASE OF SKIN CONTACT: Rinse with water.

IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.

IF INHALED: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and

Canada, call collect 1 651 222 5352 (number is in the US).

Representative label and principal display panel

A&L Laboratories

IO Dip 502TM

Sanitizing Teat Dip

- An aid in reducing the spread of organisms which may cause mastitis
- Contains an emollient system (glycerin and propylene glycol) 5%
- Does not contain Nonylphenol Ethoxylate (NPE)

ACTIVE INGREDIENT:

 Iodine
 0.5%

 INERT INGREDIENTS:
 99.5%

 TOTAL:
 100.0%

NET CONTENTS: 56.8 L (15 US GAL)

6301345

Manufactured by

Ecolab Inc. · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392

© 2015 Ecolab USA Inc. · All rights reserved

Made in United States

760648/5300/0115



- · An aid in reducing the spread of organisms which may cause mastitis
- Contains an emollient system (glycérin and propylené glycol) 5%
 Does not contain Nonylphenol Éthoxylate (NPE)

ACTIVE INGREDIENT:

0.5% INERT INGREDIENTS: TOTAL: 99.5%

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

DIRECTIONS

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container. Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

using proper cleaning procedures. Teats should then be dried with single-service towels.

Diractions for Teat Dipping

Pre-Milk Dipping: Before each cow is milked, and using fresh IO Dip 502, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh IO Dip 502 (dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh IO Dip 502, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh IO Dip 502, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats wice daily for about 10 days before calving.

PRECAUTION: IO Dip 502 is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or ensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

Wash hands thoroughly after handling. Get medical advice/attention if you feel unwell.

Wash hands thoroughly after handling. Get medical advice/attention if you feel unwell.

FIRST AID

FIRST AID

IN CASE OF EYE CONTACT: Rinse with plenty of water.

IN CASE OF SKIN CONTACT: Rinse with water.

IN CASE OF SKIN CONTACT: Rinse with water.

IF SWALLOWED: Rinse mouth, Get medical attention if symptoms occur.

IF INHALED: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1800 328 0026. If located outside the United States and Canada, call collect 1651 222 5352 (number is in the US).

· Avuda a evitar la proliferación de organismos que pueden causar mastitis

· Contiene un sistema emoliente (glicérina y glicol propileno) 5% · No contiene Etoxilatos de nonilfenol

PARA USO INDUSTRIAL SOLAMENTE

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USA HUMANO

INSTRUCCIONES:

IMPORTANTE: No lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.

Preparado para utres: Si se realiza un paso de limpieza de lurbes antes del ordeño, asegúrese de limpiar los pezones con una solución para limpieza de ubres adecuada y procedimientos de limpieza a propiados. Los pezones deben secarse con toallas de utres discipies.

uso unico. I<mark>nstrucciones para el sellado de pezones</mark> Sellado del pezón previo al ordeño: Antes de ordeñar cada vaca, bañe toda la superficie de cada pezón en un recipiente que contenga 10 Dip 502 fresco. Limple los pezones con toallas de uso único luego del baño para evitar la contaminación de la

recire. **Sellado del pezón posterior al ordeño:** Bañe toda la superficie de cada pezón en un recipiente que contenga 10 Dip 502 от пред на раски руживным ат отченот ване toua на supernicie de cada pezon en un recipiente que contença 10 Dip 502 fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

completo.

Instrucciones para el rociado de pezones

Rociado previo al ordeño: Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con 10 Dip 502 fresco. Limpie
los pezones con toalias de uso único luego del baño para evitar la contaminación de la leche.

Rociado de pezones posterior al ordeño: Inmediatamente después del ordeño, rocíe toda la superficie de cada pezón con 10
Dip 502 fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado

DIP DOZ TRESCO. No Unice panos. Deje secar ai aire. No deje las vacas en un cilma neiado hasta que el producto se haya sec por completo.

Vos Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por aproximadamente 10 días antes de parir.

PRECAUCIÓN: 10 Dip 502 no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritación o Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación agrietamiento de los pezones, haga examinar dichas afecciones y, de sen necesario, hágalas tratar con un verinario. Consulte con su Representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

Lavarse las manos cuidadosamente después de la manipulación. Consultar a un médico si la persona se encuentra mal.

PRIMEROS AUXILIOS

PANILLOS JONATOS CON LOS OJOS: Enjuague con mucha agua.

EN CASO DE CONTACTO CON LA PIEL: Lave con agua.

EN CASO DE INGESTIÓNE: Fijuague la boca. Consultar un médico si los síntomas aparecen.

EN CASO DE INHALACIÓN: Consultar un médico si los síntomas aparecen.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro vertido al 1 651 222 5352 (número en los EE.UU.)

Manufactured by

Ecolab Inc. - 370 Wabasha Street N - St Paul MN 55102-1390 USA - tel: 1 800 392 3392 © 2015 Ecolab USA Inc. - All rights reserved Made in United States

NET CONTENTS: 56.8 L (15 US GAL)

6301345



IO DIP 502

iodine solution

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-533
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
IO DINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6 A3C0 OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:47593-533-44	1150000 mL in 1 PACKAGE			
2	NDC:47593-533-17	56800 mL in 1 DRUM			
3	NDC:47593-533-21	208000 mL in 1 DRUM			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		06/10/2015		

Labeler - Ecolab Inc. (006154611)

Revised: 2/2019 Ecolab Inc.