CLEARASIL DAILY CLEAR VANISHING ACNE TREATMENT- benzoyl peroxide cream Reckitt Benckis er LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Clearas il® Daily Clear® Vanishing Acne Treatment Cream

Drug Facts

Active ingredient

Benzoyl peroxide 10%

Purpose

Acne medication

Use

for the treatment of acne

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if irritation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

- keep tightly closed
- store at 20-25 °C (68-77 °F)

Inactive ingredients

Water, Propylene Glycol, Aluminium Hydroxide, Bentonite, Glyceryl Stearate SE, PEG-12, Isopropyl Myristate, Methylparaben, Carbomer, Potassium Hydroxide, Propylparaben

Questions?

Call 1-866-25-CLEAR (1-866-252-5327). You may also report side effects to this phone number.

Distributed by: Reckitt Benckiser LLC

Parsippany, NJ 07054-0224 Made in USA © RB 2011

PRINCIPAL DISPLAY PANEL - 28 g Tube Carton

 $Clearasil^{\mathbb{R}}$

DAILY CLEAR®

Vanishing Acne Treatment Cream

Benzoyl Peroxide 10% Acne Medication

Clearasil®

DAILY CLEAR®

Vanishing Acne – Treatment Cream

Benzoyl Peroxide 10% Acne Medication

Effectively clears existing pimples & helps prevent new ones from forming



Maximum strength. 24 hour control Clearer skin all day, every day

VANISHING

NET WT 1 OZ (28 g)

Maximum strength, 24 hour control Clearer skin all day, every day



0345036

ese adut ase alab arolad isad 107

Mede in USA to His 2011

Co-developed with Meastrets Company, Inc.

Out heads thise A behalvise LLC ACCO-480YO UN Anequera FINS RR & A21 Ln shell Reckitt

!Uestions?
II 1-866-25-CLEAR (1-866-252-5327). You may also report side effects to this phone number.

macerve a missedients. Mater, Propylene Glycol, Ahminium Hydroxide, Bentonie, Glyceryl Stearate SE, PEG-12, laopropyl Myristate, Methylparaben, Carbomer, Potassium Hydroxide, Propylparaben

Line Financina = store at 20-25 °C (68-77 °F)

Each of the skin thoroughly before applying this product ■ cover the entire effected area with a thin layer one to intense tally intense or the entire daily ■ because excessive dying of the skin may occur, start with one application daily. Then gradually nonease to two or intense times daily if needed or as disected by a doctor. ■ if bothersome dryness or peeling occurs deduce application to once a day or every other day. ■ if going outside, apply sunscreen after using this product. If deduce processing the product and sak a doctor.

Stop use and sek a doctor it inflation becomes severe Keep out of reach of children. If swallowed, get medical help or contact a Polson Control Center right away.

when taking mis processary sun exposure and use a sunscreen ■ avoid contact with the eyes, lips and mouth ■ avoid contact with the eyes, lips and mouth ■ avoid contact with heir and dyed fabrics, which may be bleached by this product ■ skin initiation and dyed fabrics, which may be bleached by this product lime. If initiation cours, only use one topical sone medication at a time ■ a skin initiation may be reduced by using the product less faquently or in a lower concentration.

have very sensitive skin ■ are sensitive to benzoyl peroxide

or external use only

annimaM

Use for the treatment of acre



CLEARASIL DAILY CLEAR VANISHING ACNE TREATMENT

benzoyl peroxide cream

| Product Information | | | | |
|-------------------------|----------------------|--------------------|---------------|--|
| Product Type | HUMAN OTC DRUG LABEL | Item Code (Source) | NDC:63824-303 | |
| Route of Administration | TOPICAL | DEA Schedule | | |

| Active Ingredient/Active Moiety | | |
|-------------------------------------|-------------------|---------------|
| Ingredient Name | Basis of Strength | Strength |
| Benzoyl Peroxide (Benzoyl Peroxide) | Benzoyl Peroxide | 10 g in 100 g |

| Inactive Ingredients | | | |
|-------------------------|----------|--|--|
| Ingredient Name | Strength | | |
| Water | | | |
| Propylene Glycol | | | |
| Aluminum Hydroxide | | | |
| Bentonite | | | |
| Glyceryl Stearate SE | | | |
| Polyethylene Glycol 600 | | | |
| Isopropyl Myristate | | | |
| Methylparaben | | | |
| Potassium Hydroxide | | | |
| Propylparaben | | | |

| P | Packaging | | | | |
|---|------------------|---------------------|----------------------|--------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:63824-303-02 | 1 in 1 CARTON | | | |
| 1 | | 28 g in 1 TUBE | | | |

| Marketing Information | | | | |
|-----------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC MONOGRAPH FINAL | part333D | 09/01/2011 | | |
| | | | | |

Labeler - Reckitt Benckiser LLC (094405024)

Revised: 11/2012 Reckitt Benckiser LLC