

**PRITOX- copper naphthenate liquid**  
**FIRST PRIORITY INCORPORATED**

-----  
**Pritox®**

(copper naphthenate)

Water-Resistant Protection Without Bandaging

**Recommended as an Aid in Treating Horses and Ponies With Thrush Due to Organisms Susceptible to Copper Naphthenate.**

**Do Not Use in Horses Intended for Human Consumption.**

**FOR EXTERNAL USE ONLY**

**CAUTION: COMBUSTIBLE MIXTURE**

**Not for Use in Humans • Keep Out of Reach of Children**

**INDICATIONS:**

Pritox® is indicated in the treatment of thrush in horses and ponies.

**GENERAL DIRECTIONS:**

Clean the hoof thoroughly, removing debris and necrotic material prior to application of Pritox®. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess Pritox® onto hair since contact with Pritox® may cause some hair loss. Do not contaminate feed.

**NOTE:** Pritox® is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL - REMOVE BEFORE USE.**

**SHAKE WELL BEFORE USE.**

To report suspected adverse events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact First Priority, Inc. at (800) 650-4899 or [www.prioritycare.com](http://www.prioritycare.com).

For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>



**ACTIVE INGREDIENT:**

Copper Naphthenate .....37.5% w/w

**INACTIVE INGREDIENTS:**

... 62.5% w/w  
Total..... 100.0%

**CAUTION:**

Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE.**

Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor.  
Avoid contact with skin and eyes.

**KEEP OUT OF REACH OF CHILDREN AND PETS.**

**STORAGE:**

Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

Manufactured By:  
FIRST PRIORITY, INC., Elgin, IL 60123

Made in U.S.A

[www.prioritycare.com](http://www.prioritycare.com)

**NOT RETURNABLE IF OUTDATED**

Reorder No. TP281PC (16 oz)

Lot No. Exp. Date

Priority Care and Pritox are registered trademarks of First Priority, Inc.

Rev. 10-22

**Net Contents:**

16 oz (473 mL)

**16 oz (473 mL)**

NDC# 58829-289-18

**Priority Care**

**Pritox<sup>®</sup>**  
(copper naphthenate)

**INDICATIONS:** Pritox<sup>®</sup> is indicated in the treatment of thrush in horses and ponies.

**GENERAL DIRECTIONS:** Clean the hoof thoroughly, removing debris and necrotic material prior to application of Pritox<sup>®</sup>. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess Pritox<sup>®</sup> onto hair since contact with Pritox<sup>®</sup> may cause some hair loss. Do not contaminate feed.

**NOTE:** Pritox<sup>®</sup> is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL - REMOVE BEFORE USE.**

**SHAKE WELL BEFORE USE.**

**CONTACT INFORMATION:** To report suspected adverse events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact First Priority, Inc. at (800) 650-4899 or [www.prioritycare.com](http://www.prioritycare.com). For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>



Priority Care and Pritox are registered trademarks of First Priority, Inc.

Rev. 10-22

**Water-Resistant  
Protection Without  
Bandaging**

**Recommended as  
an Aid in Treating  
Horses and Ponies  
With Thrush Due  
to Organisms  
Susceptible to  
Copper Naphthenate.**

**Do Not Use in  
Horses Intended for  
Human Consumption.**

**FOR EXTERNAL USE ONLY  
CAUTION: COMBUSTIBLE MIXTURE**

**Not for Use in Humans • Keep Out of Reach of Children**

**Net Contents: 16 oz (473 mL)  
Approved by FDA under ANADA # 200-304**



**ACTIVE INGREDIENT:**  
Copper Naphthenate .....37.5% w/w  
**INACTIVE INGREDIENTS:**... 62.5% w/w  
Total ..... 100.0%

**CAUTION:** Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE.** Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

**KEEP OUT OF REACH OF CHILDREN AND PETS.**

**STORAGE:** Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.



Lot No. Exp. Date

**NO VARNISH**

Reorder No. TP281PC

Made in U.S.A.

Manufactured By:  
FIRST PRIORITY, INC., Elgin, IL 60123

[www.prioritycare.com](http://www.prioritycare.com)

## PRITOX

copper naphthenate liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:58829-289
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>COPPER NAPHTHENATE</b> (UNII: 9J2IBN2H70) (COPPER - UNII:789U1901C5)	COPPER NAPHTHENATE	0.825 g in 1 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58829-289-16	12 in 1 CASE		
1		473 mL in 1 BOTTLE, DISPENSING		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANADA		ANADA200304	10/01/2012	

**Labeler -** FIRST PRIORITY INCORPORATED (179925722)

## Establishment

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture

Revised: 12/2023

FIRST PRIORITY INCORPORATED