

**PREP SOLUTION TOPICAL ANTISEPTIC MICROBICIDE- povidone-iodine solution**  
**Degasa SA De CV**

-----  
**Prep Solution Topical Antiseptic Microbicide**

**Drug Facts**

**Active Ingredient**

Povidone- Iodine, 10% (equivalent to 1% available Iodine).

**Purpose**

Antiseptic

**Inactive ingredients**

Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80.

**Uses**

Healthcare antiseptic for preparation of the skin prior to surgery. First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.

**Warnings:**

**For external use only**

**Do not use:**

In the eyes, on deep or puncture wounds, on individuals who are allergic or sensitive to iodine, as a first aid antiseptic longer than one week and in serious burns.

**Stop use and ask a doctor if**

Irritation and redness develop and if conditions persist for more than 72 hours.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**For preparation of the skin prior to surgery:**

Skin preparation for the skin: 1.Clean the area, 2. Apply product to the operative site prior to surgery.

## For first aid antiseptic

1. Clean the affected area, 2. Apply a small amount of the product on the area 1-3 times daily, 3. May be covered with a sterile bandage, 4. If bandaged, let dry first.

## Other information

Store at room temperature 20-25° C (68-77°F). Not made with natural rubber latex.

## Questions?

Call: 800-925-4733

## Principal Display Panel

### Directions

For preparation of the skin prior to surgery:  
• Apply product to the operative site prior to surgery  
As a first aid antiseptic:  
• Clean the affected area  
• Apply a small amount of this product on the area 1-3 times daily  
• May be covered with a sterile bandage  
• If bandaged, let dry first

### Other information

Store at room temperature 20-25°C (68-77°F)

### Inactive Ingredients

Citric Acid, Sodium Citrate, Glycerin, Tween 80, Disodium Phosphate, Purified Water

# PrepSolution

## Povidone Iodine 10%

### Topical Antiseptic Microbicide

Promptly kills germs in:

Cuts  
Burns  
Scrapes  
Minor Skin Wounds

Made in Mexico by Degasa, S.A. de C.V.,  
ProL Canal de Miramontes No. 3775,  
Col. Ex - hacienda San Juan, C.P. 14300,  
Delegación Tlalpan, México, D.F.  
www.degasa.com

NDC: 67326-350-04 32 FL OZ | 948 ml

### DRUG FACTS:

Active Ingredient	Purpose
Povidone Iodine, 10% (equivalent to 1% available Iodine)	Antiseptic

### Uses

- Health-care antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent infection in minor cuts, scrapes and burns

**WARNINGS:** For External Use Only

### Do not use

- In eyes
- As a first antiseptic longer than one week
- On individuals who are allergic or sensitive to Iodine
- Apply over large areas of the body

### Discontinue use and call your doctor if

- Irritation and redness develop and persists for more than 72 hours
- Condition persists or gets worse

### Ask your doctor in case of

- Deep or puncture wounds
- Animal bites
- Serious burns

### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away



## Package Labeling:

**Drug Facts**

**Active ingredient**                      **Purpose**  
 Povidone- Iodine 10%                      Antiseptic  
 (equivalent to 1% available Iodine).

**Inactive ingredients**

Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80.

**Uses**

Healthcare antiseptic preparation of the skin prior to surgery.  
 First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.

**Warnings: For external use only****Do not use:**

In the eyes, on deep or puncture wounds, on individuals who are allergic or sensitive to iodine, as a first aid antiseptic longer than one week and in serious burns.

**Stop use and ask a doctor if**

Irritation and redness develop and if conditions persist for more than 72 hours.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

NDC 67326-350-10



# Prep Solution Topical Antiseptic Microbicide Povidone Iodine 10%

10% POVIDONE IODINE

NET CONTENT  
3 Fl. oz. (89 ml)

**Directions**

For preparation of the skin prior to surgery:

Skin preparation for the skin: 1.Clean the area, 2. Apply product to the operative site prior to surgery.

**For first aid antiseptic**


1. Clean the affected area, 2. Apply a small amount of this product on the area 1-3 times daily, 3. May be covered with a sterile bandage, 4. If bandaged, let dry first.

**Other information**

Store at room temperature 20-25° C (68-77°F).  
 Not made with natural rubber latex.

**Questions ?**

Call: 800-925-4733



4036500-R00

Made in Mexico  
 Manufactured by: Degasa, S. A. de C. V.  
 Calle 13 Este No. 580, Civac, Jiutepec, Morelos.  
 C.P. 62578. Mexico

**PREP SOLUTION TOPICAL ANTISEPTIC MICROBICIDE**

povidone-iodine solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67326-350
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	

**Packaging**

Marketing Start                      Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67326-350-05	59 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/14/2011	
2	NDC:67326-350-06	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2007	
3	NDC:67326-350-07	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2007	
4	NDC:67326-350-08	474 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2007	
5	NDC:67326-350-04	948 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2007	
6	NDC:67326-350-09	3785 mL in 1 JUG; Type 0: Not a Combination Product	01/01/2007	
7	NDC:67326-350-10	89 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/17/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/01/2007	

**Labeler** - Degasa SA De CV (812771980)

Revised: 11/2023

Degasa SA De CV