

TRIPLE ANTIBIOTIC - bacitracin zinc, neomycin sulfate, polymyxin b ointment
Navarro Discount Pharmacies,LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Bacitracin Zinc 400 units

Neomycin Sulfate 3.5mg

Polymyxin B Sulfate 5,000 units

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

if you are allergic to any of the ingredients

Ask a doctor before use if you have

- serious burns
- deep or puncture wounds
- animal bites

When using this product

- do not use in the eyes
- do not apply over large areas of the body

Stop use and ask a doctor if

- you need to use more than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week or clear up and occur again within a few days.
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age or older:
 - ◦ clean the affected area
 - apply a small amount of this product (an amount equal tot the surface area of the tip of a finer) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20° - 25° (68° to 77°F)

Inactive ingredients

Cetyl alcohol, Glycerin, Light mineral oil, Myristoyl/palmitoyl oxostearamide/ arachamide MEA, Methylparaben, Steareth-2, Squalane, Stearic acid, Tocopheryl acetate, White petrolatum

Package label panel

Triple Antibiotic Ointment Plus Pain Relief



mi salud

Prevents infection of cuts, scrapes and burns

Previene la infección de cortadas, raspaduras y quemaduras

Compare to Original Neosporin® active ingredients* Compare con los ingredientes activos de Original Neosporin®*

NDC #59970-044-05

SOOTHING OINTMENT UNGÜENTO CALMANTE



MAXIMUM STRENGTH Máxima Potencia

Triple Antibiotic Antibiótico Triple

Polymyxin B Sulfate - Bacitracin Zinc - Neomycin Sulfate Sulfato de Polimixina B - Zinc Bacitracina - Sulfato de Neomicina

Para Información en Español lea el inserto

MAXIMUM STRENGTH Máxima Potencia

Triple Antibiotic Antibiótico Triple

Polymyxin B Sulfate - Bacitracin Zinc - Neomycin Sulfate - Sulfato de Polimixina B - Zinc Bacitracina - Sulfato de Neomicina

Para Información en Español lea el inserto

First Aid Antibiotic Ointment Ungüento Antibiótico Para Primeros Auxilios

NET 0.5 oz (14g)

LOT & EXP. LOTE & FECHA DE VENCIMIENTO

MAXIMUM STRENGTH Máxima Potencia

Triple Antibiotic Antibiótico Triple



8 477 17 03044 5

<p>Drug Facts (continued)</p> <p>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.</p> <p>■ Children under 2 years of age: ask a doctor.</p> <p>■ May be covered with a sterile bandage.</p> <p>Other Information</p> <p>■ store at 20°-25° C (68°-77° F).</p> <p>Inactive ingredients</p> <p>cetyl alcohol, glycerin, light mineral oil, myristoylpantoloyl oxostearamide/arachamide MEA, methylparaben, stearyl-2-squalene, stearic acid, tocopheryl acetate, white petrolatum.</p> <p>*The product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark, Original Neosporin®.</p> <p>Exclusively distributed by:</p> <p>MAGEVIAN DISTRIBUTION SOLUTIONS Medley, Florida 33178</p> <p>Made in Korea</p>	<p>Drug Facts</p> <p>Active ingredients (in each gram)</p> <p>Bacitracin Zinc 400 units First aid antibiotic</p> <p>Neomycin 3.5mg First aid antibiotic</p> <p>Polymyxin B Sulfate 5,000 units First aid antibiotic</p> <p>Uses</p> <p>First aid to help prevent infection in minor cuts, scrapes, burns.</p> <p>Warnings</p> <p>For external use only.</p> <p>Do not use if you are allergic to any of the ingredients.</p> <p>Ask a doctor before use if you have</p> <p>serious burns ■ deep or puncture wounds ■ animal bites</p> <p>When using this product</p> <p>■ do not use in the eyes ■ do not apply over large areas of the body.</p> <p>Stop use and ask a doctor if</p> <p>■ you need to use more than 1 week</p> <p>■ condition persists or gets worse</p> <p>■ symptoms persist for more than 1 week or clear up and occur again within a few days</p> <p>■ rash or other allergic reaction develops</p> <p>Keep out of reach of children.</p> <p>If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <p>■ adults and children 2 years of age and older: ■ clean the affected area.</p>
--	---

MAXIMUM STRENGTH Máxima Potencia Triple Antibiotic Antibiótico Triple

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59970-044
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
STEARETH-2 (UNII: V56DFE46J5)	
SQUALANE (UNII: GW89575KF9)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59970-044-05	1 in 1 BOX		
1		14 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	08/01/2012	

Labeler - Navarro Discount Pharmacies,LLC (094930963)