

BANANA BOAT- titanium dioxide, zinc oxide lotion
Energizer Personal Care LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Titanium Dioxide 3.1%

Zinc Oxide 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics.

Directions

- apply liberally 15 minutes before sun exposure
- reapply
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regulatory use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun

Questions or Comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

Banana Boat

Baby

Tear Free Sting Free

UVA/UVB Protection

Sunscreen Lotion

50

Broad Spectrum SPF 50

Pediatrician Tested

Proven to be Gentle

Water Resistant (80 minutes)

Recommended Skin Cancer Foundation

Active

Recommended as an effective UV sunscreen

Swim Splash Play

8 FL. OZ. (236 mL)

Bonus 25% More

Banana Boat

Baby

Tear Free Sting Free

UVA/UVB Protection

Sunscreen Lotion

50

Broad Spectrum SPF 50

Pediatrician Tested

Proven to be Gentle

Water Resistant (80 minutes)

Recommended Skin Cancer Foundation

Active

Recommended as an effective UV sunscreen

Swim Splash Play

10 FL. OZ. (295 mL)



Baby



BROAD SPECTRUM SPF 50



Proven to be Gentle
Water Resistant
(80 MINUTES)

SWIM • SPLASH • PLAY

8 FL. OZ. (236 mL)


Soft & Precious, a baby's skin deserves safe and gentle sun care.

Banana Boat® Sunscreen Lotion for Baby SPF 50 is an ultra-gentle formula that is non-stinging to eyes and is clinically tested to be mild to baby's sensitive skin. This lotion contains Titanium Dioxide, recommended for children's sensitive skin for UVA/UVB protection from sunburn and skin damage.

- Non-Stinging to Eyes • Hypoallergenic
- Water Resistant (80 minutes)

Drug Facts	
Active Ingredients	Purpose
Titanium Dioxide 3.1%, Zinc Oxide 4.0%.....	Sunscreen
Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings	
For external use only.	
Do not use on damaged or broken skin.	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
May stain some fabrics.	
Directions	
■ apply liberally 15 minutes before sun exposure	
■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours	
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
■ children under 6 months. Ask a doctor	
Inactive Ingredients: Water, Caprylic/Capric Triglyceride, Isohexadecane, Butyloctyl Salicylate, Octyldodecyl Citrate Crosspolymer, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Sodium Chloride, Ethylhexyl Methoxycrylate, Dimethicone, Caprylyl Glycol, PEG-8, Alumina, Glycerin, Sodium Citrate, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice, Phenoxyethanol.	
Other Information	
■ protect this product from excessive heat and direct sun	
Questions or Comments? Call 1-800-SafeSun, Mon-Fri	

www.bananaboat.com
MADE IN CANADA
Dist. by:
Energizer Personal Care, LLC
Shelton, CT 06484
© 2012 Sun Pharmaceuticals, LLC
93004962



BONUS
25% MORE



Baby



**BROAD SPECTRUM
SPF 50**



Proven to be Gentle
Water Resistant
(80 MINUTES)

SWIM · SPLASH · SPORT

10 FL. OZ. (295 mL)

BONUS
25% MORE

Soft and precious, a baby's skin deserves safe and gentle sun care. Banana Boat® Sunscreen Lotion for Baby SPF 50 is an ultra-gentle formula that is non-stinging to eyes and is clinically tested to be mild to baby's sensitive skin. This lotion contains Titanium Dioxide, recommended for children's sensitive skin for UVA/UVB protection against sunburn and skin damage.

- Non-stinging to Eyes • Hypoallergenic
- Water Resistant (80 minutes)


Drug Facts	
Active Ingredients	Purpose
Titanium Dioxide 3.1%, Zinc Oxide 4.0%	Sunscreen
Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings	
For external use only.	
Do not use on damaged or broken skin.	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
May stain some fabrics.	
Directions	
■ apply liberally 15 minutes before sun exposure	
■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours	
■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
■ children under 6 months: Ask a doctor	
Inactive Ingredients: Water, Caprylic/Capric Triglyceride, Isohexadecane, Butyloctyl Salicylate, Octyldodecyl Citrate Crosspolymer, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Sodium Chloride, Ethylhexyl Methoxycrylate, Dimethicone, Caprylyl Glycol, PEG-8, Alumina, Glycerin, Sodium Citrate, Tocopheryl Acetate, Aloe Barbodensis Leaf Juice, Phenoxethanol.	
Other Information	
■ protect this product from excessive heat and direct sun	
Questions or Comments?	
Call 1-800-SafeSun, Mon-Fri	

www.bananaboat.com

MADE IN CANADA

Dist. by:
ENERGIZER PERSONAL CARE, LLC
SHELTON, CT 06484

© 2012 Sun Pharmaceuticals, LLC
03005851



BANANA BOAT

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:63354-050
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	3.1 g in 100 g
ZINC OXIDE (UNII: SO12LOH54Z) (ZINC OXIDE - UNII:SO12LOH54Z)	ZINC OXIDE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
ALUMINUM OXIDE (UNII: LM26O6933)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-050-26	236 g in 1 TUBE		
2	NDC:63354-050-27	295 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/03/2012	

Labeler - Energizer Personal Care LLC (021718141)

Revised: 10/2012

Energizer Personal Care LLC