

ASPEN QM GREEN - salicylic acid liquid
EXL Laboratories, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Usage Directions Active Ingredient

USAGE DIRECTIONS

PRE-DIPPING: Teats should be clean and dry before dipping. Dip with undiluted product and allow 30-60 seconds contact time. Wipe the teats dry.

POST-DIPPING: Dip teats with undiluted product after milking. Allow to air dry. Replace solution if it becomes visibly dirty. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip teats once a day for 3-4 days following the last milking. **DURING COLD WEATHER** do not turn out cows until teats are dry.

DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT

IMPORTANT: TEAT IRRITATION OR CHAPPING: Teat dips have the potential to cause irritation or chapping. If you observe abnormal irritation or chapping, call 1-800-225-3832 or contact your dealer.

ACTIVE INGREDIENTS:

2.3% Organic Acid blend providing 0.1% (1,000 mg/mL) Salicylic Acid

Contains 10% skin conditioners

Caution First Aid Storage and Disposal

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED – HARMFUL IF INHALED – CAUSES EYE IRRITATION
SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONSULT MSDS SHEET

TOLL FREE EMERGENCY NUMBER: 1-800-424-9300

PRECAUTIONS: Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

FIRST AID:

EXTERNAL: In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists call a physician.

INTERNAL: If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Give prompt medical attention. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

EYES: Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

STORAGE AND DISPOSAL: Store this product in a cold, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose

of according to Federal, State, and local laws.

SPILLAGE: In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.

KEEP FROM FREEZING

Product Label

Aspen®
Dairy Solutions™
QUALITY MILK CONTROL™

QM GREEN

NON IODINE PRE AND POST-MILKING DIP

Part #: 33438

EXL Laboratories, LLC. 1001 Glenwood Ave. Minneapolis, MN 55405

Net Contents: 15 GALLONS (56.8L)

Lot #: 00011162A Expires: 11/2013



Aspen®
Dairy Solutions™
QUALITY MILK CONTROL™

QM GREEN

NON IODINE PRE & POST-MILKING TEAT DIP

USAGE DIRECTIONS
PRE-DIPPING: Teats should be clean and dry before dipping. Dip with undiluted product and allow 30-60 seconds contact time. Wipe the teats dry.
POST-DIPPING: Dip teats with undiluted product after milking. Allow to air dry. Replace solution if it becomes visibly dirty. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip teats once a day for 3-4 days following the last milking. **DURING COLD WEATHER** do not turn out cows until teats are dry. **DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT**
IMPORTANT: TEAT IRRITATION OR CHAPPING: Teat dips have the potential to cause irritation or chapping. If you observe abnormal irritation or chapping, call 1-800-225-3832 or contact your dealer.
ACTIVE INGREDIENTS:
2.3% Organic Acid blend providing 0.1% (1,000 mg/L) Salicylic Acid
Contains 10% skin conditioners.

CAUTION
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION
SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONSULT MSDS SHEET
TOLL FREE EMERGENCY NUMBER: 1-800-424-9300
PRECAUTIONS: Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.
FIRST AID:
EXTERNAL: In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists call a physician.
INTERNAL: If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Give prompt medical attention. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON**
EYES: Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.
STORAGE AND DISPOSAL: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.
SPILLAGE: In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.
KEEP FROM FREEZING

Part#:  33438

EXL Laboratories, LLC.
1001 Glenwood Ave.
Minneapolis, MN 55405

NO YODO PRE Y POSTE QUE ORDEÑA LA INMERSIÓN DEL PEZÓN

INSTRUCCIONES DE USO
BAÑO PREVIO: Los pezones se deben limpiar y secar antes de aplicar el baño. Bañar los pezones con este producto no diluido y dejar 30-60 segundos de contacto. Secar los pezones previamente a la colocación de la unidad de ordeño.
BAÑO POSTERIOR: Bañar los pezones con este producto sin diluir inmediatamente luego del ordeño. Dejar secar al aire. Reemplazar la solución si se vuelve visiblemente sucia. Con vacas que van a parir, comenzar a bañar los pezones dos veces al día por aproximadamente 10 días antes del parto. Para las vacas que no tienen leche, bañar/rociar con aerosol los pezones con este producto sin diluir una vez al día durante varios días a continuación del último ordeño. **DURANTE TIEMPO FRÍO** no secar las vacas afuera hasta que los pezones estén secos para prevenir el cuarteo y el congelamiento. Si es necesario, secar con una toalla de uso singular de papel.
NO USAR PARA LIMPIAR Y/O HIGIENIZAR EL EQUIPO.
IMPORTANTE - IRRITACIÓN Y/O CUARTEO DE LOS PEZONES: Los baños de los pezones pueden causar irritación a los pezones de la vaca o a las manos del ordeñador. En caso de observar una irritación anormal o cuarteo, dejar de usarlo y llamar al departamento de servicio técnico al 1-800-225-3832, o consultar a su representante.
INGREDIENTES ACTIVOS: 2.3% de ácidos orgánicos mezcla proporcionando 0.1% Ácido Salicílico (1,000 mg/L). Contiene 10% de acondicionadores de la piel.

ADVERTENCIA
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

CAUSA DAÑO SI ES INGERIDO - CAUSA DAÑO SI ES INHALADO - CAUSA IRRITACION DE LOS OJOS. LEA A CONTINUACION POR PRECAUCION Y/O CONSULTE EL MATERIAL DE INFORMACION SOBRE SEGURIDAD
NUMERO DE EMERGENCIA SIN COSTO: 1-800-424-9300
PRECAUCIONES: Proteger los ojos del contacto con el producto. Mantener el recipiente bien cerrado cuando no se esté usando. Usarlo donde haya ventilación adecuada. Lavarse bien luego de manipular el producto.
PRIMEROS AUXILIOS:
EXTERNAL: En caso de contacto, inmediatamente lavar a chorro la piel contaminada con mucha agua. Si ocurre irritación y persiste, llamar a un médico.
INTERNAL: Si está consciente, diluir tomando varios vasos de agua o leche. No inducir el vómito. En caso de vómito, dar nuevamente varios vasos de agua o leche. Obtener atención médica rápidamente. **NO DAR NUNCA NADA POR LA BOCA A UNA PERSONA INCONSCIENTE.**
OJOS: Lavar a chorro inmediatamente con mucha agua corriente y limpia al menos por 15 minutos sosteniendo los párpados para asegurar el lavado a chorro de la superficie del ojo enteramente. Llamar a un médico.
ALMACENAMIENTO Y ELIMINACION: Almacenar el producto en un lugar frío y seco, fuera del alcance de la luz solar en forma directa y del calor para evitar su deterioro. Almacenar en un gabinete o habitación con cerradura para mantenerlo fuera del alcance de los niños. Eliminar solo de acuerdo a las leyes federales, estatales y locales.
NO CONGELAR

Net Contents:
15 GALLONS (56.8 L)
Lot #: 00011162A Expires: 11/2013

ASPEN QM GREEN

salicylic acid liquid

Product Information

Product Type

OTC ANIMAL DRUG LABEL

Item Code (Source)

NDC:50138-438

Route of Administration

TOPICAL

DEA Schedule

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (SALICYLIC ACID)	SALICYLIC ACID	1000 mg in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50 138-438-01	9.5 L in 1 JUG		
2	NDC:50 138-438-02	19 L in 1 JUG		
3	NDC:50 138-438-03	56.8 L in 1 DRUM		
4	NDC:50 138-438-04	114 L in 1 DRUM		
5	NDC:50 138-438-05	208.2 L in 1 DRUM		
6	NDC:50 138-438-06	946 L in 1 DRUM		
7	NDC:50 138-438-07	1003 L in 1 DRUM		
8	NDC:50 138-438-08	1040 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/01/2009	

Labeler - EXL Laboratories, LLC (927483458)**Registrant** - EXL Laboratories, LLC (927483458)**Establishment**

Name	Address	ID/FEI	Business Operations
EXL Laboratories, LLC		927483458	api manufacture, manufacture

Revised: 1/2013

EXL Laboratories, LLC