

**OXYMATE- 0.5% hydrogen peroxide teat dip solution**  
**Preserve International**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**OXYMATE**

**OXYMATE** is a 0.5% hydrogen Peroxide and Sodium Lactate teat dip.□

**APPLICATION:**

Recommended for both pre and post dipping applications.

**FOR PRE-DIPPING:** Make sure udder and teats are visibly clean of any soil. Dip with **OXYMATE** solution. Forestrip and wipe teat with towel and then attach milking unit.

**FOR POST-DIPPING:** Dip Entire teat in **OXYMATE**. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with **OXYMATE** at full strength. Do not return unused product to original container.

**DO NOT MIX OXYMATE WITH ANY OTHER TEAT SPRAY OR DIP OR OTHER PRODUCTS.**

**NOTE:**

**OXYMATE** is not intended to cure or help the healing of chapped or irritated teats. In case of teat irritation or chapping, have the condition examined.

This product does not contain NPE (Nonylphenol Ethoxylate) Surfactant.

PROTECT FROM FREEZING

IF FROZEN: SHAKE VIGOROUSLY AFTER THAWING

TAKE TIME OBSERVE LABEL DIRECTIONS

**WARNING:**

CONTAINS HYDROGEN PEROXIDE SOLUTION

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

**KEEP OUT OF REACH OF CHILDREN**

**DO NOT GET IN EYES OR ON CLOTHING**

**HARMFUL IF SWALLOWED**

**FIRST AID:**

**INHALATION:** Irritating to respiratory system. Inhalation may cause coughing, lightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.

**EYE CONTACT:** Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

**SKIN CONTACT:** Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

**INGESTION:** Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. **DO NOT INDUCE VOMITING** unless advised to do so by a doctor.

**GET MEDICAL ATTENTION IMMEDIATELY.**

**FOR PRODUCT EMERGENCY CONTACT: Chem-Tel Inc. 1-800-255-3924**

**OXYMATE**


**HYDROGEN PEROXIDE TEAT DIP AND TEAT SPRAY**

**Active Ingredients:**

Active Hydrogen Peroxide.....0.50%

pH.....Minimum 5.00

**Contains a 5% Emollient Complex and Anionic Surfactants**



Place Lot Number,  
Expiration Date, and  
Net Contents Sticker Here

OXIMATE is a 0.50% Hydrogen Peroxide and Sodium Lactate teat dip.

**APPLICATION:**  
Recommended for both pre and post dipping applications.  
**FOR PRE-DIPPING:** Make sure udder and teats are visibly clean of any soil. Dip with OXYMATE solution. Forestrip and wipe teat with towel and then attach milking unit.  
**FOR POST-DIPPING:** Dip entire teat in OXYMATE. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with OXYMATE at full strength. Do not return unused product to original container.

**DO NOT MIX OXYMATE WITH ANY OTHER TEAT SPRAY OR DIP OR OTHER PRODUCTS.**

**NOTE:**  
OXIMATE is not intended to cure or help the healing of chapped or irritated teats. In case of teat irritation or chapping, have the condition examined.  
This product does not contain NPE (Nonylphenol Ethoxylate) Surfactant.



**Active Ingredient:**  
Active Hydrogen Peroxide ..... 0.50%  
pH ..... Minimum 5.0

**Contains a 5% Emollient Complex and Anionic Surfactants**

**PROTECT FROM FREEZING  
IF FROZEN: SHAKE VIGOROUSLY AFTER THAWING**



**FOR PRODUCT EMERGENCY CONTACT:  
CHEM-TEL INC.  
1-800-255-3924**

**WARNING:**  
**CONTAINS HYDROGEN PEROXIDE SOLUTION.**  
Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

**KEEP OUT OF REACH OF CHILDREN  
DO NOT GET IN EYES OR ON CLOTHING  
HARMFUL IF SWALLOWED**

**FIRST AID:**  
**INHALATION:** Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.

**EYE CONTACT:** Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

**SKIN CONTACT:** Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

**INGESTION:** Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING unless advised to do so by a doctor.

**GET MEDICAL ATTENTION IMMEDIATELY.**



944 Nandino Blvd. • Lexington, KY 40511 • 859-254-1221 or 800-621-8829 • animalsafety.neogen.com

L5386-0219

Manufactured by: Preserve International®  
Preserve International® is a wholly-owned subsidiary of Neogen® Corporation.

Item No. 602262

**Manufactured By: Preserve International®**

Preserve International® is a wholly-owned subsidiary of Neogen® Corporation.

NEOGEN®

944 Nandino Blvd.

Lexington, KY 40511

859-254-1221 or 800-621-8829

animalsafety.neogen.com

**OXYMATE**

0.5% hydrogen peroxide teat dip solution

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:60648-9011
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)		HYDROGEN PEROXIDE	5.95 g in 1 L	
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60648-9011-1	3.78 L in 1 JUG		
2	NDC:60648-9011-2	18.9 L in 1 PAIL		
3	NDC:60648-9011-3	56.7 L in 1 DRUM		
4	NDC:60648-9011-4	113.4 L in 1 DRUM		
5	NDC:60648-9011-5	207.9 L in 1 DRUM		
6	NDC:60648-9011-6	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:60648-9011-7	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		03/18/2019		

**Labeler** - Preserve International (808154199)

Revised: 5/2019

Preserve International