

**EQUALINE CLEARLAX- polyethylene glycol 3350 powder, for solution**  
**Supervalu Inc**

-----  
**SuperValu Inc. Clearlax® Drug Facts**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

Allergy alert: Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## **Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - use once a day
  - use no more than 7 days
- children 16 years of age or under: ask a doctor

## **Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

## **Inactive ingredients**

none

## **Questions or comments?**

1-877-932-7948

## **Principal Display Panel**

Compare to MiraLAX® active ingredient

clearlax®

polyethylene glycol 3350

powder for solution

osmotic laxative

relieves occasional constipation/irregularity

softens stool

unflavored grit free powder

30 ONCE-DAILY DOSES

NET WT 17.9 OZ (510g)

NDC 41163-306-03

**EQUALINE**<sup>®</sup>

compare to  
**MiraLAX**<sup>®</sup>  
active ingredient\*

**clearlax**<sup>®</sup>

polyethylene glycol 3350  
powder for solution  
osmotic laxative


- *relieves occasional constipation/  
irregularity*
- *softens stool*
- *unflavored grit free powder*

30 ONCE-DAILY DOSES

NET WT 17.9 OZ (510g)

: 306D8 EL F4

polyethylene glycol 3350 increases frequency of bowel movements and softens the stool. dissolves in any beverage

<p><b>Drug Facts</b></p>	<p><b>Drug Facts</b> (continued)</p>
<p><b>Active ingredient (in each dose)</b>      <b>Purpose</b>                  Polyethylene Glycol 3350,                  17 g (cap filled to line).....Osmotic Laxative</p>	<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ do not take more than directed unless advised by your doctor</li> <li>■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)</li> <li>■ adults and children 17 years of age and older:                         <ul style="list-style-type: none"> <li>■ fill to top of white section in cap which is marked to indicate the correct dose (17 g)</li> <li>■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink</li> <li>■ use once a day</li> <li>■ use no more than 7 days</li> </ul> </li> <li>■ children 16 years of age or under: ask a doctor</li> </ul>
<p><b>Use</b></p> <ul style="list-style-type: none"> <li>■ relieves occasional constipation (irregularity)</li> <li>■ generally produces a bowel movement in 1 to 3 days</li> </ul>	<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store at 20°-25°C (68°-77°F)</li> <li>■ tamper-evident: do not use if printed foil seal under cap is missing, open or broken</li> </ul>
<p><b>Warnings</b></p> <p><b>Allergy alert:</b> Do not use if you are allergic to polyethylene glycol</p>	<p><b>Inactive ingredients</b> none</p>
<p>Do not use if you have kidney disease, except under the advice and supervision of a doctor</p>	<p><b>Questions or comments?</b>                  1-877-932-7948</p>
<p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> <li>■ nausea, vomiting or abdominal pain</li> <li>■ a sudden change in bowel habits that lasts over 2 weeks</li> <li>■ irritable bowel syndrome</li> </ul>	<p>• SUGAR FREE • GLUTEN FREE</p> <p>*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark MiraLAX®.</p> <p>Distributed by SUPERVALU INC.                  Eden Prairie, MN 55344 USA                  Contact us at 1-877-932-7948, or                  www.supervalu-ourownbrands.com</p>
<p>Ask a doctor or pharmacist before use if you are taking a prescription drug</p>	
<p>When using this product you may have loose, watery, more frequent stools</p>	<p>: 306D8 EL B3</p>
<p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> <li>■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.</li> <li>■ you get diarrhea</li> <li>■ you need to use a laxative for longer than 1 week</li> </ul>	
<p>If pregnant or breast-feeding, ask a health professional before use.                  Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p>	

**EQUALINE CLEARLAX**

polyethylene glycol 3350 powder, for solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG LABEL	<b>Item Code (Source)</b>	NDC:41163-306
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (POLYETHYLENE GLYCOL 3350)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-306-01	119 g in 1 BOTTLE		
2	NDC:41163-306-02	238 g in 1 BOTTLE		
3	NDC:41163-306-03	510 g in 1 BOTTLE		
4	NDC:41163-306-52	10 in 1 CARTON		
4		17 g in 1 POUCH		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/07/2009	

**Labeler** - Supervalu Inc (006961411)

Revised: 1/2015

Supervalu Inc