

**PREMIER VALUE CHILDRENS LORATADINE- loratadine solution**  
**Chain Drug Constortium**

-----  
**Premier Value**  
**Children's Loratadine**

**Drug Facts**

**Active ingredient (in each 5 mL teaspoonful)**

Loratadine 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- **safety sealed: do not use if imprinted safety seal is torn or missing**
- store between 20° and 25°C (68° and 77°F)

**Inactive ingredients**

glycerin, grape flavor, maltitol solution, masking agent, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium phosphate monobasic dihydrate, sucralose powder.

**Questions?**

Call 1-866-923-4914

**DISTRIBUTED BY  
CHAIN DRUG CONSORTIUM  
3301 NW BOCA RATON BLVD  
SUITE 101, BOCA RATON, FL 33431**

**PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton**

**NDC 68016-164-01**

**COMPARE TO THE  
ACTIVE INGREDIENT IN  
CHILDREN'S CLARITIN®\***

***Premier  
Value***

Ages  
two years  
and older

***Children's  
Loratadine  
Oral Solution  
5 mg/5 mL  
Antihistamine***

**SUGAR FREE  
GRAPE** flavor

Non-Drowsy<sup>†</sup>

24 hour Allergy  
Relief of: Sneezing;  
Runny Nose; Itchy, Watery Eyes;  
Itchy Throat or Nose

**INDOOR & OUTDOOR  
ALLERGIES**

<sup>†</sup>When taken as directed.  
See Drug Facts Panel.

**INDEPENDENTLY TESTED  
P  
V**

**SATISFACTION GUARANTEED**

4 FL OZ  
(120 mL)

**Premier Value**

**SUGAR FREE GRAPE** flavor

Ages two years and older

## Children's Loratadine

Oral Solution  
5 mg/5 mL  
Antihistamine



**Premier Value**

NDC 68016-164-01  
COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S CLARITIN®\*

Ages two years and older

## Children's Loratadine

Oral Solution  
5 mg/5 mL  
Antihistamine

**SUGAR FREE GRAPE** flavor

Non-Drowsy†

24 hour Allergy Relief of:

Sneezing;  
Runny Nose; Itchy, Watery Eyes;  
Itchy Throat or Nose

**INDOOR & OUTDOOR ALLERGIES**

†When taken as directed. See Drug Facts Panel.

4 FL OZ  
(120 mL)



**Premier Value**

NDC 68016-164-01  
COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S CLARITIN®\*

Ages two years and older

## Children's Loratadine

Oral Solution  
5 mg/5 mL  
Antihistamine

- Alcohol Free
- Sugar Free
- 24 Hour Relief
- Grape Flavored
- Dosage Cup Enclosed



\*This product is not manufactured or distributed by MSD Consumer Care Inc., a subsidiary of Merck & Co., Inc.

DISTRIBUTED BY  
CHAIN DRUG CONSORTIUM  
3301 NW BOCA RATON BLVD.  
SUITE 101, BOCA RATON, FL 33431  
Made in Canada

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.



(120 mL)

NO COPY ON THIS FLAP  
FOR LOT # AND EXPIRY  
DATE PRINT



8 40986 02862 5

T181C



NO VARNISH  
ON THIS FLAP

NDC 68016-164-0  
COMPARE TO THE  
ACTIVE INGREDIENT IN  
CHILDREN'S CLARITIN®



Ages  
two years  
and older

**Children's  
Loratadine**  
**Oral Solution**  
**5 mg/5 mL**  
Antihistamine

**SUGAR FREE  
GRAPE** flavor  
Non-Drowsy†  
24 hour Allergy

SEALED WITH PRINTED NECKBAND

**Drug Facts**

Active Ingredient (In each 5 mL teaspoonful)	Purpose
Loratadine 5 mg.....	Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

• use only with enclosed dosing cup	
adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours





## PREMIER VALUE CHILDRENS LORATADINE

loratadine solution

### Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:68016-164
Route of Administration	ORAL	DEA Schedule	

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (Loratadine)	Loratadine	5 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
glycerin	
sorbitol	
phosphoric acid	
polyethylene glycols	
propylene glycol	
water	
sodium benzoate	
sodium metabisulfite	
sodium phosphate, monobasic, dihydrate	

**Product Characteristics**

<b>Color</b>	YELLOW (colorless to slightly yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-164-01	1 in 1 CARTON		
1		120 mL in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	02/27/2010	

**Labeler** - Chain Drug Constortium (101668460)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(68016-164)

**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(68016-164)

Revised: 3/2014

Chain Drug Constortium