8 HOUR ARTHRITIS PAIN- acetaminophen tablet, extended release MARC GLASSMAN, INC.

1200A-MAR-2022-1005

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

• if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

| adults | take 2 caplets every 8 hours with water swallow whole; do not crush, chew, split or dissolve do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor |
|--------------------------|---|
| under 18 years of age | ask a doctor |

Other information

- store between 20-25°C (68-77°F)
- retain carton for complete product information and warnings

Inactive ingredients

hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose,

polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?

1-844-705-4384

PRINCIPAL DISPLAY PANEL

Marc's ®

NDC 68998-401-03

†Compare to the active ingredient in Tylenol® 8HR Arthritis Pain

8 Hour Arthritis Pain


Acetaminophen Extended-Release Tablets, 650 mg

PAIN RELIEVER/FEVER REDUCER

• For the temporary relief of minor arthritis pain

Actual Size

100 CAPLETS** - 650 MG EACH ** Capsule-Shaped Bi-Layer Tablets



8 HOUR ARTHRITIS PAIN

acetaminophen tablet, extended release

| Product Information | | | |
|---------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:68998-401 |
| Route of Administration | ORAL | | |
| | | | |
| Active Incurationt/Active | NA . * . 1 | | |

| Active ingredient/Active Molety | | |
|--|--------------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) | ACETAMINOPHEN | 650 mg |
| | | |

| Inactive Ingredients | | |
|----------------------|-----------------|----------|
| | Ingredient Name | Strength |

| HYDROXYETHYL CELLULOSE (140 MPA.S AT 5%) (UNII: 8136Y38GY5) | |
|---|--|
| HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ 8WG20P6) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| POVIDONE K30 (UNII: U725QWY32X) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |

| Product Characteristics | | | |
|-------------------------|---------|--------------|----------|
| Color | white | Score | no score |
| Shape | CAPSULE | Size | 19mm |
| Flavor | | Imprint Code | G650 |
| Contains | | | |

| P | Packaging | | | | | |
|---|----------------------|---|----------------------|-----------------------|--|--|
| # | tem Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:68998- 401-03 | 1 in 1 CARTON | 10/05/2022 | | | |
| 1 | | 100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | ANDA211544 | 10/05/2022 | |
| | | | |

Labeler - MARC GLASSMAN, INC. (094487477)

Revised: 11/2023 MARC GLASSMAN, INC.