

ANTACID ANTIGAS NTA- aluminum hydroxide, magnesium hydroxide, simethicone liquid
Preferred Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Good Neighbor Pharmacy Antacid Anti-Gas max cherry

Active ingredients (in each 5 mL, 1 teaspoon)

Aluminum hydroxide (equivalent to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- upset stomach due to these symptoms
- symptoms of gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or

contact a Poison Control Center (1-800-222-1222) immediately.

Directions

- shake well before use
- adults and children 12 years of age and older: take 2 to 4 teaspoonfuls two times a day or as directed by a doctor
- do not exceed 8 teaspoonfuls in a 24 hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor

Other information

- **each 5 mL teaspoonful contains:** magnesium 165 mg, sodium 5 mg
- store at room temperature tightly closed
- protect from freezing

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or Comments?

1-800-540-3765

package label

Relabeled by Preferred Pharmaceuticals, Inc.

Compare To Maalox® Maximum Strength active ingredients*

NDC 68788-7641-03

MAXIMUM STRENGTH

Antacid

Anti-Gas

Alumina, Magnesia, and Simethicone Oral Suspension

Fast Relief of:

- Acid Indigestion
- Heartburn
- Sour Stomach
- Pressure and Bloating

Cherry Creme Flavor

12 FL OZ (355 mL)

Maximum Strength Mi-Acid

Generic for: Mylanta II

Each 5 mL teaspoonful contains: Aluminum hydroxide 400mg (equivalent to dried gel, USP)...Antacid / Magnesium hydroxide 400mg...Antacid / Simethicone 40mg...Antigas

Pkg Size: Exp Date:
Lot#: Batch#: Ins:
Mfg: Good Neighbor Pharmacy
Prod#: Warning

Ask a doctor before use if you have kidney disease, a magnesium-restricted diet. Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs. Stop use and ask a doctor if symptoms last more than 2 weeks. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Store at room temperature. Protect from freezing. Keep tightly closed. Tamper-Evident: do not use if breakaway band on bottle cap is missing or broken.

Directions English

Take as Directed

Instructions Espanol:

Tomelo como se indica

Maximum Strength Mi-Acid

Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Maximum Strength Mi-Acid

Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Maximum Strength Mi-Acid

Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Maximum Strength Mi-Acid

Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Log

Chart

Billing

Patient

ANTACID ANTIGAS NTA			
aluminum hydroxide, magnesium hydroxide, simethicone liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-7641(NDC:46122-432)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)		ALUMINUM HYDROXIDE	400 mg in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)		MAGNESIUM HYDROXIDE	400 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)		DIMETHICONE	40 mg in 5 mL
Inactive Ingredients			
Ingredient Name			Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)			
BUTYLPARABEN (UNII: 3QPI1U3FV8)			
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SORBITOL (UNII: 506T60A25R)			
Product Characteristics			
Color	Score		

Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-7641-3	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/28/2020	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part331	02/28/2020	

Labeler - Preferred Pharmaceuticals, Inc. (791119022)

Registrant - Preferred Pharmaceuticals, Inc. (791119022)

Establishment			
Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals, Inc.		791119022	RELABEL(68788-7641)