

STOOL SOFTENER- docusate sodium capsule, liquid filled
ARMY AND AIR FORCE EXCHANGE SERVICE

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Exchange Select 44-351

Active ingredient (in each liquid gel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.
- take with a glass of water

adults and children take 1 to 3 liquid gels

12 years and over daily

children 2 to under

children 2 to under 12 years of age take 1 liquid gel daily
children under 2 years of age ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive humidity
- use by expiration date on package

Inactive ingredients

D&C yellow #10, edible white ink, FD&C red #40, gelatin, glycerine, polyethylene glycol, propylene glycol, sorbitol

Questions or comments?

1-800-426-9391

Principal display panel

exchange select™

STOOL SOFTENER

Docusate sodium 100 mg

Compare To The Active Ingredient of Colace®*

- Gentle
 - Effective
 - Stimulant-Free
- For Comfortable Relief

100 LIQUID GELS

*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Colace®.

Product of Canada 50844 REV0712D35112

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Manufactured For: Your Military Exchanges

Distributed by: LNK International, Inc., Hauppauge, NY 11788

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

exchange select 

STOOL SOFTENER

Docusate sodium 100 mg

Compare To The Active Ingredient of Colace®

- Gentle
- Effective
- Stimulant-Free

For Comfortable Relief



Actual Size

100 LIQUID GELS

Drug Facts

Active ingredient Purpose (in each liquid gel)
Docusate sodium 100 mg Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you need to use a laxative for more than 1 week

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark, Colace®, Product of Canada 50844 REV0712035112

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Manufactured For: Your Military Exchanges
Distributed by: LUK International, Inc., Hempstead, NY 11788

6  14299 39911 2

PEEL HERE FOR MORE DRUG FACTS

Drug Facts (continued)

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.
- take with a glass of water

adults and children 12 years and over	take 1 to 3 liquid gels daily
children 2 to under 12 years of age	take 1 liquid gel daily
children under 2 years of age	ask a doctor

Other Information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive humidity
- use by expiration date on package

Inactive ingredients D&C yellow #10, edible white ink, FD&C red #40, gelatin, glycerine, polyethylene glycol, propylene glycol, sorbitol

Questions or comments?
1-800-426-9391

STOP PEELING

Exchange Select 44-351

STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:55301-351
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (DOCUSATE)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10	
FD&C RED NO. 40	
GLYCERIN	
GELATIN	
PROPYLENE GLYCOL	
SORBITOL	

Product Characteristics

Color	RED	Score	no score
Shape	CAPSULE	Size	13mm
Flavor		Imprint Code	A92
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-351-12	100 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	09/21/1995	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)**Establishment**

Name	Address	ID/FEI	Business Operations
Accucaps Industries, Ltd.		248441727	MANUFACTURE(5530 1-351)

Revised: 7/2013

ARMY AND AIR FORCE EXCHANGE SERVICE