

CHEM-STAR CLASSIC PLUS- chlorhexidine gluconate solution
MEDA Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Attention

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/ attention if you feel unwell.

DIRECTIONS:

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Directions for TeatDipping

Pre-Milk Dipping: Before each cow is milked, and using fresh Chem-Star Classic Plus Spray, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-MilkDipping: Using fresh Chem-Star Classic Plus Spray, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh Chem-Star Classic Plus Spray, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-MilkSpraying: Using fresh Chem-Star Classic Plus Spray, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Chem-Star Classic Plus Spray is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab Representative for specific use instructions and recommended dispensing equipment.

READ SAFETY DATA SHEET (SDS)BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Principal Display Panel and Representative Label

18.9 L (5 US GAL)

6301931

Pre and Post Milking Teat Dip

CHEM-STAR

Classic Plus Spray

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENTS:

Chlorhexidine gluconate0.5%

INERT INGREDIENTS:..... 99.5%

(contains glycerin)

TOTAL:.....100.0%

MEDA

S12274 Liegel Court

Spring Green, Wisconsin 53588

© 2016 · All rights reserved

Made in U.S.A. · 766623/5300/1016

**MANUFACTURED FOR AND DISTRIBUTED BY MILKING EQUIPMENT DEALERS
ASSOCIATION, INC.**

18.9 L (5 US GAL)

6301931

CHEM-STAR™

Pre and Post Milking Teat Dip | Baño pre y post ordeña para ubres
For Dip and Spray Applications | Aplicación en baño de inmersión y spray

Classic Plus

Spray

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENTS:
Chlorhexidine gluconate 0.5%

INERT INGREDIENTS:
(contains glycerin) 99.5%

TOTAL: 100.0%

DIRECTIONS:

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Directions for Teat Dipping:

Pre-Milk Dipping: Before each cow is milked, and using fresh Chem-Star Classic Plus Spray, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh Chem-Star Classic Plus Spray, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying:

Pre-Milk Spraying: Before each cow is milked, and using fresh Chem-Star Classic Plus Spray, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh Chem-Star Classic Plus Spray, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Chem-Star Classic Plus Spray is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab Representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN**NOT FOR HUMAN USE****Attention**

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/attention if you feel unwell.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Ayuda a evitar la proliferación de organismos que pueden causar mastitis

INSTRUCCIONES:

IMPORTANTE: No lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.

Preparado para ubres: Si se realiza un paso de limpieza de ubres antes del ordeño, asegúrese de limpiar los pezones con una solución para limpieza de ubres adecuada y procedimientos de limpieza apropiados. Los pezones deben secarse con toallas de uso único.

Instrucciones para el sellado de pezones:

Sellado del pezón previo al ordeño: Antes de ordeñar cada vaca, bañe toda la superficie de cada pezón en un recipiente que contenga Chem-Star Classic Plus Spray fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Bañe toda la superficie de cada pezón en un recipiente que contenga Chem-Star Classic Plus Spray fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

Instrucciones para el rociado de pezones:

Rociado previo al ordeño: Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con Chem-Star Sentinel Plus Spray fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

Rociado de pezones posterior al ordeño: Inmediatamente después del ordeño, rocíe toda la superficie de cada pezón con Chem-Star Classic Plus Spray fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

Uso ampliado: Si la vaca va a parir, comience a realizar el baño dos veces al día unos 10 días antes del parto.

PRECAUCIÓN: Chem-Star Classic Plus Spray no está pensado para curar ni ayudar a sanar los pezones agrietados o irritados. Como cualquier germicida, el producto puede causar irritación o sensibilización en los animales sensibles. Si los pezones están agrietados o irritados, encargue a un veterinario que examine la condición y la trate si es necesario.

Consulte con su representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**NO ES PARA USO HUMANO****Atención**

Solo de uso externo

Lavarase las manos cuidadosamente después de la manipulación.

Consultar a un médico si la persona se encuentra mal.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO**INFORMACIÓN DE EMERGENCIA SOBRE SALUD:** 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).Teat Dip
Baño de tetinaTeat Spray
Rociador de tetinaS12274 Liegel Court
Spring Green, Wisconsin 53588© 2016 - All rights reserved | Todos los derechos reservados
Made in U.S.A. | Hecho en EE.UU. - 766623/53007016

MANUFACTURED FOR AND DISTRIBUTED BY MILKING EQUIPMENT DEALERS ASSOCIATION, INC.

CHEM-STAR CLASSIC PLUS

chlorhexidine gluconate solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59511-416
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8 E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59511-416-16	18930 mL in 1 PAIL		
2	NDC:59511-416-17	56780 mL in 1 DRUM		
3	NDC:59511-416-21	208200 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2006	

Labeler - MEDA Inc. (830359597)

Revised: 1/2017

MEDA Inc.