

MAXIM HYDROGEN PEROXIDE- hydrogen peroxide liquid

Ostl, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

maxim SOLUTION OF Hydrogen Peroxide

Drug Facts

Active ingredient (by volume)

Hydrogen peroxide 3%

Purpose

first aid antiseptic/oral debriding agent

Keep this and all drugs out of the reach of children. If swallowed, seek professional assistance or contact a Poison Control Center immediately. (1-800-222-1222)

Uses • first aid to help prevent the risk of infection in minor cuts, scrapes and burns • aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use • in the eyes or apply over large areas of the body • longer than one week

Ask a doctor before use if you have • deep or puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain or redness persists or worsens • swelling, rash or fever develops

Directions first aid antiseptic: <ul style="list-style-type: none">• clean affected area• apply small amount of product on affected area 1-3 times a day• may be covered with a sterile bandage• if bandaged, let dry first	oral debriding agent (oral rinse): <ul style="list-style-type: none">• adults and children 2 years of age and over:• mix with an equal amount of water• swish around in the mouth over affected area for atleast 1 minute and then spit out• use upto 4 times daily after meals and at bedtime or as directed by a dentist or doctor
--	---

- children under 12 years should be supervised in the use of this product
- children under 2 years of age; consult a dentist or doctor

Inactive ingredient purified water, Phosphoric acid as a stabilizer

Other information Keep tightly closed and in a dark place at a controlled room temperature. Do not shake bottle. Hold away from face when opening.

DO NOT USE IF IMPRINTED SEAL ON CAP IS BROKEN OR REMOVED.

3% Topical Solution USP

TOPICAL ANTI-INFECTIVE

- **For treatment of minor cuts and abrasions.**

Imported by:

OSTL INC. 5805, White Oak Ave Suite # 16065

Encino, CA 91416, USA

www.ostltrade.com

Made in India

Packaging

maxim

Hydrogen Peroxide

3% Topical Solution USP

TOPICAL ANTI-INFECTIVE

- **For treatment of minor cuts and abrasions.**

DO NOT USE IF IMPRINTED SEAL ON CAP IS BROKEN OR REMOVED.

16 FL. OZ. (1 PT) 473 ml

Drug Facts	
Active ingredient (by volume)	Purpose
Hydrogen peroxide 3%.....	first aid antiseptic/oral debriding agent
Uses • first aid to help prevent the risk of infection in minor cuts, scrapes and burns • aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth	
Warnings For external use only.	
Do not use • in the eyes or apply over large areas of the body • longer than one week	
Ask a doctor before use if you have • deep or puncture wounds, animal bites or serious burns	
Stop use and ask a doctor if • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain or redness persists or worsens • swelling, rash or fever develops	
Keep this and all drugs out of the reach of children. If swallowed, seek professional assistance or contact a Poison Control Center immediately. (1-800-222-1222)	
Directions first aid antiseptic: • clean affected area • apply small amount of product on affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first	oral debriding agent (oral rinse): • adults and children 2 years of age and over: • mix with an equal amount of water • swish around in the mouth over affected area for at least 1 minute and then spit out • use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
• children under 12 years should be supervised in the use of this product • children under 2 years of age: consult a dentist or doctor	
Other information Keep tightly closed and in a dark place at a controlled room temperature. Do not shake bottle. Hold away from face when opening.	
Inactive ingredient purified water, Phosphoric acid as a stabilizer	

NDC # 69950-005-01

MH/DRUGS/KD-751

Imported By:
OSTL INC. 5805, White Oak Ave Suite # 16065
Encino, CA 91416, USA
www.ostltrade.com

Made in India

MAXIM HYDROGEN PEROXIDE

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69950-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hydrogen Peroxide (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	Hydrogen Peroxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69950-005-01	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/15/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/15/2015	

Labeler - Ostl, Inc. (020117798)

Establishment

Name	Address	ID/FEI	Business Operations
WILSON MEDICINE COMPANY		916000287	manufacture(69950-005)

Revised: 10/2015

Ostl, Inc.