CHIGG AWAY- benzocaine lotion Pharma Nobis, LLC

Private Label Chigg Away

CVS Itch Relief & Repellent

Drug Facts

Active Ingredient

Benzocaine 5%

Purpose

Anesthetic

Use

Relieves itching and discomfort due to nonpoisonous insect bites such as chiggers (redbugs), mosquitoes, ticks, fleas, no-see-ums, biting flies, fire ants, bees and wasps; summer's itch.

Warnings

For external use only. Keep away from eyes or other mucous membranes. Not for prolonged use. For use on intact skin only. Do not use on children younger than 2 yrs.

When using this product

discontinue use if the condition persists or if a rash or irritation develops and consult a doctor. As with all pesticides/drugs,

keep out of the reach of children.

In case of accidental ingestion, contact physician or poison control center at once.

Directions: As an anti-itch.

- Adults and children 2 yrs. of age and over. Apply topically and rub well as needed.
- Children under 2 yrs. of age: Do not use

As an insect (chigger) repellent: Apply around feet, ankles, waist and to skin under all areas of tight clothing and around all openings in outer clothing. Reapply after heavy perspiration.

Other Information

• Disposal: Do not reuse bottle. Rinse thoroughly before discarding.

Inactive Ingredient

Cetyl alcohol. Glycerin, Glyceryl stearate, Hydroxyethyl cellulose, Isopropyl alcohol, Methylparaben, Petrolatum, Propylparaben, Purified water, Sodium lauryl sulfate, Stearic acid, Sulfur, and Triothanolamine..

CVS





| CHIGG AWAY | | | | | |
|--|--|--------|------------|---------------|---------------|
| benzocaine lotion | | | | | |
| | | | | | |
| Product Information | | | | | |
| Product Type | HUMAN OTC DRUG Item Code (Source) ND | | NDC: | IDC:82645-918 | |
| Route of Administration | TOPICAL | | | | |
| | | | | | |
| | | | | | |
| Active Ingredient/Active | Moiety | | | | |
| Ingredient Name Basis of Strengt | | | | | Strength |
| BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) | | | | BENZOCAINE | |
| BENZOCAINE (UNII: U3RSY48JW5) |) (BENZOCAINE - UNII:U3RSY | 48JW5) | BENZOCAINE | | 50 mg in 1 ml |
| |) (BENZOCAINE - UNII:U3RSY | 48JW5) | BENZOCAINE | | 50 mg in 1 m |
| BENZOCAINE (UNII: U3RSY48JW5 |) (BENZOCAINE - UNII:U3RSY Ingredient Name | - | BENZOCAINE | | |
| | Ingredient Name | - | BENZOCAINE | | |
| Inactive Ingredients | Ingredient Name | - | BENZOCAINE | | |
| Inactive Ingredients CETYL ALCOHOL (UNII: 936JST6J | Ingredient Name | - | BENZOCAINE | | |
| Inactive Ingredients CETYL ALCOHOL (UNII: 936JST6J GLYCERIN (UNII: PDC6A3C0OX) | Ingredient Name CN) VIII: 2300U9XXE4) | | BENZOCAINE | | |
| Inactive Ingredients CETYL ALCOHOL (UNII: 936JST6J GLYCERIN (UNII: PDC6A3C0OX) GLYCERYL MONOSTEARATE (UN | Ingredient Name CN) NII: 2300U9XXE4) .500 MPA.S AT 1%) (UNII: L | | BENZOCAINE | | 50 mg in 1 ml |
| Inactive Ingredients CETYL ALCOHOL (UNII: 936JST6J GLYCERIN (UNII: PDC6A3C0OX) GLYCERYL MONOSTEARATE (UN HYDROXYETHYL CELLULOSE (1 | Ingredient Name CN) NII: 2300U9XXE4) .500 MPA.S AT 1%) (UNII: 1 2M416302) | | BENZOCAINE | | |
| Inactive Ingredients CETYL ALCOHOL (UNII: 936JST6J GLYCERIN (UNII: PDC6A3C0OX) GLYCERYL MONOSTEARATE (UN HYDROXYETHYL CELLULOSE (1) ISOPROPYL ALCOHOL (UNII: ND2 | Ingredient Name CN) NII: 2300U9XXE4) .500 MPA.S AT 1%) (UNII: L 2M416302) II9T) | | BENZOCAINE | | |
| Inactive Ingredients CETYL ALCOHOL (UNII: 936JST6J GLYCERIN (UNII: PDC6A3C0OX) GLYCERYL MONOSTEARATE (UN HYDROXYETHYL CELLULOSE (1 ISOPROPYL ALCOHOL (UNII: ND2 METHYLPARABEN (UNII: A218C7H | Ingredient Name CN) NII: 2300U9XXE4) .500 MPA.S AT 1%) (UNII: L 2M416302) II9T) J) | | BENZOCAINE | | |
| Inactive Ingredients CETYL ALCOHOL (UNII: 936JST6J GLYCERIN (UNII: PDC6A3C0OX) GLYCERYL MONOSTEARATE (UN HYDROXYETHYL CELLULOSE (1 ISOPROPYL ALCOHOL (UNII: ND2 METHYLPARABEN (UNII: A218C7F PETROLATUM (UNII: 4T6H12BN9) | Ingredient Name CN) NII: 2300U9XXE4) .500 MPA.S AT 1%) (UNII: L 2M416302) II9T) J) | | BENZOCAINE | | |

| sc | SODIUM LAURYL SULFATE (UNII: 368GB5141J) | | | | | | | |
|---------------------------------|--|--|-------------------------|-----------------------|--|--|--|--|
| STEARIC ACID (UNII: 4ELV7Z65AP) | | | | | | | | |
| SULFUR (UNII: 70FD1KFU70) | | | | | | | | |
| TROLAMINE (UNII: 903K93S3TK) | | | | | | | | |
| | | | | | | | | |
| Packaging | | | | | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | | | |
| 1 | | 18 mL in 1 BOTTLE, PLASTIC; Type 0: Not a combination Product | 01/01/2008 | | | | | |
| | | | | | | | | |
| Marketing Information | | | | | | | | |
| | Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | | | |
| ОТ | OTC Monograph Drug M017 | | 01/01/2008 | | | | | |
| | | | | | | | | |

Labeler - Pharma Nobis, LLC (118564114)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------|---------|-----------|--|
| Pharma Nobis, LLC | | 118564114 | analysis(82645-918) , manufacture(82645-918) , pack(82645-918) , label(82645-918) |

Revised: 12/2023

Pharma Nobis, LLC