CHILDRENS LORATADINE ORAL- loratadine solution NuCare Pharmaceuticals, Inc.

Major Pharmaceuticals Children's Loratadine Oral Solution Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if carton is opened, or if printed neckband is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

edetate disodium, glycerin, maltitol, monobasic sodium phosphate, natural and artificial grape flavor, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments?

1-800-616-2471

Package/Label Principal Display Panel



CHILDRENS LORATADINE ORAL

loratadine solution

Product	Intorm	ation
IIOMUCE		ativii

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-2801(NDC:0904-6767)

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength

LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN) LORATADINE 5 mg in 5 mL

Strength

Inactive Ingredients

macure mg. calcing	
Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
MALTITOL (UNII: D65DG142WK)	
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

SUCRALOSE (UNII: 96K6UQ3ZD4)

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Item Code Package Description Marketing Start Date Marketing End Date

1 NDC:68071-2801-4 1 in 1 CARTON 07/26/2022

1 120 mL in 1 BOTTLE; Type 0: Not a Combination Product

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075728	02/12/2019	

Labeler - NuCare Pharmaceuticals,Inc. (010632300)

Establishment				
Name	Address	ID/FEI	Business Operations	
NuCare Pharmaceuticals, Inc.		010632300	relabel(68071-2801)	

Revised: 7/2022 NuCare Pharmaceuticals,Inc.