

## **HUSH ANESTHETIC- lidocaine, benzalkonium chloride soap**

### **HUSH Anesthetic**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **HUSH Foam Soap**

#### **Active Ingredients**

Lidocaine 4% w/w

Benzalkonium Chloride (0.13%) w/w

#### **Purpose**

Pain Relieving Liquid

First Aid Antiseptic

#### **Uses**

First aid to help prevent bacterial contamination or skin infection and for temporary relief of pain and itching associated with minor cuts or minor skin irritations.

#### **Directions**

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age, consult a physician.

#### **Warnings**

For external use only • Avoid contact with the eyes

Keep out of reach of children. If swallowed, get medical help right away or contact a Poison Control Center right away.

Do not use in large quantities, particularly over raw surfaces or blistered areas

In case of deep or puncture wounds, animal bites, or serious bites, consult a doctor • If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor

#### **Inactive ingredients**

Aloe Barbadensis Leaf Extract, Aqua (Deionized Water), Calendula Officials Flower Extract, Caprylyl Glycol, Chamomile (Chamomilla Recutita) Flower Extract, Citric Acid, Cocamidopropyl Betaine, Comfrey (Symphytum Officinale) Root Extract, Disodium EDTA,

Disodium Laureth Sulfosuccinate, Glycerin, Green Tea (Camellia Sinensis) Leaf Extract, Methylisothiazollnone, PEG-80 Sorbitan Laurate, Propylene Glycol

**Other Information**

Questions or Comments? Call 305-231-7229 or visit [www.hushanesthetic.com](http://www.hushanesthetic.com)



hush

FOAM SOAP

1.7oz | 48 ml

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purposes</b>
Lidocaine HCL 4%w/w .....	Pain Relieving Liquid
Benzalkonium Chloride (0.13%w/w).....	First Aid Antiseptic
<b>Uses</b> First aid to help prevent bacterial contamination or skin infection and for temporary relief of pain and itching associated with minor cuts or minor skin irritations.	
<b>Warnings</b> For external use only • Avoid contact with the eyes • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor • If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor • Do not use in large quantities, particularly over raw surfaces or blistered areas. • Keep out of reach of children. If swallowed, get medical help right away or contact a Poison Control Center right away.	
<b>Directions</b> Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age; consult a physician.	
<b>Other Information</b> Protect this product from excessive heat and direct sun.	
<b>Inactive Ingredients</b> Water, Aloe Barbadensis Leaf Extract, Disodium Laureth Sulfosuccinate, Propylene Glycol, Sodium Cocoyl Isethionate, Cocamidopropyl Betaine, Sodium Methyl Cocoyl Taurate, Glycerin, Comfrey (Symphytum Officinale) Root Extract, Chamomile (Chamomilla Recutita) Flower Extract, Calendula Officinalis Flower Extract, Green Tea (Camellia Sinensis) Leaf Extract, Disodium EDTA, Methylisothiazolinone, Caprylyl Glycol	
<b>Questions or Comments?</b> Call 305-231-7229 or visit <a href="http://www.hushanesthetic.com">www.hushanesthetic.com</a>	



Distributed by Hush Anesthetic

PARABEN FREE

EPINEPHRINE FREE



**HUSH ANESTHETIC**

lidocaine, benzalkonium chloride soap

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49947-003
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

**BENZALKONIUM CHLORIDE** (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)

BENZALKONIUM  
CHLORIDE

1.3 mg  
in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>PEG-80 SORBITAN LAURATE</b> (UNII: 239B50Y732)	
<b>DISODIUM LAURETH SULFOSUCCINATE</b> (UNII: D6DH1DTN7E)	
<b>MATRICARIA CHAMOMILLA FLOWERING TOP OIL</b> (UNII: SA8AR2W4ER)	
<b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD)	
<b>CAMELLIA SINENSIS WHOLE</b> (UNII: C5M4585ZBZ)	
<b>SYMPHYTUM OFFICINALE WHOLE</b> (UNII: H8FJJ6KX5Y)	
<b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>CITRIC ACID ACETATE</b> (UNII: DSO12WL7AU)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>METHYLISOTHIAZOLINONE</b> (UNII: 229D0E1QFA)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49947-003-01	48.2 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	04/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	04/01/2014	

**Labeler** - HUSH Anesthetic (012011309)

Revised: 1/2022

HUSH Anesthetic