MAGNESIUM OXIDE- magnesium oxide tablet APNAR PHARMA LP

Magnesium Oxide 400 mg Tablets

Active Ingredients (in each tablet)

Magnesium Oxide 400 mg (241.3 mg elemental magnesium)

Purpose

Antacid

Uses

relieves

- acid indigestion
- upset stomach

Warnings

Ask a doctor before use if you have kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacid may interact with certain prescription drugs.

Do not take more than 2 tablets in a 24 hour period or use the maximum dosage of this product for more than two weeks, except under the advice and supervision of a physician

If pregnant or breast-feeding, ask a professional before use

Keep out of reach of children

Directions

Antacid Directions: take 1 tablet twice a day or as directed by a physician

Magnesium Supplement Directions: take 1 or 2 tablets day or as directed by a physician

Other information

- Magnesium content per tablet : 241.3 mg
- store at controlled room temperature 59°- 86°F (15°- 30°C)
- do not use if imprinted safety seal under cap is broken or missing

Inactive Ingredients

Colloidal silicon dioxide, croscarmellose sodium, microcrystalline cellulose, stearic acid, maize starch

Questions or comments?

1-855-642-2594

Rev.: 04/2022

Manufactured by:

APNAR PHARMA LLP

East Windsor, NJ 08520

Made in USA


NDC 24689-132-01

Magnesium Oxide Tablets 400 mg

241.3 mg elemental Magnesium per tablet

Dietary supplement, Antacid

120 Tablets



Uses relieves - acid indigestion - upset stomach

Warnings Ask a doctor before use if you have kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacid may interact with certain prescription drugs.

Do not take more than 2 tablets in a 24 hour period or use the maximum dosage of this product for more than two weeks, except under the advice and supervision of a physician

If pregnant or breast-feeding, ask a heath professional before use.

Keep out of reach of children.

Directions Antacid Directions: - take 1 tablet twice a day or as directed by a physician Magnesium Supplement Directions: - take 1 or 2 tablets day or as directed by a physician

Other Information - Magnesium content per tablet: 241.3mg - store at controlled room temperature 59°-86°F (15°-30°C) - do not use if imprinted safety seal under cap is broken or missing

Inactive Ingredients colloidal silicon dioxide, croscarmellose sodium, microcrystalline cellulose, stearic acid, Maize starch

Questions or comments?

Rev.: 04/2022

1-855-642-2594



MAGNESIUM OXIDE magnesium oxide tablet					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24689-132		
Route of Administration	ORAL				

A	ctive Ingredi	ent/Active Moiety				
		Ingredient Name		Basis of S	trength	Strength
MAGNESIUM OXIDE (UNII: 3A3U0GI71G) (MAGNESIUM CATION - UNII:T6V3LHY8				_		400 mg
Ir	active Ingre	dients				
		Ingredient Name			Strength	
SI	LICON DIOXIDE (UNII: ETJ7Z6XBU4)				
51	EARIC ACID (UNI	I: 4ELV7Z65AP)				
C	ROSCARMELLOSI	E SODIUM (UNII: M28OL1HH48)				
M	ICROCRYSTALLIN	E CELLULOSE (UNII: OP1R32D61U)				
51	ARCH, CORN (UN	III: 08232NY3SJ)				
P	roduct Chara	octoristics				
	Color white (White to off white) Score					2 pieces
Shape ROUND (Round shaped standard concave)						L1mm
	avor	Imprint Code				AM3
	ontains					
~	Jintamis					
P	ackaging					
#	Item Code	Package Description	Marketir Da	-		ing End ate
1	NDC:24689-132- 01	120 in 1 BOTTLE; Type 0: Not a Combination Product	08/05/2022			
M	larkoting	Information				
14	-		h Maylest	ing Chart	Mayles	ting Fuel
	Marketing Category	Application Number or Monograp Citation		ing Start ate		ting End ate
	C Monograph Dru	g M001	08/05/2022			

Labeler - APNAR PHARMA LP (079568229)

Establishment				
Name	Address	ID/FEI	Business Operations	
INVAHEALTH INC		116840615	pack(24689-132) , label(24689-132)	

Establishment					
Name	Address	ID/FEI	Business Operations		
APNAR PHARMA LLP		118530917	manufacture(24689-132) , analysis(24689-132) , pack(24689-132)		