

**DAIRY DINE - iodine liquid**  
**EXL Laboratories, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----  
**Usage Directions Teat irritation and chapping Active ingredients**

1 % IODINE POST-MILKING TEAT DIP OR SPRAY

**USAGE DIRECTIONS**

**POST-DIPPING/SPRAYING:**

Dip/spray teats with undiluted product immediately after milking. Allow to air dry. Replace the solution if it becomes visibly dirty. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip/spray teats once a day for several days following the last milking. During cold weather, do not turn out cows until teats are dry to prevent chapping and freezing. If necessary, wipe dry with a single service towel.

**UDDER WASH:** To avoid contamination of milk, wash teats with this product diluted at 1 oz. (30 ml) per 2 gallons (8 L) of lukewarm water. Then dry each cow's udder and teats with individual clean towels.

**DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT.**

**IMPORTANT: TEAT IRRITATION OR CHAPPING:**

Teat dips have the potential to cause irritation of a cow's teats or milker's hands individual tolerance to a particular formulation as well as other factors (dry or cold weather, improper teat dip application, bedding quality, milking equipment, etc.) may also affect teat condition. If you observe abnormal irritation or chapping, discontinue and use and call the technical service department at 1-800-225-3832, or contact your dealer.

**ACTIVE INGREDIENTS:** Nonylphenoxypolyethoxy (12 moles EO) ethanol-iodine complex providing 1.0% titratable iodine (10.000 mg/L)

Contains 10% skin conditioners.

**Caution First Aid Storage and Spillage**

**CAUTION – KEEP OUT OF THE REACH OF CHILDREN**

**HARMFUL IF SWALLOWED – HARMFUL IF INHALED – CAUSES EYE IRRITATION**  
**SEE BELOW INFORMATION FOR ADDITIONAL PRECAUTIONS AND/OR CONSULT**  
**MATERIAL SAFETY DATA SHEET**

**Personnel familiar with this product are available 24 hours a day, 7 days a week.**

**FOR EMERGENCIES CALL 1-800-424-9300**

**PRECAUTIONS:**

Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

**FIRST AID:**

**EXTERNAL:** In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists, call a physician.

**INTERNAL:** If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Get prompt medical attention. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

**EYES:** Immediately flush with plenty of clean, running water for at least 15 minutes, holding eyelids

apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

**STORAGE AND DISPOSAL:** Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.

**SPILLAGE:** In case of a small spill (less than one gallon) flood area with a large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.

**KEEP FROM FREEZING.**

## Product Label

DAIRY DC Chem

DAIRY DINE 1%

Manufactured in the U.S.A. by EXL Laboratories, LLC.

1011 Glenwood Avenue, Minneapolis, MN 55405 Toll free 1-800-225-3832

Part # 762

Net Contents: 55 GALLONS (208.2L)

Lot #: 00010312A Expires: 10/2003



Dairy DC Chem



# DAIRY DINE 1%

## 1% IODINE POST-MILKING TEAT DIP OR SPRAY

### USAGE DIRECTIONS

**POST-DIPPING/SPRAYING:** Dip/spray teats with undiluted product immediately after milking. Allow to air dry. Replace the solution if it becomes visibly dirty. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip/spray teats once a day for several days following the last milking. During cold weather, do not turn out cows until teats are dry to prevent chapping and freezing. If necessary, wipe dry with a single service towel.

**UDDER WASH:** To avoid contamination of milk, wash teats with this product diluted at 1 oz. (30 ml) per 2 gal. (8 L) of lukewarm water. Then dry each cow's udder and teats with individual clean towels.

**DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT**

**IMPORTANT: TEAT IRRITATION OR CHAPPING:** Teat dips have the potential to cause irritation of a cow's teats or milker's hands. Individual tolerance to a particular formulation as well as other factors (dry or cold weather, improper teat dip application, bedding quality, milking equipment, etc.) may also affect teat condition. If you observe abnormal irritation or chapping, discontinue use and call the technical service department at 1-800-225-3832, or contact your dealer.

**ACTIVE INGREDIENTS:** Nonylphenoxypolyethoxy (12 moles EO) ethanol-iodine complex providing 1.0% titratable iodine (10,000 mg/L).

Contains 10% skin conditioners.

### CAUTION - KEEP OUT OF THE REACH OF CHILDREN

**HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION**

**SEE BELOW FOR ADDITIONAL PRECAUTIONS AND/OR CONSULT MATERIAL SAFETY DATA SHEET**

Personnel familiar with this product are available 24 hours a day, 7 days a week.

**FOR EMERGENCIES CALL 1-800-424-9300**

**PRECAUTIONS:** Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

### FIRST AID:

**EXTERNAL:** In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists, call a physician.

**INTERNAL:** If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Get prompt medical attention. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

**EYES:** Immediately flush with plenty of clean, running water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

**STORAGE AND DISPOSAL:** Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.

**SPILLAGE:** In case of small spill (less than one gallon), flood area with a large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.

**KEEP FROM FREEZING**

Manufactured in the USA by: EXL LABORATORIES, LLC  
1801 Glenwood Ave. Minneapolis, MN 55405 612/374-9141

Part#:



762

## BAÑO/AEROSOL DE PEZON POSTERIOR AL ORDEÑO 1.0% YODO

### INSTRUCCIONES DE USO

**BAÑO/AEROSOL POSTERIOR:** Bañar/aerosol con aerosol los pezones con este producto sin diluir inmediatamente luego del ordeño. Dejar secar al aire. Reemplazar la solución si se vuelve visiblemente sucia. Con vacas que van a parir, comenzar a bañar los pezones dos veces al día por aproximadamente 10 días antes del parto. Para las vacas que no tienen leche, bañar/aerosol con aerosol los pezones con este producto sin diluir una vez al día durante varios días a continuación del último ordeño. DURANTE TIEMPO FRIO no secar las vacas afuera hasta que los pezones estén secos para prevenir el cuarteo y el congelamiento. Si es necesario, secar con una toalla de uso singular de papel.

**LAVADO DE LA UBRE:** Para evitar la contaminación de la leche, lavar los pezones con este producto a 1 oz. (30 ml) no diluido en dos 2 galones (8 L) de agua tibia. Previamente a cada ordeño secar la ubre y los pezones de cada vaca con toallas de uso singular limpas.

**NO USAR PARA LIMPIAR Y/O HIGIENIZAR EL EQUIPO.**

**IMPORTANTE - IRRITACIÓN Y/O CUARTEO DE LOS PEZONES:** Los baños de los pezones pueden causar irritación a los leones de la vaca o a las manos del ordeñador. La tolerancia individual a una fórmula particular así como otros factores (tiempo seco, tiempo seco, aplicación incorrecta del baño del pezón, calidad de la cama de paja, equipo de ordeño, etc.) puede también afectar la condición de la piel. En caso de observar una irritación anormal o cuarteo, dejar de usarlo y llamar al departamento de servicio técnico al 1-800-225-3832, o consultar a su representante.

**INGREDIENTES ACTIVOS:** Nonylphenoxypolyethoxy (12 moles EO) etanol yodo complejo proveyendo 1.0% de yodo titratable (10,000 ppm).  
Contiene 10% de acondicionadores de la piel.

### ADVERTENCIA - MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

**CAUSA DAÑO SI ES INGERIDO - CAUSA DAÑO SI ES INHALADO - CAUSA IRRITACION DE LOS OJOS**

**LEA A CONTINUACION POR PRECAUCION Y/O CONSULTE EL MATERIAL DE INFORMACION SOBRE SEGURIDAD**

Personal familiar con este producto está disponible las 24 horas del día, 7 días a la semana.

**NUMERO DE EMERGENCIA SIN COSTO: 1-800-424-9300**

**PRECAUCIONES:** Proteger los ojos del contacto con el producto. Mantener el recipiente bien cerrado cuando no se este usando. Usarlo donde haya ventilación adecuada. Lavarse bien luego de manipular el producto.

### PRIMEROS AUXILIOS

**EXTERNAL:** En caso de contacto, inmediatamente lavar a chorro la piel contaminada con mucha agua. Si ocurre irritación y persiste, llamar a un médico.

**INTERNAL:** Si está consciente, diluir dándole varios vasos de agua o leche. No inducir el vómito. En caso de vómito, dar nuevamente varios vasos de agua o leche. Obtener atención médica rápidamente. NO DAR NUNCA NADA POR LA BOCA A UNA PERSONA INCONSCIENTE.

**OJOS:** Lavar a chorro inmediatamente con mucha agua corriente y limpiar al menos por 15 minutos, sosteniendo los párpados para asegurar el lavado a chorro de la superficie del ojo enteramente. Llamar a un médico.

**ALMACENAMIENTO Y ELIMINACION:** Almacenar el producto en un lugar frío y seco, fuera del alcance de la luz solar en forma directa y del calor para evitar su deterioro. Almacenar en un gabinete o habitación con cerradura para mantenerlo fuera del alcance de los niños. Eliminar solo de acuerdo a las leyes federales, estatales y locales.

**DERRAMAMIENTO:** En caso de un derrame pequeño (menos de un galón), inundar el área con una gran cantidad de agua. En caso de derrames, derrames, contener y remover con un absorbente inerte y eliminar de acuerdo a las leyes federales, estatales, y locales.

**NO CONGELAR.**

Net Contents:

55 GALLONS (208.2 L)

Lot #: 00010312A Expires: 10/2003

DAIRY DINE

iodine liquid

## Product Information

Product Type

OTC ANIMAL DRUG LABEL

Item Code (Source)

NDC:50138-762

Route of Administration

TOPICAL

DEA Schedule

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
IODINE (IODINE)	IODINE	10000 mg in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50 138-762-01	9.5 L in 1 JUG		
2	NDC:50 138-762-02	19 L in 1 JUG		
3	NDC:50 138-762-03	56.8 L in 1 DRUM		
4	NDC:50 138-762-04	114 L in 1 DRUM		
5	NDC:50 138-762-05	208.2 L in 1 DRUM		
6	NDC:50 138-762-06	946 L in 1 DRUM		
7	NDC:50 138-762-07	1003 L in 1 DRUM		
8	NDC:50 138-762-08	1040 L in 1 DRUM		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/01/2004	

**Labeler** - EXL Laboratories, LLC (927483458)**Registrant** - EXL Laboratories, LLC (927483458)**Establishment**

Name	Address	ID/FEI	Business Operations
EXL Laboratories, LLC		927483458	api manufacture, manufacture

Revised: 11/2013

EXL Laboratories, LLC