LORATADINE- loratadine tablet CVS Pharmacy

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine, USP 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- store between 20° to 25° C (68° to 77° F)
- protect from excessive moisture
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.

INACTIVE INGREDIENTS

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

QUESTIONS?

Call 1-800-406-7984

PRINCIPAL DISPLAY PANEL - 10 mg Tablet Bottle Carton

CVSHealth™

Compare to the active ingredient in Claritin®†

Indoor & Outdoor Allergies

Original Prescription Strength

Non-Drowsy*

Allergy Relief

LORATADINE TABLETS, USP 10 mg Antihistamine

24 Hour Relief of:

- 1. Sneezing
- 2. Runny nose
- 3. Itchy, watery eyes
- 4. Itchy throat or nose

24 HOUR Actual Bottle Size on Side Panel Package Contains One Bottle

45 TABLETS

Actual Size

*When taken as directed. See Drug Facts Panel.





LORATADINE					
loratadine tablet					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:59779-528	
Route of Administration	ORAL				
Active Ingredient/Active I	Molety				
Ingred	lient Name		Basis of Stre	ength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3B	O7QN)	LORATADINE		10 mg
Inactive Ingredients					
mactive myreulents					
	Ingredient Name			Strength	
STARCH, CORN (UNII: 08232NY3SJ					
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)					
MAGNESIUM STEARATE (UNII: 700	97M6I30)				
Product Characteristics					

Color	white (White to Off-White)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	RX526
Contains			

Packaging					
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:59779- 528-56 1 in 1 CARTON		01/08/2010		
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:59779- 528-69	1 in 1 CARTON	01/08/2010		
2		10 in 1 BLISTER PACK; Type 0: Not a Combination Product			
3	NDC:59779- 528-21	2 in 1 CARTON	01/08/2010		
3		10 in 1 BLISTER PACK; Type 0: Not a Combination Product			
4	NDC:59779- 528-31	3 in 1 CARTON	01/08/2010		
4		10 in 1 BLISTER PACK; Type 0: Not a Combination Product			
5	NDC:59779- 528-43	1 in 1 CARTON	01/08/2010		
5		45 in 1 BOTTLE; Type 0: Not a Combination Product			
6	NDC:59779- 528-37	2 in 1 CARTON	01/08/2010		
6		120 in 1 BOTTLE; Type 0: Not a Combination Product			
7	NDC:59779- 528-38	1 in 1 CARTON	01/08/2010		
7		365 in 1 BOTTLE; Type 0: Not a Combination Product			
8	NDC:59779- 528-60	1 in 1 CARTON	01/08/2010		
8		60 in 1 BOTTLE; Type 0: Not a Combination Product			
9	NDC:59779- 528-93	2 in 1 CARTON	01/08/2010		
9		30 in 1 BOTTLE; Type 0: Not a Combination Product			
Μ	larketing	Information			
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
AN	NDA	ANDA076134	01/08/2010		

Establishment					
Name	Address	ID/FEI	Business Operations		
Ohm Laboratories Inc.		051565745	MANUFACTURE(59779-528)		

Revised: 12/2021

CVS Pharmacy