LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet Freds Inc

DRUG FACTS

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement un 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

• noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

• are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

• do not use for a period longer than 1 week

Stop use and ask a doctor if

• rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

Other information

- each tablet contains: calcium 50 mg
- very low sodium
- store between 20-25°C (68-77°F)

Inactive ingredients

acacia, ammonium hydroxide*, calcium carbonate*, calcium phosphate dihydrate*, calcium sulfate anhydrous*, carnauba wax, corn starch*, croscarmellose sodium, dicalcium phosphate*, FD&C blue #1, hypromellose*, iron oxide*, iron oxide black, iron oxide yellow*, isopropyl alcohol*, kaolin*, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil*, n-butyl alcohol*, polyethylene glycol, polyvinyl alcohol*, povidone*, propylene glycol*, shellac*, silicon dioxide, sodium lauryl sulfate*, stearic acid, sucrose, talc, titanium dioxide, white wax*

*contains one or more of these ingredients

Questions or Comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

MAXIMUM STRENGTH

Laxative Pills

Sennosides USP, 25 mg

Stimulant Laxative • Natural Senna Ingredient • For Gentle, Dependable Overnight Relief

Compare To The Active Ingredients in ex-lax® Maximum Strength†

TABLETS

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

†This product is not manufactured or distributed by GlaxoSmithKline pic, distributor of Ex-Lax ${\ensuremath{\mathbb R}}$.

DISTRIBUTED BY: fred's, Inc.

4300 NEW GETWELL ROAD,

MEMPHIS, TN 38118

www.fredsinc.com

Product Label



Directions swallow tablet(s) with a glass of water availow tablet(s) whole, do not crush, break, or chew adults and children 12 years of age and older of twice daily	 very low sodium store between 20-25°C (68-77°F) store between 20-25°C (68-77°F) store between 20-25°C (68-77°F) hydroxide*, calcium suffate anhydrous*, carrauba wax, dilhydraxie*, calcium suffate anhydrous*, carrauba wax, dilhydraxie*, concarrellose sodium, dicalcium corn starch*, croscarrellose sodium, dicalcium phosphate*, FD&C blue #1, hypromellose*, iron oxide %, iron oxide plack, iron oxide yellow*, isopropyl alcohol*, polyethylene opivori, polyethylene glycol*, polyethylene dilycol, polyvinyl alcohol*, polyethylene stellacs*, allicon dioxide, sodium lauryl suffate*, stearic scid, sucrose, talc, titanium dioxide, white wax* scid, sucrose, talc, titanium dioxide, white wax* 	
f pregnant or breast-feeding, ask a health professional before use. Geep out of reach of children. In case of overdose, get nedical help or contact a Poison Control Center right away.		
Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.		
Nhen using this product do not use for a period longer than 1 week	Other information each tablet contains: calcium 50 mg	
other drugs work. Take this product 2 or more hours before or after other drugs.	children under 6 years of age	ask a doctor
set a doctor or pharmacist before use if you are taking a prescription drug. Laxatives may affect how	children 6 to under 12 years of age	take 1 tablet once or twice daily
Drug Facts (continued)	Drug Facts (continued)	

sennosides tablet				
Product Information				
Product Type	HUMAN OTC DRUG	ltem Code (So	urce) ND	C:55315-492
Route of Administration	ORAL			
Route of Administration	URAL			
Active Ingredient/Active	e Moiety			
Ingre	dient Name		Basis of Streng	th Strength
SENNOSIDES (UNII: 3FYP5M0IJX)			NNOSIDES	25 mg
				5
Inactive Ingredients				
	Ingredient Nam	e		Strength
ACACIA (UNII: 5C5403N260)				
AMMONIA (UNII: 5138Q19F1X)				
CALCIUM CARBONATE (UNII: HO	G9379FGK)			
DIBASIC CALCIUM PHOSPHATE	DIHYDRATE (UNII: 07TS2	Z97GEP)		
CALCIUM SULFATE ANHYDROU	S (UNII: E934B3V59H)			
CARNAUBA WAX (UNII: R12CBMC	EIZ)			
STARCH, CORN (UNII: 08232NY3	SJ)			
CROSCARMELLOSE SODIUM (U	NII: M28OL1HH48)			
ANHYDROUS DIBASIC CALCIUM	I PHOSPHATE (UNII: L11K	75P92J)		
FD&C BLUE NO. 1 (UNII: H3R47)	(3TBD)			
HYPROMELLOSES (UNII: 3NXW29	OV3WO)			
FERRIC OXIDE RED (UNII: 1K09F	3G675)			
FERROSOFERRIC OXIDE (UNII:)	(M0M87F357)			
FERRIC OXIDE YELLOW (UNII: E	X438O2MRT)			
ISOPROPYL ALCOHOL (UNII: ND	2M416302)			
KAOLIN (UNII: 24H4NWX5CO)				
MAGNESIUM STEARATE (UNII: 7	0097M6I30)			
MALTODEXTRIN (UNII: 7CVR7L44	2D)			
CELLULOSE, MICROCRYSTALLI	NE (UNII: OP1R32D61U)			
MINERAL OIL (UNII: T5L8T28FGP)				
BUTYL ALCOHOL (UNII: 8PJ61P6	TS3)			
POLYETHYLENE GLYCOL, UNSI	PECIFIED (UNII: 3WJQ0SDV	VIA)		
POLYVINYL ALCOHOL, UNSPEC	IFIED (UNII: 532B59J990)			
POVIDONE (UNII: FZ 989GH94E)				
PROPYLENE GLYCOL (UNII: 6DC	9Q167V3)			
SHELLAC (UNII: 46N107B710)				
SILICON DIOXIDE (UNII: ETJ7Z6)	(BU4)			
SODIUM LAURYL SULFATE (UNI	I: 368GB5141J)			
STEARIC ACID (UNII: 4ELV7Z65A	P)			
SUCROSE (UNII: C151H8M554)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9				

Product Chara	cteristics				
Color	blue	Score	no	no score	
Shape	ROUND	Size	10r	nm	
Flavor		Imprint Code	TCI	_083;S25	
Contains					
Packaging					
# Item Code	Packag	Package Description		rt Marketing End Date	
1 NDC:55315- 492-03	1 in 1 BOX		01/31/2016	06/30/2024	
	24 in 1 BOTTLE, PLAS Combination Product	ГІС; Туре 0: Not a			
Marketing	Information				
Marketing		umber or Monograph Citation	Marketing Sta Date	rt Marketing End Date	
Category					

Labeler - Freds Inc (005866116)

Revised: 11/2023

Freds Inc