

KAOPECTATE MAX PEPPERMINT FLAVOR ANTI DIARRHEAL- bismuth subsalicylate liquid
Kramer Laboratories

Drug Facts

Active ingredient (per 15 mL)	Purposes
Bismuth subsalicylate 525 mg	Anti-diarrheal Upset stomach reliever

Uses relieves

- traveler's diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - belching
 - fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Contains salicylate.

Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- a sodium-restricted diet
- fever

- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **shake well immediately before each use**
- only use pre-measured dose cup
- adults and children 12 years of age and older:
 - 1 dose (30 mL) every hour as needed
 - do not exceed 4 doses (120 mL) in 24 hours
 - use until diarrhea stops but not more than 2 days
 - children under 12 years: ask a doctor
 - drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other Information

- **each 15 mL dose cup contains:** sodium 10 mg
- **do not use if inner seal is broken or missing**
- store at room temperature 20°-25° C (68°-77° F)

Inactive Ingredients

caramel, carboxymethylcellulose sodium, flavor, FD&C Red No. 40 microcrystalline cellulose, sodium salicylate, sorbic acid, sucrose, water, xanthan gum

Principal Display Panel

Kaopectate[®]

Bismuth Subsalicylate

- *Anti-Diarrheal • Upset Stomach Reliever*

MAX

Diarrhea &
Upset Stomach

- ✓ Begins controlling symptoms from the first dose
- ✓ Twice the medicine as regular strength Kaopectate
- ✓ Quickly relieves urgency, gas, and cramping

8 fl oz (236 mL)

Peppermint Flavor

200H130



Peel

Kramer Laboratories, Inc.
Bridgewater, NJ 08807
1-800-824-4894

LOT EXP

P003H12000

Outside/ Face

Peel

Drug Facts
Active ingredient (per 15 mL) Purposes
 Bismuth subsalicylate 525 mg Anti-diarrheal
 Upset stomach reliever

Uses relieves: • traveler's diarrhea • diarrhea • upset stomach due to overindulgence in food and drink, including:
 • heartburn • indigestion • nausea • gas • belching • fullness

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Contains salicylate.
Do not take if you are
 • allergic to salicylates (including aspirin)
 • taking other salicylate products

Do not use if you have
 • a bleeding problem • an ulcer
 • bloody or black stool

Kramer Laboratories, Inc.
 Bridgewater, NJ 08807
 1-800-824-4894
 P003H12000

LOT EXP

0 53076 20036 2

Inside

Drug Facts (continued)

Ask a doctor before use if you have
 • a sodium-restricted diet • fever
 • mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for
 • diabetes • gout
 • arthritis • anticoagulation (thinning the blood)

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if
 • symptoms get worse
 • ringing in the ears or loss of hearing occurs
 • diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 • shake well immediately before each use
 • only use pre-measured dose cup

Base

Drug Facts (continued)

- adults and children 12 years of age and older: 1 dose (30 mL) every hour as needed
- do not exceed 4 doses (120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information
 • each 15 mL dose cup contains: sodium 10 mg
 • do not use if inner seal is broken or missing
 • store at room temperature 20°-25° C (68°-77° F)

Inactive ingredients
 caramel, carboxymethylcellulose sodium, flavor, FD&C Red No. 40 microcrystalline cellulose, sodium salicylate, sorbic acid, sucrose, water, xanthan gum

KAOPECTATE MAX PEPPERMINT FLAVOR ANTI DIARRHEAL

bismuth subsalicylate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55505-200
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE)	BISMUTH SUBSALICYLATE	525 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
CARAMEL (UNII: T9D99G2B1R)	
Carboxymethylcellulose Sodium, Unspecified Form (UNII: K679OBS311)	

Fd&C Red No. 40 (UNII: WZB9127XOA)	
Microcrystalline Cellulose (UNII: OP1R32D61U)	
SODIUM SALICYLATE (UNII: MQ1H85SYP)	
SORBIC ACID (UNII: X045WJ989B)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	PEPPERMINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55505-200-36	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	11/01/2020	

Labeler - Kramer Laboratories (122720675)