# EXCHANGE SELECT ALL DAY ALLERGY- cetirizine hydrochloride tablet, film coated Army & Air Force Exchange Service

-----

## Perrigo Company All Day Allergy Drug Facts

# **Active ingredient (in each tablet)**

Cetirizine HCl 10 mg

## **Purpose**

Antihistamine

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

## Warnings

#### Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

# Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

# Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

#### When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

## Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

## If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

adults and children 6	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24
years and over	hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of	ask a doctor
age	
consumers with liver or	ask a doctor
kidney disease	

#### Other information

- do not use if printed foil under cap is broken or missing
- store between  $20^{\circ}$ - $25^{\circ}$ C ( $68^{\circ}$ - $77^{\circ}$ F)

# **Inactive ingredients**

corn starch, FD&C blue no. 1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, polydextrose, polyethylene glycol, povidone, titanium dioxide, triacetin

#### Questions or comments?

1-800-719-9260

# **Principal Display Panel**

Compare to  $\mathsf{Zyrtec}^{\texttt{®}}$  active ingredient

ORIGINAL PRESCRIPTION STRENGTH

ALL DAY allergy

Cetirizine Hydrochloride Tablets, 10 mg / Antihistamine

**INDOOR & OUTDOOR ALLERGIES** 

24 hour

24 HOUR RELIEF OF:

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose

Actual Size

30 TABLETS 10 mg EACH

quality value



# **EXCHANGE SELECT ALL DAY ALLERGY**

cetirizine hydrochloride tablet, film coated

Product Information	ct Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-076	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CETIRIZINE HYDRO CHLO RIDE (UNII: 640047KTOA) (CETIRIZINE - UNII: YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg	

Inactive Ingredients				
Ingredient Name	Strength			
STARCH, CORN (UNII: O8232NY3SJ)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29 V3WO)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
POLYDEXTROSE (UNII: VH2XOU12IE)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				

PO VIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics				
Color	WHITE	Score	no score	
Shape	OVAL	Size	10 mm	
Flavor		Imprint Code	4H2	
Contains				

P	Packaging					
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>		
1	NDC:55301-076-95	1 in 1 PACKAGE	05/13/2016			
1		45 in 1 BOTTLE; Type 0: Not a Combination Product				
2	NDC:55301-076-39	1 in 1 CARTON	08/29/2017			
2		30 in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078336	05/13/2016	

Labeler - Army & Air Force Exchange Service (001695568)

Revised: 10/2020 Army & Air Force Exchange Service