ALKA-SELTZER PLUS COLD AND FLU, CVP- chlorpheniramine maleate, acetaminophen, phenylephrine hydrochloride, dextromethorphan hydrobromide tablet tablet, effervescent ALKA-SELTZER PLUS COLD AND FLU, BASIX- chlorpheniramine maleate, acetaminophen, phenylephrine hydrochloride, dextromethorphan hydrobromide tablet tablet, effervescent ALKA-SELTZER PLUS COLD AND FLU- chlorpheniramine maleate, acetaminophen, phenylephrine hydrochloride, dextromethorphan hydrobromide tablet tablet, effervescent Lil' Drug Store Products, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

Alka-Seltzer Plus ® Severe Cold & Flu

#### **Drug Facts**

## **Active ingredients**

Active ingredients (in each tablet)

Acetaminophen 250 mg Chlorpheniramine maleate 2 mg Dextromethorphan hydrobromide 10 mg Phenylephrine hydrochloride 5 mg

#### **Purposes**

#### Purposes

Pain reliever/fever reducer Antihistamine Cough suppressant Nasal decongestant

#### **Uses**

#### Uses

- temporarily relieves these symptoms due to a cold or flu:
- minor aches and pains
- headache
- cough
- sore throat
- runny nose
- sneezing
- nasal and sinus congestion

• temporarily reduces fever

## Warnings

#### Liver warning

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### Allergy alert

Allergy alert: Acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- hives
- facial swelling
- asthma (wheezing)
- shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

## Sore throat warning

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use to sedate children

#### Do not use

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

#### Ask a doctor

## Ask a doctor before use if you have

liver disease

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- cough with excessive phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- a sodium restricted diet

## Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

## When using this product

- do not exceed recommended dosage
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

## Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.
- nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

#### **Directions**

- do not take more than the recommended dose
- adults and children 12 years and over: take 2 tablets fully dissolved in 4 oz of water every 4 hours. Do not exceed 8 tablets in 24 hours or as directed by a doctor.
- children under 12 years: do not use

#### Other information

#### Other information

- each tablet contains: potassium 80 mg; sodium 356 mg
- store at room temperature. Avoid excessive heat.

#### Inactive ingredients

## Inactive ingredients

anhydrous citric acid, calcium silicate, dimethicone, FD&C red #40, FD&C yellow #6, flavors, magnesium stearate, maltodextrin, mannitol, potassium bicarbonate, povidone, sodium bicarbonate, sucralose

#### **Questions or comments?**

Questions or comments? 1-800-986-0369 (Mon-Fri 9AM - 5PM EST)

# DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED! PACKAGE NOT CHILD RESISTANT!

PDP/Package - Lil Drug Store

Alka-

Seltzer

Plus ®

**CITRUS** 

**FLAVOR** 

#### **SEVERE Cold & Flu**

**POWERFAST FIZZ™** 

ACETAMINOPHEN/Pain Reliever-Fever Reducer

Chlorpheniramine Maleate/Antihistamine

Dextromethorphan HBr/Cough Suppressant

Phenylephrine Hydrochloride/Nasal Decongestant

- Fever & Body Ache
- Cough
- Nasal Congestion
- Runny Nose
- Sore Throat

#### 4

#### **Effervescent Tablets**

[Lil' Drug Store logo]



PDP/Package - BASIX

Alka-

Seltzer

Plus ®

**CITRUS** 

**FLAVOR** 

**SEVERE Cold & Flu** 

**POWERFAST FIZZ™** 

**ACETAMINOPHEN/Pain Reliever-Fever Reducer** 

**Chlorpheniramine Maleate/Antihistamine** 

**Dextromethorphan HBr/Cough Suppressant** 

Phenylephrine Hydrochloride/Nasal Decongestant

- Fever & Body Ache
- Cough
- Nasal Congestion
- Runny Nose
- Sore Throat

4

**Effervescent Tablets** 

[TRAVEL

BASIX logo]



## PDP/Package - Alka-Selter Plus Cold & Flu, CVP

Alka-

Seltzer

Plus ®

**CITRUS** 

**FLAVOR** 

SEVERE Cold & Flu

**POWERFAST FIZZ™** 

ACETAMINOPHEN/Pain Reliever-Fever Reducer

**Chlorpheniramine Maleate/Antihistamine** 

**Dextromethorphan HBr/Cough Suppressant** 

Phenylephrine Hydrochloride/Nasal Decongestant

- Fever & Body Ache
- Cough
- Nasal Congestion
- Runny Nose
- Sore Throat

#### **Effervescent Tablets**

[CVP HEALTH logo]



## Alka-Seltzer Plus Cold & Flu, 25ct Unit Dose Box

Alka-

Seltzer

PLUS ®

**CITRUS** 

**FLAVOR** 

**SEVERE COLD & FLU** 

**POWERFAST FIZZ™** 

**ACETAMINOPHEN/Pain Reliever-Fever Reducer** 

**Chlorpheniramine Maleate/Antihistamine** 

**Dextromethorphan HBr/Cough Suppressant** 

Phenylephrine Hydrochloride/Nasal Decongestant

- Fever & Body Ache
- Cough
- Nasal Congestion
- Runny Nose
- Sore Throat

#### 2 EFFERVESCENT TABLETS PER POUCH



#### Alka-Seltzer Plus Cold & Flu, 30ct Unit Dose Box

Alka-

Seltzer

PLUS ®

**CITRUS** 

**FLAVOR** 

**SEVERE COLD & FLU** 

**POWERFAST FIZZ™** 

ACETAMINOPHEN/Pain Reliever-Fever Reducer

**Chlorpheniramine Maleate/Antihistamine** 

**Dextromethorphan HBr/Cough Suppressant** 

Phenylephrine Hydrochloride/Nasal Decongestant

- Fever & Body Ache
- Cough
- Nasal Congestion
- Runny Nose
- Sore Throat

#### 2 EFFERVESCENT TABLETS PER POUCH



## ALKA-SELTZER PLUS COLD AND FLU, CVP

chlorpheniramine maleate, acetaminophen, phenylephrine hydrochloride, dextromethorphan hydrobromide tablet tablet, effervescent

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6531
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	250 mg	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	2 mg	

Inactive Ingredients		
Ingredient Name	Strength	
POTASSIUM BICARBONATE (UNII: HM5Z15LEBN)		
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		

DIMETHICONE (UNII: 92RU3N3Y1O)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CALCIUM SILICATE (UNII: S4255P4G5M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MANNITOL (UNII: 30WL53L36A)	

Product Characteristics				
Color	white (speckled)	Score	no score	
Shape	ROUND	Size	25mm	
Flavor	CITRUS	Imprint Code	ASP;FLU	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:66715- 6531-2	2 in 1 CARTON	08/01/2022		
1		2 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/25/2022	

## ALKA-SELTZER PLUS COLD AND FLU, BASIX

chlorpheniramine maleate, acetaminophen, phenylephrine hydrochloride, dextromethorphan hydrobromide tablet tablet, effervescent

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-7831
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	250 mg	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients		
Ingredient Name	Strength	
POTASSIUM BICARBONATE (UNII: HM5Z15LEBN)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
CALCIUM SILICATE (UNII: S4255P4G5M)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
MANNITOL (UNII: 30WL53L36A)		

Product Characteristics				
Color	white (speckled)	Score	no score	
Shape	ROUND	Size	25mm	
Flavor	CITRUS	Imprint Code	ASP;FLU	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:66715- 7831-2	2 in 1 CARTON	11/30/2022		
1		2 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
part341	11/30/2022		
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date	

## **ALKA-SELTZER PLUS COLD AND FLU**

chlorpheniramine maleate, acetaminophen, phenylephrine hydrochloride, dextromethorphan hydrobromide tablet tablet, effervescent

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9831

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	250 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	2 mg

Inactive Ingredients		
Ingredient Name	Strength	
POTASSIUM BICARBONATE (UNII: HM5Z15LEBN)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
CALCIUM SILICATE (UNII: S4255P4G5M)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
MANNITOL (UNII: 30WL53L36A)		

Product Characteristics			
Color	white (speckled)	Score	no score
Shape	ROUND	Size	25mm
Flavor	CITRUS	Imprint Code	ASP;FLU
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715- 9831-2	2 in 1 CARTON	04/25/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715- 9831-8	25 in 1 BOX, UNIT-DOSE; Type 0: Not a Combination Product	04/27/2022	
3	NDC:66715- 9831-9	30 in 1 BOX, UNIT-DOSE; Type 0: Not a Combination Product	05/17/2022	

## **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/25/2022	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 4/2023 Lil' Drug Store Products, Inc.