### OXYGEN- oxygen gas E-Z Oxygen LLC, dba AO2

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### **OXYGEN HP LABEL**

OXYGEN COMPRESSED USP UN1072 OXYGEN 2 RX ONLY

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD, MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING, UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 DEGREES C (125 DEGREES F) USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) CAS-7782-44-7.DO NOT REMOVE THIS PRODUCT LABEL.

E-Z OXYGEN, LLC 1101 E. 5TH NORTH LITTLE ROCK, AR 72114 (501) 246-5017

SIZE	CONTENTS	SIZE	CONTENTS
"E"	648 LITERS	"M-6"	157 LITERS
"D"	394 LITERS	"H"	6088 LITERS
"C"	226 LITEDC		





**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX ONLY.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

**WARNING:** HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventative device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F).

Use in accordance with the Material Safety Data Sheet (MSDS).

CAS-7782-44-7. DO NOT REMOVE THIS PRODUCT LABEL.

E-Z OXYGEN, LLC		North Little Rock, AR 72114 (501) 246-5017		
Size	Contents	Size	Contents	
□"E"	648 Liters	"M-6"	157 Liters	
"D"	394 Liters	☐ "H"	6088 Liters	
☐"C"	236 Liters	Other	Liters	

1101 E. 5th

#### **OXYGEN REFRIGERATED LIQUID LABEL**

REFRIGERATED LIQUID OXYGEN REFRIGERATED LIQUID U.S.P. UN1073 OXYGEN 2 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS:	LITERS:	CU FT:	RX ONLY

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION, WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD, MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING, UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION.

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

KEEP OIL, GREASE, AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL, WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK OR ROLL EQUIPMENT OVER SPILLS CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 DEGREES C (125 DEGREES F) CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) CAS-7782-44-7

FIRST AID: IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY.
E-Z OXYGEN, LLC 1101 E. 5TH NORTH LITTLE ROCK, AR 72114 (501) 246-5017
DO NOT REMOVE THIS LABEL



# DO NOT CHANGE OR FORCE FIT CONNECTIONS LTRS: CONTENTS: CU FT: RX ONLY

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

## PRODUCED BY AIR LIQUEFACTION

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the **Material Safety Data Sheet (MSDS)** CAS-7782-44-7

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

E-Z OXYGEN, LLC

1101 E. 5th North Little Rock, AR 72114 (501) 246-5017

# DO NOT REMOVE THIS LABEL

res

OXY		
UAI	ш	
	•	

oxygen gas

Product Information					
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:55151-123		
Route of Administration	RESPIRATORY (INHALATION)				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L		

Pa	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:55151- 123-01	103 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2011		
2	NDC:55151- 123-02	150 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2011		
3	NDC:55151- 123-03	236 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2011		
4	NDC:55151- 123-04	394 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2011		
5	NDC:55151- 123-05	648 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2011		
6	NDC:55151- 123-06	3462 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2011		
7	NDC:55151- 123-07	6088 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2011		
8	NDC:55151- 123-08	157 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2011		
9	NDC:55151- 123-09	137688 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2011		
10	NDC:55151- 123-10	154800 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2011		
11	NDC:55151- 123-11	154800 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2011		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved medical gas		01/01/2011		
gus				

# Labeler - E-Z Oxygen LLC, dba AO2 (968756226)

## Registrant - E-Z Oxygen LLC, dba AO2 (968756226)

Establishment				
Name	Address	ID/FEI	Business Operations	
E-Z Oxygen LLC, AO2		968756226	manufacture(55151-123)	

Revised: 11/2023 E-Z Oxygen LLC, dba AO2