# REGULAR STRENGTH ENTERIC COATED ASPIRIN- as pirin tablet, coated A-S Medication Solutions

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

gc 921

# Active ingredient (in each tablet)

Aspirin 325 mg(NSAID)\*

\*nonsteroidal anti-inflammatory drug

# Purpose

Pain reliever

#### Uses

- for the temporary relief of minor aches and pains
- ask your doctor about other uses for aspirin

## **Warnings**

**Reye's Syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy Alert:** Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

## **Stomach bleeding warning:**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

**Do not use** if you are allergic to aspirin or any other pain reliever/fever reducer.

#### Ask a doctor before use if

- the stomach bleeding warning applies to you
- you are taking a diuretic

- you have a history of stomach problems, such as heartburn
- you have: -high blood pressure -heart disease -liver cirrhosis -kidney disease -asthma

# Ask a doctor or pharmacist before use if you are

- taking any other drug containing an NSAID (prescription or nonprescription)
- taking a blood thinning (anticoagulant) or steroid drug
- taking a prescription drug for diabetes, gout or arthritis

## Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding: -feel faint -vomit blood -have bloody or black stools -have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- fever gets worse or lasts more than 3 days
- any new symptoms occur
- ringing in the ears or loss of hearing occurs

# If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- drink a full glass of water with each dose
- swallow whole, do not chew or crush
- do not exceed recommended dose
- adults and children 12 years and older: take 1-2 tablets every 4 hours, as needed, not more than 12 tablets in 24 hours, or as directed by a doctor
- children under 12 years: ask a doctor

### Other information

- store at room temperature 15°C 30°C (59°F 86°F)
- for institutional use only

## **Inactive ingredients**

cellulose, D&C yellow #10 lake, FD&C yellow #6 lake, hypromellose, iron oxide, PEG, polydextrose, polyvinyl acetate phthalate, propylene glycol, shellac wax, silica, simethicone, sodium alginate, sodium bicarbonate, starch, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate. May also contain acetylated monoglycerides, croscarmellose sodium, hypromellose phthalate, methacrylic acid, mineral oil, polysorbate 80, sodium lauryl sulfate.

### **HOW SUPPLIED**

Product: 50090-4858

NDC: 50090-4858-0 50 TABLET, COATED in a BOTTLE

# **As pirin**



# REGULAR STRENGTH ENTERIC COATED ASPIRIN

aspirin tablet, coated

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50090-4858(NDC:57896-921)

Route of Administration ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients		
Ingredient Name	Strength	
FERROSOFERRIC OXIDE (UNII: XM0 M8 7F357)		
STARCH, CORN (UNII: O8232NY3SJ)		
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
POLYVINYL ACETATE PHTHALATE (UNII: 58 QVG8 5GW3)		
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)		
POLYDEXTROSE (UNII: VH2XOU12IE)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
SHELLAC (UNII: 46 N10 7B710)		

SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM BICARBONATE (UNII: 8 MDF5 V39 QO)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
DIMETHICO NE (UNII: 92RU3N3Y1O)	

Product Characteristics				
Color	orange	Score	no score	
Shape	ROUND	Size	9 m m	
Flavor		Imprint Code	44;227	
Contains				

Packaging				
#	Item Code	Item Code Package Description		<b>Marketing End Date</b>
1 NI	DC:50090-4858-0	50 in 1 BOTTLE; Type 0: Not a Combination Product	01/22/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	07/01/2000	

# **Labeler -** A-S Medication Solutions (830016429)

Establishment			
Name	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-4858), REPACK(50090-4858)

Revised: 1/2020 A-S Medication Solutions