

**COUGH AND BRONCHIAL DAYTIME SYRUP- aconitum napellus, bryonia alba root, calcium cation, spongia officinalis skeleton, roasted, tin syrup
Schwabe Mexico, S.A. de C.V.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Cough and Bronchial Daytime Syrup

Active Ingredients

ACONITUM NAPELLUS 3X

BRYONIA 3X

HEPAR SULPHURIS CALCAREUM 6C

SPONGIA TOSTA 3X

STANNUM METALLICUM 6C

Inactive Ingredient

citric acid

ethyl alcohol

gum arabic

malt extract

purified water

sodium benzoate

sucrose

Dosage & Administration

Directions:

Shake well before each use.

Adults & children 12 years of age and older: Take 2 teaspoons (tsp) (10mL) every 2 hours. For severe coughs, repeat every 20 minutes for first hour, then every 2 hours. Do not exceed 8 servings per day.

Children under 12 years of age: Consult a doctor.

Indications & Usage

Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.
Soothes the throat.

Purpose

Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.
Soothes the throat.

Warnings

Sore throat warning: if sore throat is severe, persists more than 2 days, is accompanied or followed by a fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Ask Doctor

Ask a doctor before use if you have a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema; a cough that is accompanied by excessive phlegm (mucus); been taking any medications.

Stop Use

Stop use and ask a doctor if new symptoms occur, symptoms get worse or last more than 7 days, fever worsens or lasts more than 3 days, cough lasts more than 7 days or occurs with rash or persistent headache.

These could be signs of a serious condition.

Pregnancy or Breast Feeding

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children

Keep out of the reach of children

Overdose

In case of overdose, seek medical help or contact a Poison Control Center right away.



Daytime Cough & Bronchial Syrup

621250051-08

Premium



BOERICKE & TAFEL
EST. 1835

NDC 53499-1293-9

Daytime Cough & Bronchial Syrup

NON-DROWSY

- Expectorant††
- Cough Suppressant††



HOMEOPATHIC

8 FL OZ (240 mL)
(10.2% Alcohol)

Daytime

Drug Facts (continued)

Directions

- shake well before each use

age	dose
adults & children 12 years of age and older	Take 2 teaspoons (tsp) (10 mL) every 2 hours. For severe coughs, repeat every 20 minutes for first hour, then every 2 hours. Do not exceed 8 servings per day.
children under 12 years of age	consult a doctor

Other Information

- store at room temperature 20-25°C (68-77°F)
in a dry place out of direct sunlight

Inactive ingredients citric acid, ethyl alcohol,
gum arabic, malt extract, purified water, sodium
benzoate, sucrose

Questions? 1-800-9NATURE / natureway.com

††There are no valid studies using current scientific methods
confirming this product's efficacy. These indications are based
solely on traditional homeopathic principles.

TAMPER EVIDENT. Do not use if tamper-evident
twist-off cap is missing, broken, or separated from
the neck ring.

©2023 Distributed by Boericke & Tafel®,
a division of Nature's Way Brands, LLC
Green Bay, WI 54311 USA
Product of Mexico

Daytime Cough & Bronchial NON-DROWSY Syrup

- Relieves coughs††
- Clears bronchial congestion††
- Soothes the throat††
- No artificial colors
- Non-narcotic

Boericke & Tafel®
Cough & Bronchial Syrup
is also available in a
Nighttime Formula,
to help promote
restful sleep††

LBN21900294.A08 BLQ7642A



Drug Facts

Active Ingredients

Active Ingredients	Purpose
(2.92 g in two teaspoons [tsp] = 10 mL)	
Aconitum napellus 3X	Cough Suppressant (hoarse, croupy cough); Pain Reliever††
Bryonia 3X	Cough Suppressant (hacking, painful cough); Expectorant††
Hepar sulphuris calcareum 6C	Cough Suppressant (hoarse, painful cough); Expectorant††
Spongia tosta 3X	Cough Suppressant (dry, barking cough)††
Stannum metallicum 6C	Cough Suppressant (spasmodic cough); Expectorant††

Uses

- temporarily relieves cough due to minor throat
and bronchial irritation as may occur with a cold††
- helps loosen phlegm (mucus) and thin
bronchial secretions to drain bronchial tubes††
- soothes the throat††

Warnings

Sore throat warning: if sore throat is severe,
persists more than 2 days, is accompanied or
followed by a fever, headache, rash, nausea, or
vomiting, consult a doctor promptly

Ask a doctor before use if you have

- a persistent or chronic cough such as occurs
with smoking, asthma, chronic bronchitis, or
emphysema
- a cough that is accompanied by
excessive phlegm (mucus)
- been taking any
medications

Stop use and ask a doctor if ■ new symptoms
occur, symptoms get worse or last more than
7 days ■ fever worsens or lasts more than 3 days
■ cough lasts more than 7 days or occurs with
rash or persistent headache. These could be signs
of a serious condition.

If pregnant or breast-feeding, ask a healthcare
professional before use. **Keep out of reach
of children.** In case of overdose, seek medical
help or contact a Poison Control Center
right away.

Flexo Print Carton
Dieline: turnkey vendor

PMS 273 PMS 285 PMS 302 PMS 209
Plate changes: PMS 273
Proof: PDF

Schwabe Mexico

Add image transcription here...

COUGH AND BRONCHIAL DAYTIME SYRUP

aconitum napellus, bryonia alba root, calcium cation, spongia officinalis skeleton, roasted, tin syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68466-1008
Route of Administration	ORAL, ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	3 [hp_X] in 120 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	3 [hp_X] in 120 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	6 [hp_C] in 120 mL
SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	3 [hp_X] in 120 mL
TIN (UNII: 387GMG9FH5) (TIN - UNII:387GMG9FH5)	TIN	6 [hp_C] in 120 mL

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
BARLEY MALT (UNII: R3NBG8914U)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCROSE (UNII: C151H8M554)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68466-1008-4	1 in 1 CARTON	02/28/2023	
1		120 mL in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package		
2	NDC:68466-1008-9	1 in 1 CARTON	02/28/2023	
2		240 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/28/2023	

Labeler - Schwabe Mexico, S.A. de C.V. (812805901)

Establishment

Name	Address	ID/FEI	Business Operations
Schwabe Mexico, S.A. de C.V.		812805901	manufacture(68466-1008)

Revised: 9/2023

Schwabe Mexico, S.A. de C.V.