

WAL-ZYR CETIRIZINE HYDROCHLORIDE- cetirizine hydrochloride solution
Walgreen Company

Wal-Zyr™
Cetirizine Hydrochloride

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- use only with enclosed dosing cup

1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL)

adults and children 6 years and over	once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.
adults 65 years and older	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.
children 2 to under 6 years of age	½ teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or ½ teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

artificial grape flavor, glacial acetic acid, glycerin, methylparaben, natural and artificial banana flavor, propylene glycol, propylparaben, purified water, sodium acetate (anhydrous), sucralose

Questions?

Call **1-866-923-4914**

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

PRINCIPAL DISPLAY PANEL - 240 mL Bottle Carton

**Well at
Walgreens**

NDC 0363-2102-01

WALGREENS PHARMACIST RECOMMENDED[‡]

**children's
Wal-Zyr[™]**

**Cetirizine Hydrochloride
Oral Solution
1 mg/mL / Antihistamine**

Allergy

- Alcohol free
- 2 years & older

Relieves:

- Sneezing • Runny nose
- Itchy, watery eyes
- Itchy throat or nose

DYE &

**SUGAR
FREE**

**INDOOR &
OUTDOOR
ALLERGIES**

**24
HOUR
SYMPTOM
RELIEF**

**SUGAR FREE
GRAPE
FLAVOR**

**Compare to Children's Zyrtec®
active ingredient^{††}**

8 FL OZ (240 mL)



Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED*

children's
Wal-Zyr™

Cetirizine Hydrochloride
Oral Solution
1 mg/mL / Antihistamine
Allergy



Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED*

children's
Wal-Zyr™

Cetirizine Hydrochloride
Oral Solution
1 mg/mL / Antihistamine
Allergy

- Alcohol free
- 2 years & older

Relieves:

- Sneezing • Runny nose
- Itchy, watery eyes
- Itchy throat or nose



Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED*

children's
Wal-Zyr™

Cetirizine Hydrochloride
Oral Solution
1 mg/mL / Antihistamine
Allergy

- Alcohol free
- 2 years & older

Relieves:

- Sneezing • Runny nose
- Itchy, watery eyes
- Itchy throat or nose



NDC 0363-2102-01



INDOOR &
OUTDOOR
ALLERGIES



24
HOUR
SYMPTOM
RELIEF

SUGAR FREE
GRAPE
FLAVOR



INDOOR &
OUTDOOR
ALLERGIES



24
HOUR
SYMPTOM
RELIEF


SUGAR FREE
GRAPE
FLAVOR

Compare to Children's Zyrtec®
active ingredient**

Compare to Children's Zyrtec®
active ingredient**

8 FL OZ (240 mL)

8 FL OZ (240 mL)



REV0613-RF2

199
20156-0613-1



Walgreens
Way to Well
Commitment

Support local preventive
wellness with Walgreens. With

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient (in each 5 mL teaspoonful)	Purpose
Cetirizine HCl 5 mg.....	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

each purchase of Walgreens
Brand Health & Wellness
Product, 1¢ goes to the
Walgreens Way to Well Fund®
up to \$3 million annually. Visit
Walgreens.com/waytowell

**DO NOT USE IF CARTON IS OPENED, OR IF
IMPRINTED SAFETY SEAL IS BROKEN OR
MISSING. SEE BOTTOM PANEL FOR
EXPIRATION DATE.**

Dosing cup should be washed and left to air
dry after each use.



DOSAGE CUP PROVIDED

[†]Walgreens Pharmacist Survey Study,
November 2012.

^{††}This product is not manufactured or
distributed by UCB Pharma, S.A.
CORPORATION BELGIUM,
owner of the registered trademark
Children's Zyrtec®.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens
**100% SATISFACTION
GUARANTEED**

walgreens.com ©2013 Walgreen Co.
MADE IN ISRAEL

B159.0

Warnings

Do not use if you have ever had an allergic reaction to this product
or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease.
Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking
tranquilizers or sedatives.

When using this product

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- avoid alcoholic drinks

Stop use and ask a doctor if an allergic reaction to this product
occurs. Seek medical help right away.

if pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical
help or contact a Poison Control Center right away. (1-800-222-1222)

Directions • use only with enclosed dosing cup

adults and children 6 years and over	1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.
adults 65 years and older	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.
children 2 to under 6 years of age	½ teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or ½ teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information • do not use if carton is opened, or
if imprinted safety seal is broken or missing.

- see bottom panel for expiration date
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients artificial grape flavor, glacial acetic
acid, glycerin, methylparaben, natural and artificial banana flavor,
propylene glycol, propylparaben, purified water, sodium acetate
(anhydrous), sucralose

Questions? Call 1-866-923-4914



WAL-ZYR CETIRIZINE HYDROCHLORIDE

cetirizine hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0363-2102
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Cetirizine Hydrochloride (Cetirizine)	Cetirizine Hydrochloride	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
acetic acid	
glycerin	
methylparaben	
propylene glycol	
propylparaben	
water	
SODIUM ACETATE ANHYDROUS	
sucralose	

Product Characteristics

Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE (sugar free)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2102-01	1 in 1 CARTON		
1		240 mL in 1 BOTTLE		
2	NDC:0363-2102-08	1 in 1 CARTON		
2		120 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090182	09/08/2011	

Labeler - Walgreen Company (008965063)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(0363-2102)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(0363-2102)

Revised: 2/2014

Walgreen Company