

**TUSSIN DM COUGH AND CHEST CONGESTION- dextromethorphan
hydrobromide, guaifenesin liquid
DeMoulas Market Basket**

Tussin DM 503

Drug Facts

**Active ingredients
(in each 5 mL tsp)**

Dextromethorphan HBr, USP 10 mg

Guaifenesin, USP 100 mg

Purpose

Cough Suppressant
Expectorant

Keep out of reach of children

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

- in a child under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Directions

- do not take more than 6 doses in any 24-hour period

Age	Dose
adults & children 12 years & over	2 teaspoonfuls every 4 hours
children under 12 years	do not use

Age	Dose
adults & children 12 years & over	2 teaspoonfuls every 4 hours
children under 12 years	do not use

Other information

- **Keep carton for full Direction for use.**
- store at 20-25 ° C (68-77 ° F)
- do not refrigerate
- dosage cup provided
- sodium 3 mg per teaspoonful

Inactive ingredients

anhydrous citric acid, dextrose, FD and C red no. 40, flavor, glycerin, high fructose corn syrup, purified water, saccharin sodium, sodium benzoate

Questions?

Call weekdays from 9:30 AM to 4:30 PM EST at

1-877-798-5944

Product Label

"MORE FOR YOUR DOLLAR"

MARKET BASKET®

***COMPARE TO THE ACTIVE INGREDIENTS IN ROBITUSSIN® PEAK COLD COUGH
and CHEST CONGESTION DM**

Tussin DM

Cough and Chest Congestion

Dextromethorphan HBr

Guaifenesin

COUGH SUPPRESSANT /
EXPECTORANT

Helps to Loosen Chest Congestion

NON-DROWSY

ADULT

Cough Formula

for ages 12 and over

8 FL OZ (237 mL)

DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN

*This product is not manufactured or distributed by Pfizer, owner of the registered trademark Robitussin® Peak Cold.

Distributed by: DEMOULAS SUPERMARKETS INC.
875 EAST STREET - TEWKSBURY, MA 01876

BX-012 REV 01

DO NOT USE IF PRINTED SEAL UNDER
CAP IS TORN OR MISSING

Drug Facts

Active ingredients
(in each 5mL tsp)
Dextromethorphan HBr, USP 10mg Cough Suppressant
Guaifenesin, USP 100mg Expectorant

Purpose

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

- Do not use in a child under 12 years of age
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before using this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic, such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period.

Age	Dose
Adults and children 12 years and over	2 teaspoonfuls every 4 hours
children under 12 years	do not use

Other information

- store at 20-25°C (68-77°F) do not refrigerate
- dosage cup provided sodium 3 mg per teaspoonful
- Keep carton for full directions for use.

Inactive ingredients Anhydrous citric acid, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate.

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

*This product is not manufactured or distributed by Pfizer, owner of the registered trademark Robitussin® Peak Cold. DISTRIBUTED BY DEMOULAS SUPERMARKETS INC. 875 EAST STREET TEWKSBURY, MA 01876

BX-012
REV 01



*COMPARE TO
the active ingredients in
Robitussin® Peak Cold Cough
& Chest Congestion DM

*COMPARE TO
the active ingredients in
Robitussin® Peak Cold Cough
& Chest Congestion DM

Tussin DM Cough & Chest Congestion

Dextromethorphan HBr
Guaifenesin

Cough Suppressant/
Expectorant

Helps Loosen Chest
Congestion

NON-DROWSY

ADULT
Cough Formula
for ages 12
& over

8 FL OZ (237 mL)

Tussin DM Cough & Chest Congestion

Dextromethorphan HBr
Guaifenesin

Cough Suppressant/
Expectorant

Helps Loosen Chest
Congestion

NON-DROWSY

ADULT
Cough Formula
for ages 12
& over

8 FL OZ (237 mL)

ADULT
Cough Formula
for ages 12
& over

NON-DROWSY

Tussin DM
Cough & Chest
Congestion

Dextromethorphan HBr / Guaifenesin

Cough Suppressant/Expectorant

Helps Loosen Chest Congestion



*COMPARE TO
the active ingredients in
Robitussin® Peak Cold Cough
& Chest Congestion DM

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts

Active ingredients (in each 5 mL tsp)
Dextromethorphan HBr, USP 10 mg

Purpose

Guafenesin, USP 100 mg Cough Suppressant
..... Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use ■ in a child under 12 years of age

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

■ cough that occurs with too much phlegm (mucus)
■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ do not take more than 6 doses in any 24-hour period

Age	Dose
adults & children 12 years & over	2 teaspoonfuls every 4 hours
children under 12 years	do not use

Other information

■ store at 20-25°C (68-77°F) ■ do not refrigerate
■ dosage cup provided ■ sodium 3 mg per teaspoonful
■ See carton for full labeling

Inactive ingredients anhydrous citric acid, dextrose, FD&C red # 40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate.

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944.

*This product is not manufactured or distributed by Pfizer, owner of the registered trademark Robitussin® Peak Cold.

DISTRIBUTED BY
DEMOULAS SUPERMARKETS INC.
875 East Street
TEWKSBURY, MA 01876

LOT:

LR-031

Rev 01

EXP:

res

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts	
Active Ingredients <i>(in each 5mL tsp)</i> Dextromethorphan HBr, USP 10mg Guafenesin, USP 100mg	Purpose Cough Suppressant Expectorant
Uses <ul style="list-style-type: none"> ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes 	
Warnings <p>Do not use ■ in a child under 12 years of age</p> <p>■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before using this product.</p>	
<p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic, such as occurs with smoking, asthma, chronic bronchitis or emphysema <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.</p> <p>if pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	
Directions ■ do not take more than 6 doses in any 24-hour period.	
Age	Dose
Adults and children 12 years and over	2 teaspoonsful every 4 hours
children under 12 years	do not use
Other information <ul style="list-style-type: none"> ■ store at 20-25°C (68-77°F) ■ do not refrigerate ■ dosage cup provided ■ sodium 3 mg per teaspoonful ■ Keep carton for full directions for use. 	
Inactive ingredients Anhydrous citric acid, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate.	
Questions? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944	
<p>*This product is not manufactured or distributed by Pfizer, owner of the registered trademark Robitussin® Peak Cold.</p> <p>DISTRIBUTED BY DEMOLAS SUPERMARKETS INC. 875 EAST STREET TEWKSBURY, MA 01876</p>	

8X-012
REV 01

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

