

CARBON DIOXIDE- carbon dioxide gas
American Welding & Gas, Inc.

Carbon Dioxide

CARBON DIOXIDE

UN1013

USP, MEDICAL GAS

Rx only

WARNING: Administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 124-38-9
DO NOT REMOVE THIS PRODUCT LABEL

Size 50 20 E D

Weight 50lbs 20lbs 6lbs 3lbs

Liters 12,375 4950 1485 742
SCOTT-GROSS COMPANY, INC.

664 MAGNOLIA AVENUE

LEXINGTON, KY 40505

1-800-967-6874

WWW.SCOTTGROSS.COM

CARBON DIOXIDE	USP, MEDICAL GAS																			
	UN1013	RX ONLY.	<table border="1"> <tr> <th>Size</th> <th>Weight</th> <th>Liters</th> </tr> <tr> <td><input type="checkbox"/> 50</td> <td>50lbs</td> <td>12,375</td> </tr> <tr> <td><input type="checkbox"/> 20</td> <td>20lbs</td> <td>4950</td> </tr> <tr> <td><input type="checkbox"/> E</td> <td>6lbs</td> <td>1485</td> </tr> <tr> <td><input type="checkbox"/> D</td> <td>3lbs</td> <td>742</td> </tr> <tr> <td><input type="checkbox"/> _____</td> <td>_____</td> <td>_____</td> </tr> </table>	Size	Weight	Liters	<input type="checkbox"/> 50	50lbs	12,375	<input type="checkbox"/> 20	20lbs	4950	<input type="checkbox"/> E	6lbs	1485	<input type="checkbox"/> D	3lbs	742	<input type="checkbox"/> _____	_____
Size	Weight	Liters																		
<input type="checkbox"/> 50	50lbs	12,375																		
<input type="checkbox"/> 20	20lbs	4950																		
<input type="checkbox"/> E	6lbs	1485																		
<input type="checkbox"/> D	3lbs	742																		
<input type="checkbox"/> _____	_____	_____																		
	<p>WARNING: Administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects, and precautions to be taken.</p> <p>WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE. Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.</p> <p>FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS 124-38-9</p>																			
SCOTT-GROSS COMPANY, INC. 664 MAGNOLIA AVENUE LEXINGTON, KY 40505 1-800-957-6874 WWW.SCOTTGROSS.COM	DO NOT REMOVE THIS LABEL.		SG 259 V002																	

CARBON DIOXIDE

carbon dioxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:44076-021
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBON DIOXIDE (UNII: 142M471B3J) (CARBON DIOXIDE - UNII:142M471B3J)	CARBON DIOXIDE	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44076-021-01	12375 L in 1 CYLINDER; Type 0: Not a Combination Product	10/17/2013	
2	NDC:44076-021-02	4950 L in 1 CYLINDER; Type 0: Not a Combination Product	10/17/2013	
3	NDC:44076-021-03	1485 L in 1 CYLINDER; Type 0: Not a Combination Product	10/17/2013	
4	NDC:44076-021-04	742 L in 1 CYLINDER; Type 0: Not a Combination Product	10/17/2013	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
NDA	NDA205846	10/17/2013	

Labeler - American Welding & Gas, Inc. (068181965)

Establishment

Name	Address	ID/FEI	Business Operations
AMERICAN WELDING & GAS, INC.		116724243	manufacture(44076-021)

Revised: 10/2023

American Welding & Gas, Inc.