

**HELIOX- heliox gas**  
**A-OX WELDING SUPPLY CO., INC.**

-----  
**Heliox 20/80**

PurityPlus Specialty Gases by A-OX Welding Supply

Compressed gas, n.o.s. (Oxygen, Helium)

UN1956

PPG HEOX20K Part Number

Medical Gas Mixture

20 Percent Oxygen, USP CAS: 7782-44-7

Balance Helium, USP CAS: 7440-59-7

Rx only

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

**WARNING CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.**

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ACCIDENTLY INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

**DO NOT REMOVE THIS PRODUCT LABEL**

For Medical Use Only.

Ver. 3.90

A-OX Welding Supply Co.

101 N. Harlem Ave.

Sioux Falls, SD 57104

605.336.1125



Compressed gas, n.o.s.  
(Oxygen, Helium)

UN1956

PPG HEOX20K  
Part Number

Medical Gas Mixture

20 % Oxygen, USP  
Balance Helium, USP

CAS: 7782-44-7  
CAS: 7440-59-7

See only

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

**WARNING:** CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valves after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID:** IF ACCIDENTLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical authorization.

## HELIOX

heliox gas

### Product Information

|                                |                          |                           |               |
|--------------------------------|--------------------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN PRESCRIPTION DRUG  | <b>Item Code (Source)</b> | NDC:10297-080 |
| <b>Route of Administration</b> | RESPIRATORY (INHALATION) |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN            | 200 mL in 1 L |

### Inactive Ingredients

| Ingredient Name                  | Strength      |
|----------------------------------|---------------|
| <b>HELIUM</b> (UNII: 206GF3GB41) | 800 mL in 1 L |

### Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:10297-080-01 | 637.13 L in 1 CYLINDER; Type 0: Not a Combination Product  | 06/01/2018           |                    |
| 2 | NDC:10297-080-02 | 5810.62 L in 1 CYLINDER; Type 0: Not a Combination Product | 06/01/2018           |                    |
| 3 | NDC:10297-080-03 | 7744.66 L in 1 CYLINDER; Type 0: Not a Combination Product | 06/01/2018           |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA                | NDA205767                                | 06/01/2018           |                    |

**Labeler** - A-OX WELDING SUPPLY CO., INC. (024372385)

## Establishment

| Name                          | Address | ID/FEI    | Business Operations    |
|-------------------------------|---------|-----------|------------------------|
| A-OX WELDING SUPPLY CO., INC. |         | 024372385 | manufacture(10297-080) |

Revised: 10/2023

A-OX WELDING SUPPLY CO., INC.