

DIPHENHYDRAMINE HYDROCHLORIDE AND ZINC ACETATE- diphenhydramine hydrochloride and zinc acetate cream
STRATEGIC SOURCING SERVICES LLC

Diphenhydramine Hydrochloride and Zinc Acetate

Drug Facts

| <i>Active ingredients</i> | <i>Purpose</i> |
|----------------------------------|-----------------------|
| Diphenhydramine hydrochloride 2% | Topical analgesic |
| Zinc acetate 0.1% | Skin protectant |

Uses

- temporarily relieves pain and itching associated with:
 - insect bites
 - minor burns
 - sunburn
 - minor skin irritations
 - minor cuts
 - scrapes
 - rashes due to poison ivy, poison oak, and poison sumac
- dries the oozing and weeping of poison ivy, poison oak, and poison sumac

Warnings

For external use only

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product avoid contact with eyes

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more often than directed
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

- to open: unscrew cap, use pointed end of cap to puncture seal.
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

cetyl alcohol, glyceryl stearate, glyceryl stearate/PEG-100 stearate, methylparaben, propylene glycol, propylparaben and purified water

Questions?

call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC.
Memphis, TN 38141

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

Foster & Thrive™

EXTRA STRENGTH

Anti-Itch Cream

Diphenhydramine Hydrochloride 2% and Zinc Acetate 0.1%

TOPICAL ANALGESIC / SKIN PROTECTANT

NET WT 1 OZ (28.4 g)

NDC 70677-1213-1

Foster & Thrive™


EXTRA STRENGTH

Anti-Itch Cream

Diphenhydramine Hydrochloride 2% and Zinc Acetate 0.1%
TOPICAL ANALGESIC / SKIN PROTECTANT

- Relieves pain and itch from insect bites, minor skin irritations and rashes due to poison ivy, poison oak and poison sumac

COMPARE TO THE ACTIVE INGREDIENTS IN EXTRA STRENGTH BENADRYL® ITCH STOPPING CREAM*



5242623
1023
34

Foster & Thrive™

EXTRA STRENGTH

Anti-Itch Cream

Diphenhydramine Hydrochloride 2% and Zinc Acetate 0.1%
TOPICAL ANALGESIC / SKIN PROTECTANT

NET WT 1 OZ (28.4 g)

Foster & Thrive™
Anti-Itch Cream
Diphenhydramine Hydrochloride 2% and Zinc Acetate 0.1%
TOPICAL ANALGESIC / SKIN PROTECTANT

T51
B50.3
ENG 19.13



©2023 McKesson Corporation
Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC.
Memphis, TN 38141
Money Back Guarantee
www.fosterandthrive.com
Product of Canada


* All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Extra Strength Benadryl® Itch Stopping Cream.

NO COPY ON THIS FLAP FOR LOT # AND EXPIRY DATE PRINT

| | |
|--|--|
| <p>Drug Facts (continued)</p> <p>Drug Facts (continued)</p> <p>Purpose</p> <p>Diphenhydramine hydrochloride 2%..... Topical analgesic Zinc acetate 0.1%..... Skin protectant</p> <p>Uses</p> <p>Temporarily relieves aches and itches associated with: • insect bites • sunburn • minor skin irritations • minor cuts • scrapes • rashes due to poison ivy, poison oak, and poison sumac • the itching and weeping of poison ivy, poison oak, and poison sumac</p> <p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> • on large areas of the body • with any other product containing diphenhydramine, even one taken by mouth <p>Ask a doctor before use</p> <ul style="list-style-type: none"> • on children or on men • on children or on men <p>When using this product, avoid contact with eyes</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> • condition worsens or does not improve within 7 days <p>7-0pm EST</p> <p>Questions? call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST</p> | <p>Directions</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>• symptoms persist for more than 7 days or clear up and occur again within a few days</p> <p>Other information</p> <ul style="list-style-type: none"> • do not use more often than directed • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • children under 2 years of age: ask a doctor <p>Inactive ingredients</p> <p>carbitol, methylparaben, propylene glycol, propylparaben and parabens</p> <p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> • on large areas of the body • with any other product containing diphenhydramine, even one taken by mouth <p>Ask a doctor before use</p> <ul style="list-style-type: none"> • on children or on men • on children or on men <p>When using this product, avoid contact with eyes</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> • condition worsens or does not improve within 7 days |
|--|--|

Foster & Thrive™
EXTRA STRENGTH
Anti-Itch Cream

Diphenhydramine Hydrochloride 2%
and Zinc Acetate 0.1%
TOPICAL ANALGESIC
SKIN PROTECTANT



| | | | | |
|---|---|---|-----------------------------|---------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:70677-1213 | |
| Route of Administration | TOPICAL | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | Basis of Strength | Strength | |
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | | DIPHENHYDRAMINE HYDROCHLORIDE | 20 mg in 1 g | |
| ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37) | | ZINC ACETATE | 1 mg in 1 g | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | | | | |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) | | | | |
| PEG-100 STEARATE (UNII: YD01N1999R) | | | | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | | | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | | | | |
| WATER (UNII: 059QF0KOOR) | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:70677-1213-1 | 1 in 1 CARTON | 12/13/2023 | |
| 1 | | 28.4 g in 1 TUBE; Type 0: Not a Combination Product | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M017 | | 12/13/2023 | |

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------|---------|-----------|-------------------------|
| Taro Pharmaceutical Inc. | | 206263295 | manufacture(70677-1213) |

Revised: 12/2023

STRATEGIC SOURCING SERVICES LLC